

1 Bird, J. (2019) The use of virtual reality head-mounted displays within applied sport  
2 psychology. *Journal of Sport Psychology in Action*. Advance online publication.  
3 <https://doi.org/10.1080/21520704.2018.1563573>

4

5 Running Head: VIRTUAL REALITY SPORT PSYCHOLOGY

6

7 The Use of Virtual Reality Head-Mounted Displays within Applied Sport Psychology

8

9 Second resubmission: September 13, 2018

1 **Abstract**

2 Virtual reality (VR) technology has been employed within several domains such as medicine,  
3 education, and the military. Nonetheless, there is limited research examining how VR can  
4 supplement applied sport psychology practice. This article provides the reader with an  
5 understanding of key components and concepts associated with VR head-mounted displays  
6 (HMDs). Subsequently, a range of possible applications within applied sport psychology are  
7 discussed, such as the training of perceptual-cognitive skills, relaxation strategies, and injury  
8 rehabilitation. Thereafter, the practicalities of using VR HMDs are outlined, and  
9 recommendations are provided to applied sport psychology practitioners wishing to embed  
10 this technology within their practice.

11

12 **Keywords:** Head-mounted display, immersive virtual environments, sport psychology  
13 practice, virtual reality, virtual training.

## **The Use of Virtual Reality Head-Mounted Displays within Applied Sport Psychology**

The term virtual reality (VR) was coined in 1987 by Jaron Lanier. Nonetheless, it is only recently that hardware and software developments have allowed VR to break out of the laboratory environment and enter the home (Bailenson, 2018). The year 2016 saw the release of multiple VR systems from companies including Oculus, HTC, Sony, Google, and Samsung. Opportunities to engage with VR content grew exponentially and fueled the assertion that mainstream VR had taken flight (Lin, 2017). Currently, a popular use of VR is for home entertainment (Bailenson, 2018). Within the sports sector, there are numerous opportunities for fans to experience content using VR systems (e.g., the National Basketball Association's League Pass VR<sup>1</sup>), allowing fans to get closer to the action than ever before. The rate at which individuals are engaging with VR doesn't appear to be slowing, with some reporting that the VR market will be worth over \$33 billion by the year 2022.<sup>2</sup>

The application of VR extends far beyond the realm of home entertainment, with researchers examining the efficacy of this technology within education (Jensen & Konradsen, 2018), the military (Norr, Smolenski, & Reger, 2018), surgical training (Huber et al., 2017), rehabilitation (Cano Porrás, Siemonsma, Inzelberg, Zeilig, & Plotnik, 2018) and the treatment of pain (Ambron, Miller, Kuchenbecker, Buxbaum, & Coslett, 2018). However, there is little research that explores how contemporary VR systems can enhance applied sport psychology practice. Accordingly, the author introduces the reader to key terminology and concepts associated with the experience of VR. Thereafter, the author discusses how VR can be employed to develop athletes' perceptual-cognitive skills, induce a state of relaxation, and facilitate rehabilitation from injury. Finally, the practicalities of using VR technology are expounded, with reference to input devices, output devices, virtual content, and health and safety.

## 1 **Head-Mounted Displays**

2           There are a range of VR hardware options available that can deliver immersive  
3 experiences. However, the present article focusses on VR head-mounted displays (HMDs),  
4 which represents the most common type of consumer VR system (Won et al., 2017). A HMD  
5 contains two screens that are presented in front of the individual's eyes. Digital images are  
6 delivered to each screen which are rendered with appropriate perspective to account for the  
7 position of each eye (Slater & Sanchez-Vives, 2016). The screens are housed within a case  
8 that contains sensors that constantly track an individual's head movements and alter the  
9 virtual environment accordingly.

10           Consciousness of our surroundings is dependent on information acquired by our  
11 senses (Slater & Sanchez-Vives, 2016). Critical to VR HMDs is the capacity to replace real  
12 sense perceptions with computer-generated ones, allowing individuals to perceive actively  
13 through natural sensorimotor contingencies (Slater & Sanchez-Vives, 2016). The term  
14 *presence* refers to the perceptual illusion of being in the virtual environment (Slater, 2018).  
15 VR HMDs provide real-time updates of sensory perception, stereoscopic visuals, and wide  
16 fields of view to ensure that individuals experience the virtual environment as their primary  
17 reality (Won et al., 2017). A product of presence is that individuals behave in similar ways  
18 during a VR experience as they would in reality (Bailenson, 2018).

## 19 **Using VR HMDs Within Applied Practice**

20           The following section offers several possibilities for how sport psychology  
21 practitioners can integrate VR HMDs within their applied practice, drawing upon relevant  
22 research and examples from real-world contexts.

23           **Perceptual-cognitive skills training.** Expert performers possess enhanced  
24 perceptual-cognitive skills when compared to their lesser skilled counterparts (Murphy,  
25 Jackson, & Williams, 2018). Superior perceptual-cognitive skills allow individuals to

1 effectively use their vision to identify critical environmental information, in order to  
2 anticipate the behaviors of others (i.e., teammates and opponents) and to select and execute  
3 the most appropriate cause of action (Broadbent, Ford, O'Hara, Williams, & Causer, 2017).  
4 Encouragingly, perceptual-cognitive skills can be trained across a variety of sports (see  
5 Cotterill & Discombe, 2016 for a review).

6 Video-based methods have been used extensively to explore the perceptual-cognitive  
7 skills of athletes (Broadbent et al., 2017). However, there are several limitations with using  
8 two-dimensional video playback, such as the inability to extract stereoscopic information  
9 (Vignais, Kulpa, Brault, Presse, & Bideau, 2015). Moreover, the viewpoint is not fully  
10 egocentric as it does not automatically update to account for the athlete's movements,  
11 compromising the environment/actor relationship that is present during a sporting contest  
12 (Craig, 2014). Researchers adopting an ecological perspective, wherein perception and action  
13 are considered to be cyclical, have encouraged the use of VR HMDs to study perceptual-  
14 cognitive skills, owing to the technology's capacity to overcome such limitations and to  
15 preserve the perception/action loop (Correia, Araújo, Watson, & Craig, 2014).

16 Dessing and Craig (2010) used a virtual environment to examine the influence of ball  
17 spin on soccer goalkeepers' movements. Findings revealed that experts waited significantly  
18 longer than novices before commencing any movement, so that they could pick up more  
19 information about the ball's trajectory. It has also been demonstrated that expert rugby  
20 players using VR HMDs are more likely to attune to honest movement signals (e.g., center of  
21 mass) than novices when predicting the running direction of opponents (Brault, Bideau,  
22 Kulpa, & Craig, 2012). Accordingly, VR HMDs can offer sport psychology practitioners a  
23 useful means of training athletes to attend to relevant cues in the performance environment.

24 Perhaps the most recognizable company currently using VR HMDs to train athletes'  
25 perceptual-cognitive skills is STRIVR.<sup>3</sup> Derek Belch, the founder of STRIVR, recognized

1 that the typical eye-in-the-sky video footage used to review football plays wasn't fully  
2 representative of the vantage point experienced by athletes in the competitive arena.  
3 Subsequently, STRIVR recorded 360-degree videos of specific plays being executed from the  
4 perspective of a quarterback. Thereafter, the athletes could use a VR HMD to review the  
5 footage, allowing them to scan the field of play, anticipate the pass rush, and to identify their  
6 receivers. It has been reported that quarterback Case Keenum watched over 2,500 plays using  
7 a VR HMD during his 2017 season with the Minnesota Vikings.<sup>4</sup> However, players from  
8 other positions can use VR HMDs to study blitz pickups and moves at the line of scrimmage.

9         Outside of a football setting, sport skills that require limited movement are  
10 particularly well suited to VR HMDs (Miles, Pop, Watt, Lawrence, & John, 2012).  
11 Accordingly, applied practitioners might seek to employ this technology when training the  
12 perceptual-cognitive skills of soccer players (e.g., defending set pieces), baseball players  
13 (e.g., hitting), and hockey players (e.g., goaltending). An advantage of using VR HMDs to  
14 train athletes' perceptual-cognitive skills is the ability to complete a large number of  
15 repetitions with reduced risk of physical injury (Düking, Holmberg, & Sperlich, 2018).

16         **Relaxation.** Success in sport requires athletes to continually manage a variety of  
17 changing demands (Swettenham, Eubank, Won, & Whitehead, 2018). Athletes are subjected  
18 to several stressors including high training loads, pressure to perform, organizational politics,  
19 and interpersonal conflict with teammates, coaches, officials, and opponents (Crocker,  
20 Tamminen, & Bennett, 2018). Stressors have the potential to damage an athlete's physical  
21 and mental well-being (Rumbold, Fletcher, & Daniels, 2018). Therefore, applied sport  
22 psychology practitioners often work alongside athletes to develop a range of strategies to help  
23 them cope with such demands.

24         A coping strategy that can alleviate emotional distress is relaxation (Kellmann, Pelka,  
25 & Beckmann, 2018). For example, Karageorghis and Terry (2011) suggested an exercise

1 entitled the relaxing place, wherein athletes visualize a real or imaginary location that  
2 conveys strong associations of relaxation. The effectiveness of this technique is enhanced  
3 when the athlete is able to fully immerse themselves in their favored place of relaxation  
4 (Karageorghis & Terry, 2011). Hence, applied sport psychology practitioners might use VR  
5 HMDs to supplement this exercise, by systematically immersing athletes into a range of  
6 environments in order to determine an athlete's preferred location. Videos depicting natural  
7 environments such as mountain ranges and beaches might prove effective, as they have been  
8 shown to significantly reduce participants' heart rate and blood pressure when viewed  
9 through a VR HMD (Gerber et al., 2017). Applied practitioners might also take advantage of  
10 the in-built audio contained within many VR HMDs by employing recuperative music to  
11 further induce a state of relaxation (Karageorghis et al., 2018).

12 Another relaxation strategy that is frequently employed by athletes is systematic  
13 breathing exercises (Kellmann et al., 2018). It has been suggested that VR HMDs can  
14 facilitate the practice of breathing exercises, owing to the technology's capacity to provide  
15 biofeedback to the participant (Kitson, Prpa, & Riecke, 2018). For example, the VR  
16 application DEEP<sup>5</sup> makes use of a custom controller that measures diaphragm expansion,  
17 which subsequently updates the visuals displayed via the VR HMD (van Rooij, Lobel, Harris,  
18 Smit, & Granic, 2016). Given that an athlete's preference for relaxation techniques is  
19 personal (Karageorghis & Terry, 2011), practitioners can use VR HMDs as a tool to  
20 showcase a variety of breathing techniques designed to alleviate emotional distress.

21 A strength of VR HMDs is the ability to facilitate feelings of presence and a useful  
22 side effect of this perceptual illusion is absence from the physical reality (Bailenson, 2018;  
23 Slater, 2018). Indeed, researchers have suggested that participants are largely unaware of  
24 their surroundings when using VR HMDs to encourage a state of relaxation (Gerber et al.,  
25 2017). Accordingly, a benefit of using VR HMDs within an applied sport psychology context

1 is the potential to provide athletes with respite, on demand, from an environment that  
2 contains numerous stressors (Rumbold et al., 2018). Practitioners might employ this  
3 intervention to good effect in the days leading up to competition, as a state of relaxation can  
4 enhance sleep quality (Karageorghis & Terry, 2011). However, it is not recommended to  
5 employ relaxation strategies on the day of competition, as it might jeopardize the necessary  
6 activation for optimal performance (Kellmann et al., 2018).

7         **Injury rehabilitation.** Sport injuries can be considered an inevitable part of most  
8 athletes' careers. Given that sport injury represents a traumatic event that can serve as a  
9 catalyst for a series of competitive and organizational stressors (Mitchell, Evans, Rees, &  
10 Hardy, 2014), it is vital to understand the process of rehabilitation in order to enhance the  
11 likelihood of successful outcomes. The stressors that athletes face when injured can be  
12 classified according to three distinct time phases: onset, rehabilitation, and return to sport  
13 (Evans, Wadey, Hanton, & Mitchell, 2012). Frequently reported stressors at onset include a  
14 lack of knowledge pertaining to the injury/recovery process, during rehabilitation, a lack  
15 progress toward their program, and when returning to sport, a risk of re-injury. Moreover,  
16 there is evidence to suggest that some stressors, such as isolation, are experienced across  
17 multiple time phases (Evans et al., 2012).

18         Applied sport psychology practitioners can use VR HMDs with injured athletes across  
19 each of the three aforementioned time phases. To illustrate, virtual environments can be used  
20 at the onset of injury to enhance the athlete's understanding of the injury/recovery process  
21 (Won et al., 2017). Moreover, 360-degree video footage can be used as a means of reducing  
22 perceptions of isolation, by immersing athletes into environments that they might not be able  
23 to attend physically, such as the training ground. It is plausible that maintaining contact with  
24 the team environment could reduce negative affective states, which have been postulated to  
25 negatively impact athletes' post-injury behaviors (Wiese-Bjornstal, 2010).



1           During rehabilitation, VR environments that simulate training drills can be developed  
2 so that injured athletes can begin training with reduced risk of physical injury. A benefit of  
3 using VR environments in this manner concerns the potential to gamify elements of the  
4 rehabilitation process. Hence, an injured athlete might perform a set of rehabilitation  
5 exercises administered through a VR HMD and have the VR system record an objective  
6 measure of success (e.g., completion time). A personal leader board might be used, which  
7 could reinforce feelings of progression toward the athlete's rehabilitation program. Readers  
8 are referred to a video<sup>6</sup> illustrating how the company Mi Hiepa Sports are currently using VR  
9 HMDs to assist the rehabilitation of soccer players in the United Kingdom (VRFocus, 2018).

10           When returning to sport, practitioners might work alongside injured athletes to reduce  
11 fears of re-injury, which represents a significant source of stress (Covassin, McAllister-  
12 Deitrick, Bleecker, Heiden, & Yang, 2015). For example, a sport psychology practitioner  
13 might expose an athlete to a series of scenarios that they are likely to face when competing.  
14 Commencing with footage that lacks physical contact (e.g., walking out onto the field of  
15 play) and progressing onto footage that includes physical contact (e.g., tackling an opponent)  
16 might offer a useful means of desensitization training. However, it is noteworthy that athletes  
17 and the injuries they sustain are highly idiosyncratic (Bennett, Czech, Harris, & Todd, 2016).  
18 Thus, sport psychology practitioners are urged to consider the use of VR HMDs alongside  
19 more conventional methods, such as rational emotive behavioral therapy (Artiran, 2018).

## 20 **Practical Considerations**

21           The remainder of the present article focuses on the practicalities that bear  
22 consideration when integrating VR HMDs within applied sport psychology practice. The  
23 main components of a VR system are input devices, output devices, and virtual content.  
24 Thereafter, attention is drawn to relevant health and safety recommendations.

1           **Input devices.** Suitable input devices allow participants to interact with the virtual  
2 environment by tracking their movements. VR HMDs contain sensors that are capable of two  
3 forms of tracking: orientation and position (Won et al., 2017). Orientation is tracked by  
4 accelerometers, which provide feedback concerning the pitch (i.e., nodding), yaw (i.e., turns),  
5 and roll (i.e., lateral inclinations) of the participant's head movements. Orientation tracking  
6 allows the participant to freely look around their virtual environment. More powerful VR  
7 HMDs (see Output devices) have the option of positional tracking, which is achieved by  
8 placing external sensors within the participant's physical environment. Subsequently, the  
9 sensors capture the position of the headset. When using such HMDs, if the participant walks  
10 forward in physical space, the movement is translated in the virtual environment. A technical  
11 limitation of using VR HMDs within a sporting context was that the area of effective tracking  
12 was significantly smaller than the space required to recreate a typical sporting scenario  
13 (Slater & Sanchez-Vives, 2016). However, VR systems can now track an individual within  
14 an area of 10 m<sup>2</sup>, making this technology more feasible for applied sport psychology practice.

15           Additional input devices can be used with VR HMDs. Handheld controllers contain  
16 orientation and positional tracking sensors, allowing participants to interact with virtual  
17 objects using their hands. Moreover, tracking sensors<sup>7</sup> can be attached to physical objects  
18 (e.g., sporting equipment) so that when an action is performed in the physical world, it is  
19 replicated virtually, which ultimately enhances task fidelity (Broadbent et al., 2017). Several  
20 companies provide full-body motion capture with integrated support for VR,<sup>8,9</sup> allowing  
21 practitioners to accurately record participants' movements within virtual environments. The  
22 obtained footage can be replayed from any angle, representing an advantage over traditional  
23 video playback (Miles et al., 2012). However, extra input devices require additional  
24 investments of time and cost for the applied sport psychology practitioner.

1           **Output devices.** There are numerous factors to consider when selecting a VR HMD  
2 for applied practice (see Table 1). It is possible to classify VR HMDs according to how they  
3 are powered; mobile, standalone, and tethered. Mobile VR systems require participants to  
4 place a compatible smartphone, which provides the computing power, within the HMD in  
5 order to view content. Two popular choices include Google Daydream View and the  
6 Samsung Gear VR, which offer advanced controls, tracking sensors, and dedicated content  
7 stores. Standalone VR HMDs, such as the Oculus Go, contain an in-built display which  
8 circumvents the requirement of a smartphone when using the device.

9           More powerful VR HMDs such as the PlayStation VR, Oculus Rift, HTC Vive, and  
10 HTC Vive Pro require tethering to a secondary device that is capable of generating and  
11 displaying VR content. This is usually achieved by a “VR ready” desktop or laptop computer  
12 (Won et al., 2017). The PlayStation VR provides the notable exception, which is powered by  
13 a Sony PlayStation 4 games console. Tethered VR HMDs can create the most immersive  
14 experiences, achieved through a culmination of advanced positional tracking, motion  
15 controllers and high frame rates. Nonetheless, tethered devices are more cumbersome and  
16 require more time to set up when compared to mobile or standalone VR HMDs.

17           The individual use cases of applied practitioners will help decide which VR HMD is  
18 the most appropriate. Those employed on a full-time basis with one sport team might wish to  
19 employ a tethered VR HMD, especially if they perform the majority of their consultancy at  
20 one training facility. Alternatively, practitioners that work with several athletes in a variety of  
21 settings may wish to employ a mobile or standalone VR HMD, due to its enhanced  
22 transportability and ease of implementation. The demands of the task also bear consideration  
23 when selecting a VR HMD, with tethered devices suiting applications that require limited  
24 mobility.

25           \*\*\*Table 1 about here\*\*\*

1           **Virtual content.** Applied sport psychology practitioners can develop their own  
2 content for use with VR HMDs or draw upon existing consumer content. Virtual content can  
3 be created using platforms such as Unity<sup>10</sup> or Unreal Engine.<sup>11</sup> Both platforms are free to  
4 download and contain tutorials that teach the basics of navigation and content creation.  
5 However, a challenge for practitioners is that Unity and Unreal Engine require familiarity  
6 with computer programming languages.<sup>12,13</sup> Indeed, it is seldom that effective content is  
7 developed without the aid of software engineers (Cipresso, Serino, & Riva, 2016).

8           With respect to training perceptual-cognitive skills, it appears that even simple  
9 animated point-light figures can be effective (Vignais et al., 2010). However, it is paramount  
10 that the virtual environment uses appropriate physics models as a means of providing realistic  
11 simulations to minimize the likelihood of incorrect learning (Miles et al., 2012; Slater &  
12 Sanchez-Vives, 2016). Hence, practitioners that work within academia might consider  
13 collaborating with relevant university departments, such as computer sciences, to develop  
14 customized content. Otherwise, practitioners are encouraged to explore platforms that  
15 facilitate the creation of VR content without extensive programming expertise, such as  
16 Amazon Sumerian.<sup>14</sup>

17           Practitioners can use 360-degree spherical cameras in order to capture live action  
18 footage for use with VR HMDs. Spherical cameras range in price from the hundreds (e.g.,  
19 GoPro Fusion) to the thousands (e.g., Insta360 Pro) and can be positioned to represent the  
20 perspective of an athlete. An advantage of 360-degree videos is that they are far less time-  
21 intensive to create when compared to virtual environments. However, a shortcoming is that  
22 practitioners require access to the athletes needed to recreate sporting scenarios. Furthermore,  
23 participants are not able to move within the scene when viewing such footage through a VR  
24 HMD, instead they are active observers (Craig, 2014).

1 There is a significant amount of existing content that sport psychology practitioners  
2 can use with VR HMDs. An extensive collection of applications can be perused via online  
3 stores and range from free downloads to paid content that typically requires a one-off  
4 payment.<sup>15,16</sup> Although it is unlikely that there will ever be one application that can  
5 accommodate every type of use within applied sport psychology practice, a range of  
6 applications that might be of interest to applied sport psychology practitioners are presented  
7 in Table 2. Applications are usually intuitive and require little time to install on VR HMDs or  
8 tethered devices. However, practitioners can draw upon user reviews to help ascertain  
9 whether the application is viable to their individual consultancy requirements.

10 A range of existing 360-degree videos can be streamed and/or downloaded directly  
11 onto VR HMDs. Most devices include a dedicated application for this purpose. In addition,  
12 practitioners can use cross-compatible libraries such as YouTube Virtual Reality and Jaunt  
13 when searching for relevant content. When using VR HMDs to encourage relaxation,  
14 practitioners are directed toward libraries that contain content specifically designed for this  
15 purpose.<sup>17,18</sup> Moreover, practitioners can browse a public database of immersive 360-degree  
16 videos assembled by Li, Bailenson, Pines, Greenleaf, and Williams (2017).<sup>19</sup> Videos with a  
17 high valence and low arousal score (e.g., Mountain Stillness) are recommended to induce a  
18 state of relaxation. A strength of using existing content pertains to the ease of implementation  
19 and access to vast libraries. Nevertheless, participants are less likely to identify with generic  
20 content. Ultimately, the purpose of the intervention will decide whether employing such  
21 stimuli is appropriate on a case-by-case basis.

22 \*\*\*Table 2 about here\*\*\*

23 **Health and safety.** Despite the vast appeal of using VR HMDs within applied  
24 practice, there are a range of health and safety considerations that deserve attention. For  
25 example, practitioners should prioritize appropriate hygiene as VR HMDs are likely to come

1 into contact with numerous individuals (Düking et al., 2018). Additional foam covers can  
2 also be purchased and applied to HMDs, allowing practitioners to use the same device with  
3 multiple individuals over a short time span (Won et al., 2017). A reported side-effect of using  
4 VR HMDs is simulation sickness (Bailenson, 2018). Engaging with VR content for a pre-  
5 determined time (e.g., up to 20 min) and scheduling regular breaks can help reduce the  
6 likelihood of simulation sickness occurring. Moreover, it is recommended that participants  
7 complete relevant tutorials that are pre-loaded onto the device before engaging with  
8 additional virtual content. VR systems allow the participant to set virtual boundaries which  
9 are indicative of their physical confines, in order to reduce the likelihood of accidents  
10 occurring. However, there is still the potential for individuals to collide with objects in the  
11 physical world when using VR HMDs. Therefore, practitioners are advised to monitor  
12 athletes at all times in order to maintain safety. Official documentation from VR HMD  
13 manufacturers pertaining to best practices represent useful resources for practitioners.<sup>20</sup>

#### 14 **Summary**

15         The present article has introduced the use of VR HMDs as a tool for improved applied  
16 practice within sport psychology. VR HMDs allow practitioners to create and immerse  
17 individuals into countless scenarios on demand. This is lucrative because VR technology can  
18 provide a platform for individuals to engage in a variety of training when they might not be  
19 able to otherwise. The author has suggested that VR HMDs can be used as a means to  
20 enhance athletes' perceptual-cognitive skills, prompt a state of relaxation, and improve  
21 rehabilitation from injury. Nonetheless, future research should focus on ascertaining the  
22 effectiveness of sport psychology interventions that are delivered through VR HMDs. As this  
23 technology becomes more accessible, it is hoped that practitioners will be motivated to adopt  
24 VR HMDs within their practice and devise creative solutions for its implementation. After  
25 all, the applications are only limited by one's imagination.

## 1 **References**

- 2 Ambron, E., Miller, A., Kuchenbecker, K. J., Buxbaum, L. J., Coslett, H. B. (2018)  
3 Immersive low-cost virtual reality treatment for phantom limb pain: Evidence from  
4 two cases. *Frontiers in Neurology*, *9*, 67. doi:10.3389/fneur.2018.00067
- 5 Artiran, M. (2018). Rebounding from injury and increasing performance using rational  
6 emotive behavior therapy (REBT). In M. Turner & R. Bennett (Eds.), *Rational*  
7 *emotive behavior therapy in sport and exercise* (pp. 134–152). New York, NY:  
8 Routledge.
- 9 Bailenson, J. N. (2018). *Experience on demand: What virtual reality is, how it works, and*  
10 *what it can do*. New York, NY: W & W Norton & Company.
- 11 Bennett, H. R., Czech, D., Harris, B., & Todd, S. (2016). Perceptions of coping with an injury  
12 in sport at the NCAA Division I Level: Perceptual continuity between student-athletes  
13 and their athletic trainers. *Clinical Kinesiology*, *70*, 39–43.
- 14 Brault, S., Bideau, B., Kulpa, R., & Craig, C. M. (2012). Detecting deception in movement:  
15 The case of the side-step in rugby. *PLoS ONE*, *7*, e37494.  
16 doi:10.1371/journal.pone.0037494
- 17 Broadbent, D. P., Ford, P. R., O’Hara, D. A., Williams, A. M., & Causer, J. (2017). The  
18 effects of a sequential structure of practice for the training of perceptual-cognitive  
19 skills in tennis. *PLoS ONE*, *12*, e0174311. doi:10.1371/journal.pone.0174311
- 20 Cano Porras, D., Siemonsma, P., Inzelberg, R., Zeilig, G., & Plotnik, M. (2018). Advantages  
21 of virtual reality in the rehabilitation of balance and gait. *Neurology*, *90*, 1017–1025.  
22 doi:10.1212/WNL.0000000000005603
- 23 Cipresso, P., Serino, S., & Riva, G. (2016). Psychometric assessment and behavioral  
24 experiments using a free virtual reality platform and computational science. *BMC*  
25 *Medical Informatics and Decision Making*, *16*, 37. doi:10.1186/s12911-016-0276-5

- 1 Correia, V., Araújo, D., Watson, G., & Craig, C. M. (2014). Using virtual environments to  
2 study interactions in sport performance. In K. Davids, R. Hristovski, D. Araújo, N. B.  
3 Serre, C. Button, & P. Passos (Eds.), *Complex systems in sport* (pp. 175–189). New  
4 York, NY: Routledge.
- 5 Cotterill, S. T., & Discombe, R. (2016). Enhancing decision-making during sports  
6 performance: Current understanding and future directions. *Sport & Exercise  
7 Psychology Review, 12*, 54–68.
- 8 Covassin, T., McAllister-Deitrick, J., Bleecker, A., Heiden, E. O., & Yang, J. (2015).  
9 Examining time-loss and fear of re-injury in athletes. *Journal of Sport Behavior, 38*,  
10 394–403.
- 11 Craig, C. M. (2014). Understanding perception and action in sport: How can virtual reality  
12 technology help? *Sports Technology, 6*, 161–169.  
13 doi:10.1080/19346182.2013.855224
- 14 Crocker, P. R. E., Tamminen, K. A., Bennett, E. V. (2018). Stress, emotions, and coping in  
15 youth sport. In C. J. Knight, C. G. Harwood, & D. Gould (Eds.), *Sport psychology for  
16 young athletes* (pp. 164–173). Abingdon, UK: Routledge.
- 17 Dessing, J. C., & Craig, C. M. (2010). Bending it like Beckham: How to visually fool the  
18 goalkeeper. *PloS ONE, 5*, e13161. doi:10.1371/journal.pone.0013161
- 19 Düking, P., Holmberg, H-C., & Sperlich, B. (2018). The potential usefulness of virtual reality  
20 systems for athletes: A short SWOT analysis. *Frontiers in Psychology, 9*, 128.  
21 doi:10.3389/fphys.2018.00128
- 22 Evans, L., Wadey, R., Hanton, S., & Mitchell, I. (2012). Stressors experienced by injured  
23 athletes. *Journal of Sports Sciences, 30*, 917–927.  
24 doi:10.1080/02640414.2012.682078



- 1 Gerber, S. M., Jeitziner, M-M., Wyss, P., Chesham, A., Urwyler, P., Müri, R. M., . . . Nef, T.  
2 (2017). Visuo-acoustic stimulation that helps you to relax: A virtual reality setup for  
3 patients in the intensive care unit. *Scientific Reports*, *7*, 13228.  
4 doi:10.1038/s41598-017-13153-1
- 5 Huber, T., Paschold, M., Hansen, C., Wunderling, T., Lang, H., & Kneist, W. (2017). New  
6 dimensions in surgical training: immersive virtual reality laparoscopic simulation  
7 exhilarates surgical staff. *Surgical Endoscopy*, *31*, 4472–4477.  
8 doi:10.1007/s00464-017-5500-6
- 9 Jensen, L., & Konradsen, F. (2018). A review of the use of virtual reality head-mounted  
10 displays in education and training. *Education and Information Technologies*, *23*,  
11 1515–1529. doi:10.1007/s10639-017-9676-0
- 12 Karageorghis, C. I., Bruce, A. C., Pottratz, S. T., Stevens, R. C., Bigliassi, M., & Hamer, M.  
13 (2018). Psychological and psychophysiological effects of recuperative music  
14 postexercise. *Medicine & Science in Sports & Exercise*, *50*, 739–746.  
15 doi:10.1249/MSS.0000000000001497
- 16 Karageorghis, C. I., & Terry, P. C. (2011). *Inside sport psychology*. Champaign, IL: Human  
17 Kinetics.
- 18 Kellmann, M., Pelka, M., & Beckmann, J. (2018). Psychological relaxation techniques to  
19 enhance recovery in sports. In M. Kellmann & J. Beckmann (Eds.), *Sport, recovery,*  
20 *and performance* (pp. 247–259). Abingdon, UK: Routledge.
- 21 Kitson, A., Prpa, M., & Riecke, B. E. (2018). Immersive interactive technologies for positive  
22 change: A scoping review and design considerations. *Frontiers in Psychology*, *9*,  
23 1354. doi:10.3389/fpsyg.2018.01354  
24

- 1 Li, B. J., Bailenson, J. N., Pines, A., Greenleaf, W. J., & Williams, L. M. (2017). A public  
2 database of immersive VR videos with corresponding ratings of arousal, valence, and  
3 correlations between head movements and self report measures. *Frontiers in*  
4 *Psychology*, 8, 2116. doi:10.3389/fpsyg.2017.02116
- 5 Lin, J-H. T. (2017). Fear in virtual reality (VR): Fear elements, coping reactions, immediate  
6 and next-day fright responses toward a survival horror zombie virtual reality game.  
7 *Computers in Human Behavior*, 72, 350–361. doi:10.1016/j.chb.2017.02.057
- 8 Miles, H. C., Pop, S. R., Watt, S. J., Lawrence, G. P., & John, N. W. (2012). A review of  
9 virtual environments for training in ball sports. *Computers & Graphics*, 36, 714–726.  
10 doi:10.1016/j.cag.2012.04.007
- 11 Mitchell, I., Evans, L., Rees, T., & Hardy, L. (2014). Stressors, social support, and tests of  
12 the buffering hypothesis: Effects on psychological responses of injured athletes.  
13 *British Journal of Health Psychology*, 19, 486–508. doi:10.1111/bjhp.12046
- 14 Murphy, C. P., Jackson, R. C., & Williams, A. M. (2018). The role of contextual information  
15 during skilled anticipation. *Quarterly Journal of Experimental Psychology*. Advance  
16 online publication. doi:10.1177/1747021817739201
- 17 Norr, A. M., Smolenski, D. J., & Reger, G. M. (2018). Effects of prolonged exposure and  
18 virtual reality exposure on suicidal ideation in active duty soldiers: An examination of  
19 potential mechanisms. *Journal of Psychiatric Research*, 103, 69–74.  
20 doi:10.1016/j.jpsychires.2018.05.009
- 21 Rumbold, J. L., Fletcher, D., & Daniels, K. (2018). Using a mixed method audit to inform  
22 organizational stress management interventions in sport. *Psychology of Sport &*  
23 *Exercise*, 35, 27–38. doi:10.1016/j.psychsport.2017.10.010
- 24 Slater, M. (2018). Immersion and the illusion of presence in virtual reality. *British Journal of*  
25 *Psychology*, 109, 431–433. doi:10.1111/bjop.12305

- 1 Slater, M., & Sanchez-Vives, M. V. (2016). Enhancing our lives with immersive virtual  
2 reality. *Frontiers in Robotics and AI*, 3, 74. doi: 10.3389/frobt.2016.00074
- 3 Swettenham, L., Eubank, M., Won, D., & Whitehead, A. E. (2018). Investigating stress and  
4 coping during practice and competition in tennis using think aloud. *International*  
5 *Journal of Sport and Exercise Psychology*. Advance online publication.  
6 doi:10.1080/1612197X.2018.1511622
- 7 van Rooij, M., Lobel, A., Harris, O., Smit, N., & Granic, I. (2016, May). DEEP: A  
8 biofeedback virtual reality for children at-risk for anxiety. In J. Kaye, A. Druin, C.  
9 Lampe, D. Morris, & J. P. Hourcade (Eds.), *Proceedings of the 2016 CHI Conference*  
10 *Extended Abstracts on Human Factors in Computing Systems* (pp. 1989–1997). New  
11 York, NY: Association for Computing Machinery.
- 12 Vignais, N., Kulpa, R., Brault, S., Presse, D., & Bideau, B. (2015). Which technology to  
13 investigate visual perception in sport: Video vs virtual reality. *Human Movement*  
14 *Science*, 39, 12–26. doi:10.1016/j.humov.2014.10.006
- 15 Vignais, N., Kulpa, R., Craig, C., Brault, S., Multon, F., & Bideau, B. (2010). Influence of  
16 the graphical levels of detail of a virtual thrower on the perception of the movement.  
17 *Presence*, 19, 243–252. doi: 10.1162/pres.19.3.243
- 18 VRFocus. (2018, May 28). *Train and rehabilitate athletes in VR* [Video file]. Retrieved from  
19 <https://www.youtube.com/watch?v=Fzdfh53j0dc>
- 20 Wiese-Bjornstal, D. M. (2010). Psychology and socioculture affect injury risk, response, and  
21 recovery in high-intensity athletes: A consensus statement. *Scandinavian Journal of*  
22 *Medicine & Science in Sports*, 20, 103–111. doi:10.1111/j.1600-0838.2010.01195.x
- 23 Won, A. S., Bailey, J., Bailenson, J. N., Tataru, C., Yoon, I. A., & Golianu, B. (2017).  
24 Immersive virtual reality for pediatric pain. *Children*, 4, 52.  
25 doi:10.3390/children4070052

## 1 Footnotes

2 <sup>1</sup> <https://watch.nba.com/page/vr>3 <sup>2</sup> [https://www.marketwatch.com/press-release/virtual-reality-market-size-share-and-](https://www.marketwatch.com/press-release/virtual-reality-market-size-share-and-forecast-to-2022-2018-07-04)  
4 [forecast-to-2022-2018-07-04](https://www.marketwatch.com/press-release/virtual-reality-market-size-share-and-forecast-to-2022-2018-07-04)5 <sup>3</sup> <https://strivr.com>6 <sup>4</sup> [http://www.espn.com/blog/minnesota-vikings/post/\\_/id/25242/virtual-reality-played-a-](http://www.espn.com/blog/minnesota-vikings/post/_/id/25242/virtual-reality-played-a-role-in-transforming-case-keenums-game)  
7 [role-in-transforming-case-keenums-game](http://www.espn.com/blog/minnesota-vikings/post/_/id/25242/virtual-reality-played-a-role-in-transforming-case-keenums-game)8 <sup>5</sup> <http://www.exploreddeep.com>9 <sup>6</sup> <https://www.youtube.com/watch?v=Fzdfh53j0dc>10 <sup>7</sup> <https://www.vive.com/us/vive-tracker/>11 <sup>8</sup> <http://optitrack.com/motion-capture-virtual-reality/>12 <sup>9</sup> <https://www.vicon.com/motion-capture/vicon-reality>13 <sup>10</sup> <https://unity3d.com>14 <sup>11</sup> <https://www.unrealengine.com/en-US/blog>15 <sup>12</sup> <https://docs.unity3d.com/Manual/index.html>16 <sup>13</sup> <https://docs.unrealengine.com/latest/INT/>17 <sup>14</sup> <https://aws.amazon.com/sumerian/>18 <sup>15</sup> <https://www.oculus.com/experiences/rift/>19 <sup>16</sup> <http://store.steampowered.com/vr/>20 <sup>17</sup> <https://www.atmosphaeres.com>21 <sup>18</sup> <https://www.relaxvr.co>22 <sup>19</sup> <http://vhil.stanford.edu/360-video-database/>23 <sup>20</sup> <https://static.oculus.com/documentation/pdfs/intro-vr/latest/bp.pdf>

Table 1

*Virtual Reality Head-Mounted Display Output Devices*

| Product Name            | Type       | Price      | Resolution<br>(Per eye)    | Refresh Rate<br>(Hz)       | Field of View<br>(Degrees) | Tracking  | Controls                         |
|-------------------------|------------|------------|----------------------------|----------------------------|----------------------------|---|----------------------------------|
| Google<br>Daydream View | Mobile     | \$99       | Native to<br>mobile device | Native to<br>mobile device | 100                        | Orientation   | Daydream<br>View<br>Controller   |
| Samsung Gear<br>VR      | Mobile     | \$129      | 1280 x 1440                | 60                         | 101                        | Orientation   | Gear VR<br>Controller            |
| Oculus Go               | Standalone | From \$199 | 1280 x 1440                | 60/72                      | 110                        | Orientation   | Go Controller                    |
| Lenovo Mirage<br>Solo   | Standalone | \$399      | 1280 x 1440                | 75                         | 110                        | Orientation and<br>positional (head<br>tracking only) | Daydream<br>Motion<br>Controller |
| Sony<br>PlayStation VR  | Tethered   | \$299      | 960 x 1080                 | 120                        | 100                        | Orientation and<br>positional                         | DualShock 4                      |
| Oculus Rift             | Tethered   | \$399      | 1080 x 1200                | 90                         | 110                        | Orientation and<br>positional                         | Oculus Touch                     |
| HTC Vive                | Tethered   | \$499      | 1080 x 1200                | 90                         | 110                        | Orientation and<br>positional                         | Vive<br>Controller               |
| HTC Vive Pro            | Tethered   | From \$799 | 1440 x 1600                | 90                         | 110                        | Orientation and<br>positional                         | Vive<br>Controller               |

Table 2

*Suggested Virtual Reality Applications for Applied Sport Psychology Practitioners*

| Application           | Price   | Compatible Devices | Potential Uses                              |
|-----------------------|---------|--------------------|---|
| Goaltender VR         | Free    | HV; HVP; OR        | Perceptual-cognitive skills training        |
| Final Soccer VR       | \$19.99 | HV; HVP; OR        | Perceptual-cognitive skills training        |
| Lumen VR              | \$4.99  | HV; HVP; OR        | Relaxation                                  |
| Relax VR              | \$2.99  | GDV; SGVR          | Relaxation                                  |
| 3D Organon VR Anatomy | \$29.99 | HV; HVP; OR        | Injury rehabilitation (enhancing knowledge) |

*Note.* GDV = Google Daydream View; HV = HTC Vive; HVP = HTC Vive Pro; OR = Oculus Rift; SGVR = Samsung Gear VR.