From cultural traditions to cumulative culture: parameterizing the differences between
human and nonhuman culture

Marius Kempe¹, Stephen J. Lycett², Alex Mesoudi^{1*}

¹Department of Anthropology and Centre for the Coevolution of Biology and Culture,
Durham University, Dawson Building, South Road, Durham, DH1 3LE, UK

²Department of Anthropology, School of Anthropology and Conservation, Marlowe
Building, The University of Kent, Canterbury, Kent, CT2 7NR, UK

*Author for correspondence (a.a.mesoudi@durham.ac.uk).

Running head: Human and nonhuman culture

Word count: 7107

Figures: 7

ABSTRACT

Diverse species exhibit cultural traditions, i.e. population-specific profiles of socially learned traits, from songbird dialects to primate tool-use behaviors. However, only humans appear to possess cumulative culture, in which cultural traits increase in complexity over successive generations. Theoretically, it is currently unclear what factors give rise to these phenomena, and consequently why cultural traditions are found in several species but cumulative culture in only one. Here, we address this by constructing and analyzing cultural evolutionary models of both phenomena that replicate empirically attestable levels of cultural variation and complexity in chimpanzees and humans. In our model of cultural traditions (Model 1), we find that realistic cultural variation between populations can be maintained even when individuals in different populations invent the same traits and migration between populations is frequent, and under a range of levels of social learning accuracy. This lends support to claims that putative cultural traditions are indeed cultural (rather than genetic) in origin, and suggests that cultural traditions should be widespread in species capable of social learning. Our model of cumulative culture (Model 2) indicates that both the accuracy of social learning and the number of cultural demonstrators interact to determine the complexity of a trait that can be maintained in a population. Combining these models (Model 3) creates two qualitatively distinct regimes in which there are either a few, simple traits, or many, complex traits. We suggest that these regimes correspond to nonhuman and human cultures, respectively. The rarity of cumulative culture in nature may result from this interaction between social learning accuracy and number of demonstrators.

Keywords: animal culture; cultural evolution; demography; innovation; social learning

1. Introduction

Many animal species exhibit *social learning*, i.e. the acquisition of information from conspecifics through learning (Galef and Laland, 2005); examples include the transmission of food preferences in rats (Laland and Plotkin, 1990), shoaling routes and nest site locations in fish (Helfman and Schultz, 1984), and foraging locations in bees and ants (Leadbeater and Chittka, 2007). Some of these species show cultural differences in the ‘trait-profiles’ of different populations, termed *cultural traditions* (Fragaszy and Perry, 2003). Examples include differences in the song dialects of different bird populations (Catchpole and Slater, 1995) and in the presence or absence of various tool-use and gestural behaviors in different populations of chimpanzees (Lycett et al., 2007; Whiten et al., 1999), orangutans (van Schaik et al., 2003) and capuchins (Perry et al., 2003). Humans, however, as well as exhibiting social learning and cultural traditions, appear to be the only species to unambiguously also have *cumulative culture*, where cultural traits are preserved and modified over successive generations resulting in a ‘ratcheting up’ of the complexity or efficiency of those traits (Boyd and Richerson, 1996; Dean et al., 2013; Enquist et al., 2011; Tomasello, 1999). A common criterion for cumulative culture is that cultural traits become too complex for a single individual to invent in their lifetime. Whereas this does not appear to apply to any non-human cultural traits, such as chimpanzee nut-cracking, birdsong dialects or fish shoaling routes (although for possible reports in chimpanzees see Boesch et al., 2009; Sanz et al., 2010), such traits are commonplace in human cultural endeavors such as technology, science, and mathematics (Basalla, 1988; May, 1966; Oswalt, 1976; Price, 1963; Wilder, 1968). It is highly unlikely that string theory, smartphones and space travel, for example, lie within the inventive capacities of a single individual. Even so-called ‘simple’ early human technologies, such as certain

types of stone tools, show evidence of having accumulated in complexity over multiple generations (Lycett and von Cramon-Taubadel, 2013; Roche, 2005; Simão, 2002). This cumulative culture, it is argued, has been instrumental in allowing our species to invade and inhabit virtually every terrestrial environment on the planet, while our closest primate relatives remain highly restricted in range and number (Boyd et al., 2011; Hill et al., 2009).

Our aim here is to construct simple models to identify the potential factors responsible for both the emergence and maintenance of cultural traditions, and for the shift from cultural traditions to cumulative culture that appears to be a hallmark of our species. Models are particularly useful here given the difficulty of directly studying such phenomena. Comparative studies have begun to address the underlying cognitive abilities that allow humans and other great ape species to solve simple cumulative-like tasks (Dean et al., 2012). However, comparative studies are limited because (i) only a single extant species (*Homo sapiens*) has cumulative culture, thus providing limited data points to test causal hypotheses, and (ii) the acquisition of cumulative cultural traits in humans typically takes many years and is thus not amenable to experimental investigation. Archaeological evidence can be used to indicate the emergence of cumulative culture in the *Homo* lineage (d'Errico and Stringer, 2011; Roche, 2005). However, the archaeological record provides only indirect evidence of the cognitive or demographic changes that might be associated with these phenomena.

Previous models have examined either the evolutionary origin of social learning (Aoki et al., 2005; Boyd and Richerson, 1985; Enquist et al., 2007; Rogers, 1988), or the number of independent (non-cumulative) traits in a single population (Enquist et al.,

2010; Lehmann et al., 2011; Strimling et al., 2009), or the dynamics of cumulative culture in a single population (Mesoudi, 2011; Pradhan et al., 2012) or at a macroscopic level that does not permit the study of demographic factors such as population size or migration (Enquist et al., 2011; Lewis and Laland, 2012). While all of these models have generated useful inferences about cultural dynamics, none have directly addressed the emergence and maintenance of between-group cultural traditions, which requires the simulation of multiple populations, and none have sought to explain the transition from non-cumulative traditions to cumulative culture. Here we attempt to fill this gap by first modelling cultural traditions and explicitly comparing our model output to empirical data on non-human primate traditions. We then present a model of cumulative culture that builds on previous individual-based models of non-cumulative culture. Finally, we combine these models, finding that the emergence of cumulative culture most likely occurred through the interaction of the accuracy of social learning and the number of demonstrators from whom individuals copy.

2. Model 1: Cultural traditions

We take as our starting point a model constructed by Strimling et al. (2009), in which independent (i.e. non-cumulative) cultural traits are acquired by individuals in a single population. To this we add multiple populations and migration between those populations, in order to permit the emergence of between-population cultural traditions. In their model, Strimling et al. showed how the number of different traits found in the population and the number of traits known by each individual increased as a function of population size, individuals' social learning accuracy, and individuals' innovativeness. We are therefore interested in whether, and if so how, cultural

traditions are also shaped by these factors, in addition to the novel factor of migration. As in Strimling et al.'s original model, we make several simplifying assumptions, such as that cultural traits have identical cultural fitness and have no effect on biological fitness, and that individuals do not vary in their social learning accuracy or innovativeness. While these assumptions are most likely unrealistic and deserve scrutiny in future research, these tactical simplifications allow us to focus on the aforementioned key factors that have been the subject of previous research (population size, social learning accuracy and individual innovativeness) in this new multi-group context.

Strimling et al's (2009) model contains three stages. First, one of the N individuals in the population is picked at random, dies, and is replaced by a naive individual. Second, the naive individual picks one other individual at random and independently learns every trait that individual knows with probability a per trait (where $0 < a < 1$). Third, the individual invents a random number of new traits with expectation μ . (Note that social learning and innovation are therefore modelled as separate processes; for simplicity, Strimling et al. assumed that social learning cannot itself give rise to new traits through inferential copying errors.) To this we add a fourth stage, in which the

individual migrates to another population with probability $\frac{m}{2}$ (where $0 \leq m \leq 2$).

There are p such populations in the metapopulation, and the individual is equally likely to migrate to any of the $p - 1$ other populations. When the individual migrates, it swaps population memberships with a randomly chosen member of its target population, so that the size of each population remains constant. Because each migration event involves two individuals and the target population is picked at

random, the expected number of individuals who migrate away from any given

population in one timestep is $\frac{m}{2} + \frac{\frac{m}{2}(p-1)}{p-1} = m$; this is why m is halved above.

In order to model multiple populations of such learners, we must also decide which traits individuals invent. Strimling et al. (2009) do not specify this, assuming only that individuals always invent traits that are currently unknown in the population. Lehmann et al. (2011), using a similar model, assume that there are a very large number of traits, tending towards infinity, and individuals invent a random trait chosen from this set. This strikes us as unrealistic, particularly for foraging or gestural behaviours that are constrained by the affordances of the objects and food types found in a species' habitat, and motor constraints on the possible gestures or calls that can be produced. Thus, we assume instead that there are infinitely many traits which are invented in a fixed sequence that is the same in all populations. We use the simplest possible sequence, in which traits are labeled by the natural numbers and invented in the order 1, 2, 3, etc. Individuals always invent the first trait in the sequence that is not currently known by any individual in their population. For example, if traits 1, 2, 4 and 5 are present in the population, then a naïve individual will first invent trait 3, rather than trait 6. This represents an idealized situation in which individuals' physical and cognitive predispositions and the nature of their physical and social environments create a clear ranking in the "obviousness" of traits; for example, tool techniques for foraging easily-visible food resources may be invented before techniques for foraging hard-to-find foods, and foraging technologies in general may be invented before social or symbolic behaviors that are less important for survival. While this situation

is clearly idealized, it is more realistic than assuming random draws from a large set of traits, and it is simple enough to analyze. Note that, as in Strimling et al. and Lehmann et al.'s models, these traits are not cumulative; later traits do not build on earlier traits, and an individual can socially learn any set of traits irrespective of the traits' position in the sequence. A trait may also be lost from the population and later re-invented without affecting any other traits.

Fig. 1 shows the time course and end result of one simulation of the model, at this point with no migration (i.e. $m = 0$). In this and all subsequent simulations we ran the model until the values of the various measurements (e.g. number of traits) had clearly reached a stable value and were performing random walks around that value. Fig. 1a shows that the number of different traits known in each population, called S by Strimling et al., hovers around the expected value they derived in their Equation 3, providing a replication of their model and confirming the validity of ours. Fig. 1b shows the trait-profiles present in each population at the end of the simulation. Intuitively, one expects that if all populations invent the same traits in the same order, different populations will have identical trait profiles. However, the trait-profiles in Fig. 1b clearly show variation between populations. To quantify this variation we define s , the cultural similarity between two populations, in the same way as Enquist

et al. (2011): $s = \frac{|X \cap Y|}{|X \cup Y|}$, where X is the set of traits known in the first population

and Y is the set known in the second. Thus, s is the proportion of all traits known in either population that are known in both populations. To compare more than two populations we define $\bar{s}$ as the mean similarity between every possible combination of populations in a metapopulation.

[Figure 1 here]

Fig. 2 shows how the mean similarity between populations $\bar{s}$ increases with population size N (in a decelerating fashion) and accuracy of social learning a (in an accelerating fashion). Fig. 2c shows how $\bar{s}$ varies across the parameter space created by N and a , demonstrating that no realistic parameter values generate complete inter-population homogeneity. The reason that the assumption of a fixed sequence of traits does not lead to complete inter-population homogeneity is trait loss due to imperfect social learning. We show in the Appendix that in the absence of migration, the probability that a trait will spread beyond its inventor is $\frac{a}{1+a}$. Since a must be less than 1, this probability is always less than $\frac{1}{2}$. In other words, most newly invented traits die out with their inventor, even with high fidelity cultural transmission. This feature of the model accords reasonably with evidence on chimpanzee (*P. t. schweinfurhii*) inventions documented at Mahale, Tanzania, where approximately 43% of innovations documented over a 30-year period did not spread (Nishida et al., 2009). In the model, this frequent loss of traits is balanced by the re-invention of traits that have been lost, and this dynamic creates the moderate (and realistic) dissimilarity between population trait-profiles.

[Figure 2 here]

We now analyze the effects of migration. Fig. 3 shows how the mean number of different traits known in a population $\bar{S}$ and the mean similarity between populations

$\bar{s}$ both increase with m . We show values from simulations with m ranging from 0 (no migration) to 0.5 (half of all individuals migrate); the latter may be realistic in both chimpanzees, where one sex typically disperses (Hiraiwa-Hasegawa, Hasegawa, & Nishida, 1984), and humans, where there is frequent migration of both sexes (Hill et al., 2011). As expected, migration makes populations more similar in their trait-profiles, but even frequent migration does not completely homogenize them. Migration also increases the total number of traits known, because migrants can bring traits that have not been invented in the target population; this resembles the beneficial effect of migration on accumulation found by Powell et al. (2009), but not as pronounced. A possible empirical example of this is the introduction of ant-fishing into the Kasekela chimpanzee (*P. t. schweinfurthii*) community by a female immigrant from the Mitumba community at Gombe, Tanzania (O'Malley et al., 2012).

[Figure 3 here]

To compare the results shown in Fig. 3b with empirical data, we calculated the values of $\bar{s}$ from data reported on chimpanzees (*Pan troglodytes*) (Whiten et al., 1999) and orangutans (*Pongo pygmaeus*) (van Schaik et al., 2003), ignoring all comparisons involving traits thought to be absent for ecological reasons or insufficient observation. The values of $\bar{s}$ were approximately 0.46 and 0.32, respectively. Note that these values probably underestimate the true values, because these studies only included traits that the investigators suspected *a priori* might vary between populations. With this in mind, Figs. 2c and 3 show that the model produces realistic between-population variability.

3. Model 2: Cumulative culture

We now construct and analyse a model of cumulative culture in a single population, before adding the assumption of multiple populations in the following section. For our cumulative culture model, we take as our starting point Enquist et al.'s (2010) model which expanded Strimling et al.'s (2009) to include multiple demonstrators. Hence our model has two parameters: a , the accuracy of social learning (as before), and n , the number of cultural models (where in Model 1, as well as in previous models of cumulative culture such as Mesoudi [2011], $n = 1$, but which in Model 2 can vary). As in Model 1, both parameters are assumed to be constant across all individuals. The population consists of N individuals, and as above, in each time step a randomly chosen individual dies and is replaced by a naive individual. The individual then randomly picks n other individuals from the population to be its cultural demonstrators. The individual attempts to learn the trait from each of the n demonstrators in turn. Whether this learning is successful depends on whether or not the demonstrators carry the trait and on a . Finally, after attempting to learn socially from all n demonstrators, the individual innovates with probability μ .

The trait has an infinite number of complexity levels. Learning any given level is dependent on having learned all previous levels. The levels represent cumulative improvements that can be made to the basic, level 1 trait. Thus, they may roughly correspond to Oswalt's (1976) "techno-units," or to successive modifications to a technology or social practice; plausible definitions and examples of different levels are given by Pradhan et al. (2012). In our model, individuals learn these levels as follows: for each demonstrator, the individual learns the first level of the trait that it does not already know with probability a , and moves on to the next level if successful,

which it again learns with probability a , and so on. Thus the probability of a naive individual learning a given level l from a demonstrator who knows at least l levels of the trait is a^l . After social learning, each individual has a probability μ of improving its knowledge of the trait by one level through innovation.

We are interested in understanding how $\bar{l}$, the mean level of cultural complexity that a population maintains, depends on the accuracy of social learning a , the number of cultural models n , and the innovativeness μ . In each simulation of the model the population begins completely unknowledgeable. Fig. 4 shows the time course and end result of one simulation of the model. In Fig. 4a we see that the mean level of the trait in the population initially rises and then stabilizes; Fig. 4b shows the resulting distribution of levels amongst the individuals of the population.

[Figure 4 here]

Fig. 5 shows the effects of a and n on the mean level $\bar{l}$ of the trait that is maintained in the population. The mean level $\bar{l}$ increases linearly with n (Fig. 5a), and non-linearly with a (Fig. 5b). When varying the innovativeness μ in simulations, we found that increasing μ from 0.1 to 1 increases $\bar{l}$ by ≈ 3 regardless of the values of the other parameters; thus, the effects of a and n are much stronger than the effect of μ . This replicates previous modelling results that innovation is far less important for cumulative culture than is social learning accuracy (Lewis and Laland, 2012) or number of demonstrators (Enquist et al., 2010).

Fig. 5c shows how $\bar{l}$ varies across the parameter space created by a and n . Enquist et al. (2010) showed that only if $an > 1$ could the trait be stably maintained in the population through social learning in their model. Since the trait in their model corresponds to the basic level 1 trait of ours, this result clearly applies here too. Much of the parameter space features realistic levels of accumulation; compare the values of $\bar{l}$ shown in Fig. 5c to the mean techno-unit values of 3-7 found by an empirical analysis of the complexity of marine foraging technology in a number of Oceanic human populations (Kline and Boyd, 2010). However, there are clearly many different combinations of a and n that will maintain a given mean level $\bar{l}$ in the population; thus, observing a given level of accumulation in a population does not allow us to completely identify the values of a and n for that population.

[Figure 5 here]

4. Model 3: Combined model

Here we combine our two models to ask under what conditions cultural traditions become cumulative. Imagine that each trait in Model 1 comes in the infinite number of levels described in Model 2, and that instead of choosing only one cultural demonstrator, naive individuals choose n cultural demonstrators, learn from them, and then both invent new traits and improve existing ones. The structure of the traits and trait levels in this model is shown in Fig. 6. As illustrated in the figure, the difference between traits and trait levels is that ‘traits’ measure the quantity of cultural traits and ‘trait level’ measures their complexity. The combined model then simulates the dynamics of independent cumulative traits within and between populations that interact by migration. To fully analyse this combined model, a choice must be made as

to how cumulative traits are improved; whether, for example, there is a fixed expected number of improvements per individual, or whether more knowledgeable individuals make on average more improvements. Unfortunately there is little empirical evidence on this question.

[Figure 6 here]

Without deciding this one way or another, we can still make useful statements about the combined model. Consider the expected number of different traits S in a population. If $n = 1$, Strimling et al. (2009) derived an analytical approximation for S , which shows that, for realistic but high values of these parameters, say $N = 100$, $a = 0.9$, and $\mu = 0.5$, then $S \approx 133$ traits. On the other hand, if $n > 1$ no analytical approximation for S is known, but we can approximate S by following Strimling et al. and noting that $S = \mu NT$, where T is the expected lifetime, in generations, of a newly invented trait. We conducted simulations that showed that even for very small values of the parameters which satisfy the criterion $an > 1$, say $N = 30$, $a = 0.65$, and $n = 2$, then $T \approx 100$, and T increases very rapidly with increases in the parameters. Assuming additionally a low value for innovativeness, e.g. $\mu = 0.1$, then $S \approx 300$ traits (Fig. 7) and rises very quickly into the thousands and tens of thousands of traits with increases in the parameters. Moreover, the condition $an > 1$ is also the condition for cumulative culture to arise, as noted above.

[Figure 7 here]

5. Discussion

Our models give results that mimic the phenomena of between-population cultural traditions and cumulative culture in reasonably realistic ways. In our model of cultural traditions (Model 1) we find that realistic differences between populations are maintained despite assuming that all individuals invent the same traits in the same order, individuals learn from only a single demonstrator, and despite frequent migration between populations. This occurs because traits die out with non-negligible frequency, and most traits do not spread beyond their inventor. In our model of cumulative culture (Model 2), we find that the accuracy of social learning and the number of cultural demonstrators interact to determine the cumulative level of a trait that a population can stably maintain, and that portions of the parameter space feature realistic levels of accumulation.

Results from Model 1 show that it is surprisingly easy to generate realistic cultural traditions, defined as moderately dissimilar trait profiles in different populations linked by migration, in contrast to the lack of spread of any cultural traits (the absence of culture), or the homogenisation of all populations to an identical trait profile (the absence of traditions). Inter-population similarity increases with social learning accuracy, population size and migration rate, but traditions reliably emerge at broad ranges of values of these parameters rather than a specific range. Even assuming very inaccurate social learning (e.g. $a = 0.1$), as is often claimed to characterize non-human social learning, we still obtain values of inter-population similarity that match those found empirically, at realistic population sizes and migration rates (Fig. 2). In general, Model 1 is in line with analyses indicating that behavioural traditions in non-human primates are cultural rather than genetic (Lycett et al., 2007; 2010), and in fact suggests that stable cultural traditions may be more widespread in nature than

currently thought. Indeed, since the landmark paper by Whiten et al. (1999), more and more cultural traditions have been identified in diverse species as researchers have begun to look for such patterns (Laland and Galef, 2009). Furthermore, the time series in Fig. 1a imply that phenomena such as chimpanzee cultures have inherent historical dimensions (Lycett, 2010), which have begun to be investigated using archaeological (Haslam et al., 2009) and phylogenetic (Lycett et al., 2010) methods. On the grounds of phylogenetic homology, we might also therefore expect traditions in prehistoric hominins to have displayed similar historical dynamics (Kuhn, 2004; Lycett, 2013).

Results from Model 2 imply that cumulative culture is more difficult to generate: note the large parameter space in Fig. 5c where accumulation does not occur (i.e. $\bar{l} = 1$). Cumulative culture requires some combination of high fidelity social learning and multiple demonstrators, replicating the findings of previous macroscopic (Henrich, 2004; Lewis and Laland, 2012) and non-cumulative (Enquist et al., 2010) models. The relative unimportance of individuals' innovativeness is supported by comparative work showing that humans appear to possess unusually high-fidelity social learning, and are roughly comparable in their individual learning abilities, compared to other great apes (Dean et al., 2012; Herrmann et al., 2007). This reinforces arguments that humans inhabit a 'cultural niche' (Boyd et al., 2011), characterized by faithful social learning rather than particularly enhanced individual cognitive abilities.

The dependence of cumulative culture on two different factors may help to explain its rarity in nature. Our analysis of the combined Model 3 reinforced this further, showing that social learning accuracy and number of demonstrators interact to generate two qualitative regimes dictating both number of traits and trait complexity.

When $an < 1$, the number of traits known in the population is relatively low and there is no cumulative culture. When $an > 1$, many traits are known in the population and there can be cumulative culture. To our knowledge, this is the first time this link between trait number and trait complexity has been drawn. It seems plausible that these regimes correspond qualitatively to nonhuman and human cultures, respectively: human culture is not only cumulative, as noted in the Introduction, but also has a huge number of both cumulative and non-cumulative traits (see Mesoudi et al., 2004 for estimations of the magnitude of human cultural variation).

We caution that the models we have presented contain many simplifying assumptions. We assumed that our parameters (e.g. innovativeness, social learning accuracy) operate identically across all individuals, whereas in reality these probably vary across individuals. The extent to which this individual variation is important, or just averages out at the population level, remains to be determined. More complex and realistic social learning biases are possible, such as copying successful individuals (Mesoudi, 2008) or conforming to the group majority (Henrich and Boyd, 1998). However, we note that adding such biases is not straightforward given the ambiguous and often conflicting evidence across non-human species for biases such as conformity (van Leeuwen and Haun, 2013). Moreover, we might expect in some cases that such biases will magnify our findings: conformity, for example, emphasises between-population variation (Henrich and Boyd, 1998), thus reinforcing our conclusion that cultural traditions should be commonplace. Another interesting question is whether our assumption in Model 2 that individuals copy n demonstrators once per generation is reasonable. It is also possible that individuals may sample the same demonstrator(s) multiple times over their lifetime. Whether multiple learning trials, as well as (or

instead of) access to multiple models, facilitates cumulative culture, and which of these is a more realistic assumption, remains to be explored.

The emergence of cumulative culture in human evolution is sometimes framed in terms of cognition vs. demography: was there some genetically-derived change in hominin cognition such that social learning became more accurate (e.g. via imitation or teaching) and which allowed cumulative culture to take off (Klein, 2009), or did cumulative culture emerge when populations became large enough to support increasing cultural complexity (Henrich, 2004; Powell et al., 2009)? Our models suggest that the answer to this question is unlikely to be one or the other, and the interaction between social learning accuracy and number of demonstrators is key. We also note that our (and other modellers') parameters do not necessarily neatly map onto 'cognition' and 'demography'. While it is possible that social learning accuracy improved through some genetically-based adaptation for imitation or theory of mind, it could equally have increased through purely cultural means. Examples of this in recent history might include the invention of writing or the printing press, which would have dramatically reduced errors in cultural transmission (see Mesoudi, 2011 for a cumulative culture model incorporating such cultural innovations). Some kind of prehistoric equivalent may have similarly driven increases in early hominin social learning accuracy, and hence cumulative culture. Similarly, an increase in the number of demonstrators may have depended straightforwardly on the overall population size. Alternatively, it may have required cognitive changes that allowed a shift from vertical uniparental cultural transmission to 'many-to-one' cultural transmission (Cavalli-Sforza and Feldman, 1981), independently of overall population size.

Modelling alone cannot ultimately address such questions, but can guide comparative and archaeological study to begin to answer them.

In conclusion, we have presented a set of models that extend and combine previous theoretical findings concerning the emergence of cultural traditions and cumulative culture. Regarding the former, we find that empirically realistic patterns of cultural traditions are surprisingly easy to generate with minimal assumptions, supporting recent work suggesting that cultural traditions are widespread in nature. Regarding the latter, we reinforce previous findings that cumulative culture can only emerge through an interaction of social learning accuracy and number of demonstrators, and that these conditions favour both a rapid increase in the number and cumulative complexity of cultural traits. We suggest that this two-parameter threshold is why cumulative culture is restricted to just our own species.

Acknowledgements

This research was supported by Leverhulme Trust Research Project Grant F/07 476/AR awarded to AM and SJL. We thank Jeremy Kendal, Rachel Kendal and Peter Richerson for comments on an earlier draft.

References

- Aoki, K., Wakano, J. Y., Feldman, M. W., 2005. The emergence of social learning in a temporally changing environment: A theoretical model. *Current Anthropology* 46, 334-340.
- Basalla, G., 1988. *The evolution of technology*. Cambridge University Press, Cambridge.
- Boesch, C., Head, J., Robbins, M. M., 2009. Complex tool sets for honey extraction among chimpanzees in Loango National Park, Gabon. *Journal of Human Evolution* 56, 560-569.
- Boyd, R., Richerson, P. J., 1985. *Culture and the evolutionary process*. University of Chicago Press, Chicago, IL.
- Boyd, R., Richerson, P. J., 1996. Why culture is common, but cultural evolution is rare. *Proceedings of The British Academy* 88, 77-93.
- Boyd, R., Richerson, P. J., Henrich, J., 2011. The cultural niche: Why social learning is essential for human adaptation. *Proceedings of the National Academy of Sciences* 108, 10918-10925.
- Catchpole, C. K., Slater, P. J. B., 1995. *Bird song: Biological themes and variations*. Cambridge University Press, Cambridge.
- Cavalli-Sforza, L. L., Feldman, M. W., 1981. *Cultural transmission and evolution*. Princeton Univ. Press, Princeton.
- d'Errico, F., Stringer, C. B., 2011. Evolution, revolution or saltation scenario for the emergence of modern cultures? *Philosophical Transactions of the Royal Society B: Biological Sciences* 366, 1060-1069.

- 483 Dean, L. G., Kendal, R. L., Schapiro, S. J., Thierry, B., Laland, K. N., 2012.
 484 Identification of the social and cognitive processes underlying human
 485 cumulative culture. *Science* 335, 1114-1118.
- 486 Dean, L. G., Vale, G. L., Laland, K. N., Flynn, E., Kendal, R. L., 2013. Human
 487 cumulative culture: A comparative perspective. *Biological Reviews*.
- 488 Enquist, M., Eriksson, K., Ghirlanda, S., 2007. Critical social learning: A solution to
 489 Rogers' paradox of nonadaptive culture. *American Anthropologist* 109, 727-
 490 734.
- 491 Enquist, M., Ghirlanda, S., Eriksson, K., 2011. Modelling the evolution and diversity
 492 of cumulative culture. *Philosophical Transactions of the Royal Society B* 366,
 493 412-423.
- 494 Enquist, M., Strimling, P., Eriksson, K., Laland, K., Sjostrand, J., 2010. One cultural
 495 parent makes no culture. *Animal Behaviour* 79, 1353-1362.
- 496 Frigaszy, D. M., Perry, S., 2003. *The biology of traditions: Models and evidence*.
 497 Cambridge University Press, Cambridge.
- 498 Galef, B. G., Laland, K. N., 2005. Social learning in animals: Empirical studies and
 499 theoretical models. *BioScience* 55, 489-499.
- 500 Haslam, M., Hernandez-Aguilar, A., Ling, V., Carvalho, S., de La Torre, I.,
 501 DeStefano, A., Du, A., Hardy, B., Harris, J., Marchant, L., 2009. Primate
 502 archaeology. *Nature* 460, 339-344.
- 503 Helfman, G. S., Schultz, E. T., 1984. Social transmission of behavioral traditions in a
 504 coral-reef fish. *Animal Behaviour* 32, 379-384.
- 505 Henrich, J., 2004. Demography and cultural evolution: How adaptive cultural
 506 processes can produce maladaptive losses - the Tasmanian case. *American*
 507 *Antiquity* 69, 197-214.

- 508 Henrich, J., Boyd, R., 1998. The evolution of conformist transmission and the
 509 emergence of between-group differences. *Evolution and Human Behavior* 19,
 510 215-241.
- 511 Herrmann, E., Call, J., Hernandez-Lloreda, M. V., Hare, B., Tomasello, M., 2007.
 512 Humans have evolved specialized skills of social cognition: The cultural
 513 intelligence hypothesis. *Science* 317, 1360-1366.
- 514 Hill, K. R., Barton, M., Hurtado, A. M., 2009. The emergence of human uniqueness.
 515 *Evolutionary Anthropology* 18, 187-200.
- 516 Hill, K. R., Walker, R. S., Bozivecic, M., Eder, J., Headland, T., Hewlett, B., Hurtado,
 517 A. M., Marlowe, F., Wiessner, P., Wood, B., 2011. Co-residence patterns in
 518 hunter-gatherer societies show unique human social structure. *Science* 331,
 519 1286-1289.
- 520 Hiraiwa-Hasegawa, M., Hasegawa, T., Nishida, T., 1984. Demographic study of a
 521 large-sized unit-group of chimpanzees in the Mahale Mountains, Tanzania: A
 522 preliminary report. *Primates* 25, 401-413.
- 523 Klein, R. G., 2009. *The human career: Human biological and cultural origins*.
 524 University of Chicago Press, Chicago, IL.
- 525 Kline, M. A., Boyd, R., 2010. Population size predicts technological complexity in
 526 Oceania. *Proceedings of the Royal Society B: Biological Sciences* 277, 2559-
 527 2564.
- 528 Kuhn, S., 2004. *Evolutionary perspectives on technology and technological change*.
 529 *World Archaeology* 36, 561-570.
- 530 Laland, K. N., Plotkin, H. C., 1990. Social learning and social transmission of
 531 foraging information in Norway Rats (*Rattus norvegicus*). *Animal Learning*
 532 *and Behavior* 18, 246-251.

- 533 Laland, K. N., Galef, B. G., 2009. The question of animal culture. Harvard University
534 Press.
- 535 Leadbeater, E., Chittka, L., 2007. Social learning in insects—from miniature brains to
536 consensus building. *Current Biology* 17, 703-713.
- 537 Lehmann, L., Aoki, K., Feldman, M. W., 2011. On the number of independent cultural
538 traits carried by individuals and populations. *Philosophical Transactions of the*
539 *Royal Society B* 366, 424-435.
- 540 Lewis, H. M., Laland, K. N., 2012. Transmission fidelity is the key to the build-up of
541 cumulative culture. *Philosophical Transactions of the Royal Society B* 367,
542 2171-2180.
- 543 Lycett, S. J., 2010. The importance of history in definitions of *culture*: Implications
544 from phylogenetic approaches to the study of social learning in chimpanzees.
545 *Learning & Behavior* 38, 252-264.
- 546 Lycett, S. J., 2013. Cultural transmission theory and fossil hominin behaviour: A
547 discussion of epistemological and methodological strengths. In: Ellen, R. F., et
548 al., Eds.), *Understanding cultural transmission in anthropology: A critical*
549 *synthesis*. Berghahn, New York.
- 550 Lycett, S. J., von Cramon-Taubadel, N., 2013. A 3D morphometric analysis of surface
551 geometry in Levallois cores: Patterns of stability and variability across regions
552 and their implications. *Journal of Archaeological Science* 40, 1508-1517.
- 553 Lycett, S. J., Collard, M., McGrew, W. C., 2007. Phylogenetic analyses of behavior
554 support existence of culture among wild chimpanzees. *Proceedings of the*
555 *National Academy of Sciences* 104, 17588.
- 556 Lycett, S. J., Collard, M., McGrew, W. C., 2010. Are behavioral differences among
557 wild chimpanzee communities genetic or cultural? An assessment using tool-

- 558 use data and phylogenetic methods. *American Journal of Physical*
 559 *Anthropology* 142, 461-467.
- 560 May, K. O., 1966. Quantitative growth of the mathematical literature. *Science* 154,
 561 1672.
- 562 Mesoudi, A., 2008. An experimental simulation of the 'copy-successful-individuals'
 563 cultural learning strategy: Adaptive landscapes, producer-scrourer dynamics
 564 and informational access costs. *Evolution and Human Behavior* 29, 350-363.
- 565 Mesoudi, A., 2011. Variable cultural acquisition costs constrain cumulative cultural
 566 evolution. *PLOS One* 6, e18239.
- 567 Mesoudi, A., Whiten, A., Laland, K. N., 2004. Is human cultural evolution
 568 Darwinian? Evidence reviewed from the perspective of the Origin of Species.
 569 *Evolution* 58, 1-11.
- 570 Nishida, T., Matsusaka, T., McGrew, W. C., 2009. Emergence, propagation or
 571 disappearance of novel behavioral patterns in the habituated chimpanzees of
 572 Mahale: A review. *Primates* 50, 23-36.
- 573 O'Malley, R. C., Wallauer, W., Murray, C. M., Goodall, J., 2012. The appearance and
 574 spread of ant fishing among the Kasekela chimpanzees of Gombe. *Current*
 575 *Anthropology* 53, 650-663.
- 576 Oswalt, W. H., 1976. An anthropological analysis of food-getting technology. Wiley,
 577 New York.
- 578 Perry, S., Panger, M., Rose, L. M., Baker, M., Gros-Luis, J., Jack, K., Mackinnon, K.
 579 C., Manson, J., Fedigan, L., Pyle, K., 2003. Traditions in wild white-faced
 580 capuchin monkeys. In: Frigaszy, D., Perry, S., (Eds.), *The biology of*
 581 *traditions: Models and evidence*. Cambridge University Press, Cambridge, pp.
 582 391-425.

- 583 Powell, A., Shennan, S., Thomas, M. G., 2009. Late Pleistocene demography and the
584 appearance of modern human behavior. *Science* 324, 1298-1301.
- 585 Pradhan, G. R., Tennie, C., van Schaik, C. P., 2012. Social organization and the
586 evolution of cumulative technology in apes and hominins. *Journal of Human*
587 *Evolution* 63, 180-190.
- 588 Price, D. J. S., 1963. *Little science, big science*. Columbia Univ. Press, New York.
- 589 Roche, H., 2005. From simple flaking to shaping: Stone knapping evolution among
590 early hominids. In: Roux, V., Bril, B., (Eds.), *Stone knapping: The necessary*
591 *conditions for a uniquely hominid behaviour*. McDonald Institute
592 *Monographs*, Cambridge, pp. 35-48.
- 593 Rogers, A. R., 1988. Does biology constrain culture? *American Anthropologist* 90,
594 819-831.
- 595 Sanz, C. M., Schoning, C., Morgan, D. B., 2010. Chimpanzees prey on army ants with
596 specialized tool set. *American Journal of Primatology* 72, 17-24.
- 597 Simão, J., 2002. Tools evolve: The artificial selection and evolution of paleolithic
598 stone tools. *Behavioral and Brain Sciences* 25, 419.
- 599 Strimling, P., Sjostrand, J., Enquist, M., Eriksson, K., 2009. Accumulation of
600 independent cultural traits. *Theoretical Population Biology* 76, 77-83.
- 601 Tomasello, M., 1999. *The cultural origins of human cognition*. Harvard University
602 *Press*, Cambridge, MA.
- 603 van Leeuwen, E. J. C., Haun, D., 2013. Conformity in nonhuman primates: Fad or
604 fact? *Evolution and Human Behavior* 34, 1-7.
- 605 van Schaik, C. P., Ancrenaz, M., Borgen, G., Galdikas, B., Knott, C. D., Singleton, I.,
606 Suzuki, A., Utami, S. S., Merrill, M., 2003. Orangutan cultures and the
607 evolution of material culture. *Science* 299, 102-105.

- 608 Whiten, A., Goodall, J., McGrew, W. C., Nishida, T., Reynolds, V., Sugiyama, Y.,
609 Tutin, C. E. G., Wrangham, R. W., Boesch, C., 1999. Cultures in chimpanzees.
610 Nature 399, 682-685.
- 611 Wilder, R. L., 1968. Evolution of mathematical concepts. Open University Press,
612 Milton Keynes.
- 613
- 614

615 **Figures**

617 Figure 1. One simulation of the cultural differences model. (a) Time series of the
 618 number of traits S known in each population. The initial part of the simulation is not
 619 shown. The dashed line shows the exact expected value derived by Strimling et al
 620 (2009, Equation 3). (b) Trait-profiles of each population at the end of the simulation,
 621 with grey cells marking the presence of a given trait in a given population and white
 622 cells marking its absence. The average similarity $\bar{s}$ between the populations is 0.71.
 623 Parameter values: $N = 100$, $a = 0.9$, $\mu = 0.1$, $m = 0$, $p = 5$.

624

Figure 2. The effect of (a) the population size N , (b) the accuracy of social learning a , and (c) both, on the mean similarity between populations $\bar{s}$. Panel (c) shows the value of $\bar{s}$ on a contour plot in an analogous way to a geographical map showing the height of a mountain at various points in space. All panels show the value found after 2000 timesteps, averaged over 1500 simulations with parameter values $\mu = 0.1$, $p = 5$, and $m = 0$; in (a) $a = 0.9$ and in (b) $N = 50$.

Figure 3. The effect of the migration rate m on (a) the mean number of different traits across all populations $\bar{S}$ and (b) the mean similarity between populations $\bar{s}$. Both panels show the value found after 2000 timesteps, averaged over 2000 simulations with parameter values $N = 50$, $a = 0.9$, $\mu = 0.1$, and $p = 5$.

640 Figure 4. One simulation of the cumulative culture model. (a) Time series of the mean
 641 level $\bar{l}$ known in the population. (b) The distribution of levels in the population at
 642 the end of the simulation. Parameter values: $N = 100$, $a = 0.7$, $n = 3$, $\mu = 0.1$.
 643

Figure 5. The effect of (a) the number of cultural models n , (b) the accuracy of social learning a , and (c) both, on the mean trait level $\bar{l}$ maintained in the population. All panels show the value found after 10000 timesteps, averaged over 20 simulations, with $N = 100$ and $\mu = 0.1$; in (a) $a = 0.9$ and in (b) $n = 3$.

650 Figure 6. A schematic illustration of the structure of the traits and trait levels for one
 651 hypothetical individual in the combined Model 3. In this example, the individual
 652 knows trait number 1 to level 5, trait number 2 to level 4, trait number 3 only at the
 653 first level, does not know trait number 4, and knows trait number 5 to level 2.

655 Figure 7. The number of traits known in the population in one simulation of the
 656 combined model. Parameter values: $N = 30$, $n = 2$, $a = 0.7$, $\mu = 0.1$, $m = 0$, $p = 1$.

Appendix

Imagine, in Strimling et al's model (i.e. with $m = 0$), that a focal individual has just invented a new trait. In the next timestep, one of three things can happen: the trait can be lost because the individual dies, the trait can continue to be known only by the inventor, or another individual can learn the trait. Let us denote the probabilities of these three events by p_{lost} , p_{kept} and p_{copied} . The trait will be lost if the inventor is randomly picked to die; thus,

$$p_{lost} = \frac{1}{N}$$

The trait will be learned by another individual if the inventor does not die, and the individual randomly picks the inventor to learn from, and is successful at learning; thus,

$$p_{copied} = (1 - \frac{1}{N})(\frac{1}{N-1})a = \frac{a}{N}$$

Finally,

$$p_{kept} = 1 - p_{lost} - p_{copied} = 1 - \frac{1}{N} - \frac{a}{N} = \frac{N - a - 1}{N}$$

What is the probability $P(t)$ that the trait is learnt by another individual for the first time exactly t timesteps after it was invented? For this to happen, the trait must continue to be known only by the inventor for $t - 1$ timesteps, and must then be learnt by another individual on the t^{th} . Thus,

$$P(t) = p_{kept}^{t-1} p_{copied} = (\frac{N - a - 1}{N})^{t-1} \frac{a}{N}$$

Finally, what is the probability that the trait will ever spread beyond its inventor? This happens if $P(t)$ ever happens, i.e. with probability

$$\sum_{t=1}^{\infty} P(t) = \sum_{t=1}^{\infty} (\frac{N - a - 1}{N})^{t-1} \frac{a}{N}$$

679 Using the standard identity for infinite geometric series, this can be shown to be equal

680 to

681
$$\frac{a}{1+a}$$