

Investigation of metabolic responses to exercise in adolescents and adults during high  
intensity exercise and recovery

Submitted by Rebecca Willcocks to the University of Exeter as a thesis for the degree of  
Doctor of Philosophy by Research in Sport and Health Sciences, May 2011.

This thesis is available for Library use on the understanding that it is copyright material and  
that no quotation from the thesis may be published without proper acknowledgement.

I certify that all material in this thesis which is not my own work has been identified and  
that no material has previously been submitted and approved for the award of a degree by  
this or any other University.

A handwritten signature in black ink, appearing to read "R.Willcocks".

Rebecca Willcocks

## Abstract

Children and adolescents are thought to use oxidative metabolism to a greater extent than adults during high intensity exercise. The studies reported in this thesis examine the nature and implications of age-related differences in muscle metabolism during high intensity exercise and recovery. Chapter 4 concluded that during heavy intensity exercise, phosphocreatine (PCr) kinetics did not differ with age or sex, while Chapter 5 revealed that during very heavy intensity exercise, the fundamental  $\tau$  was slower and slow component amplitude greater in men compared with adolescent boys, indicating that exercise intensity might play a role in determining age-related differences in muscle metabolism. In Chapter 6, two bouts of very heavy intensity exercise were completed, and prior exercise reduced the PCr slow component amplitude in men but not boys. Deoxyhaemoglobin (HHb) kinetics was faster in adolescents compared with adults during both heavy and very heavy intensity exercise, indicating that matching of oxygen delivery to oxygen utilisation is less precise at the onset of exercise in adolescents compared with adults. PCr recovery from high intensity exercise was faster in boys than men, but not different in girls and women, as described in Chapter 7. The speed of PCr recovery was correlated with maturity in adolescents, but was not correlated with end-exercise [PCr] or pH. Two different tests to measure mitochondrial capacity in adolescents were evaluated in Chapter 8, and a fitted curve and gated test were both used to determine PCr recovery kinetics. Finally, in Chapter 9, age-related differences in muscle metabolism and oxygenation during fatiguing exercise were examined; a strong trend for greater fatigue in adults compared with adolescents was accompanied by greater metabolic perturbation in adults. Overall, these data show that muscle metabolism and oxygenation differs between adolescents and adults during and following very high intensity exercise.

## Acknowledgements

I'm very grateful for the support of everyone in the School of Sport and Health Sciences, but especially Craig Williams, under whose guidance I was trained not only in research but also in how to be a responsible, productive, and successful scientist. The input of Neil Armstrong to this body of work is very much appreciated, and the support and guidance of Alan Barker throughout my studies has been invaluable. I'm grateful to many others in the school for their useful feedback on my work, for their practical support in the lab, and for their encouragement throughout the PhD process.

Jon Fulford deserves thanks for many things, including the countless hours he has devoted to helping and educating me, but I'm especially grateful for his generosity in sharing his extensive knowledge.

The participants in each of the studies made this work possible and also made it fun, and I owe them thanks for their time and effort.

The practical and emotional support of Melitta Winlove and Kate Janse Van Rensburg was invaluable over the past few years. Thank you for your friendship.

Mum, Mark, Dad, Jody, Sam, Chelle, and other relatives too numerous to list have been a constant source of encouragement; I can't imagine a better family.

Finally, thanks to Gary Todd for everything. You make things more fun.

## List of Contents

Abstract.....	2
Acknowledgements .....	3
List of Contents .....	4
List of Figures.....	10
List of Tables .....	13
List of Equations.....	14
Abbreviations.....	15
1   Introduction .....	16
2   Review of Literature.....	20
2.1 Age Differences in Muscle Metabolism.....	24
2.2 Magnetic Resonance Spectroscopy in the Study of Paediatric Exercise Metabolism..	33
2.3 Near-Infrared Spectroscopy in the Study of Muscle Metabolism .....	41
2.4 Muscle Fatigue during Very High Intensity Exercise .....	43
2.5 PCr Recovery Kinetics .....	49
2.6 Conclusion and Overview .....	50
3   Methods .....	54
3.1 Overall Design.....	54
3.2 Exercise and Habituation.....	55
3.2.1   Dynamic knee extension ergometer .....	55
3.2.2   Isometric knee extension ergometer .....	56
3.2.3   Isometric plantar flexion ergometer .....	57
3.3 Habituation .....	58
3.4 MR data collection.....	59
3.5 NIRS Data Collection.....	61
3.6 Data analysis.....	63

3.6.1	Quantification of [PCr], [Pi], and [ADP].....	63
3.6.2	Incremental testing and CWR intensity prescription.....	64
3.6.3	Mathematical modelling of PCr kinetics during exercise .....	65
3.6.4	Mathematical modelling of PCr kinetics during recovery.....	67
3.6.5	Mathematical modelling of HHb kinetics during exercise .....	68
3.7	Statistical analysis.....	69
4	PCr kinetics during heavy intensity exercise in children and adults .....	70
4.1	Introduction .....	70
4.2	Methods .....	71
4.2.1	Participants .....	71
4.2.2	Experimental protocol .....	71
4.2.3	Statistical analysis.....	72
4.3	Results .....	72
4.3.1	Power output.....	72
4.3.2	Muscle Phosphates .....	73
4.3.3	Intracellular pH.....	74
4.3.4	HHb Kinetics .....	75
4.4	Discussion.....	76
4.4.1	Muscle Phosphates .....	77
4.4.2	Muscle Oxygenation.....	80
4.4.3	Methodological considerations.....	81
4.5	Conclusions .....	82
5	Effect of exercise intensity on muscle metabolism and oxygenation in adolescent boys and men.....	83
5.1	Introduction .....	83
5.2	Methods .....	84
5.2.1	Participants .....	84

5.2.2	Experimental Protocol and 31P-MRS and NIRS measurements.....	84
5.2.3	MRS and NIRS data .....	85
5.2.4	Modelling of PCr and HHb data.....	85
5.2.5	Statistical analysis.....	85
5.3	Results .....	86
5.3.1	Incremental and CWR power output.....	86
5.3.2	PCr and HHb kinetics .....	87
5.3.3	Metabolic changes .....	88
5.4	Discussion.....	89
5.4.1	Metabolic responses to exercise .....	89
5.4.2	HHb kinetics .....	92
5.4.3	Methodological considerations.....	93
5.4.4	Conclusions .....	94
6	Prior exercise speeds PCr kinetics in adult men but not adolescent boys during very heavy intensity exercise.....	96
6.1	Introduction .....	96
6.2	Methods .....	97
6.2.1	Participants .....	97
6.2.2	Experimental protocol .....	97
6.2.3	Statistics.....	98
6.3	Results .....	98
6.3.1	Power output.....	98
6.3.2	PCr kinetics.....	98
6.3.3	Muscle phosphates and pH .....	99
6.3.4	HHb and HbO <sub>2</sub> kinetics .....	100
6.4	Discussion.....	101
6.4.1	Effect of priming exercise on metabolic perturbation .....	102

6.4.2 Effects of priming exercise on muscle oxygenation.....	103
6.4.3 Methodological considerations.....	105
6.4.4 Conclusions .....	105
7 The influence of age, maturation, sex, and EE conditions on PCr recovery kinetics in young people and adults .....	106
7.1 Introduction .....	106
7.2 Methods .....	106
7.2.1 Participants .....	106
7.2.2 Statistical analysis.....	107
7.3 Results .....	107
7.3.1 Recovery.....	107
7.3.2 Regression .....	108
7.4 Discussion.....	111
7.4.1 Factors affecting recovery kinetics.....	111
7.4.2 Conclusions .....	114
8 Measurement of PCr recovery kinetics using gated exercise in adult women and adolescent girls .....	115
8.1 Introduction .....	115
8.2 Methods .....	116
8.2.1 Participants and protocol .....	116
8.2.2 Measurement of MVC (Test 1) .....	116
8.2.3 Gated exercise (Test 2) .....	116
8.2.4 Sustained exercise (Test 3).....	118
8.2.5 <sup>31</sup> P-MR spectroscopy.....	118
8.2.6 Data analyses .....	118
8.3 Results .....	119
8.3.1 Force and metabolic parameters of gated and sustained exercise .....	119

8.3.2 Intracellular pH.....	120
8.3.3 Agreement between gated and sustained PCr recovery $\tau$ .....	121
8.4 Discussion.....	122
8.4.1 Factors affecting estimates of PCr recovery.....	122
8.4.2 Gated and fitted estimates of PCr recovery $\tau$ .....	124
8.4.3 Methodological considerations.....	125
8.4.4 Applications and conclusions .....	125
9 Fatigue in adolescents and adults during repeated isometric quadriceps maximal voluntary contractions .....	127
9.1 Introduction .....	127
9.2 Methods .....	128
9.2.1 Participants .....	128
9.2.2 Ergometer and exercise test.....	129
9.2.3 Near-infrared spectroscopy.....	129
9.2.4 Magnetic resonance spectroscopy .....	129
9.2.5 Data analysis.....	130
9.3 Results .....	130
9.3.1 Force .....	130
9.3.2 Metabolic parameters .....	131
9.3.3 Muscle oxygenation.....	133
9.4 Discussion.....	133
9.4.1 Muscle metabolism.....	134
9.4.2 Muscle oxygenation.....	136
10 Discussion and Conclusions .....	139
10.1 Overview .....	139
10.2 Limitations and methodological considerations .....	144
10.2.1 Maturation .....	144

10.2.2 Physical activity.....	145
10.2.3 Sample size .....	146
10.2.4 Assumptions in calculating [PCr], [Pi], and [ADP] .....	146
10.2.5 NIRS .....	147
10.2.6 Compliance with exercise protocols.....	147
10.3 Implications of this work.....	148
10.4 Future work.....	149
10.5 Final conclusions .....	151
References .....	152
Appendix A – Papers and presentations .....	175
Appendix B – Sample size and statistical power.....	177
Appendix C – Participant information and consent forms .....	180
PCr and HHb kinetics during heavy intensity exercise .....	180
Effect of prior exercise in young people and adults .....	183
Gated measurement of PCr recovery kinetics in adolescent girls and women.....	186
Fatigue during repetitive isometric exercise in adolescents and adults.....	192
Appendix D - Participants .....	195
Appendix E – Considerations in modelling PCr data acquired during very heavy intensity exercise .....	199