

A Mathematical Unification of Geometric Crossovers Defined on Phenotype Space

Yourim Yoon[†], Yong-Hyuk Kim[‡], Alberto Moraglio^{*}, and Byung-Ro Moon[†]

[†] School of Computer Science & Engineering, Seoul National University

Sillim-dong, Gwanak-gu, Seoul, 151-744, Korea

Email: {yryoon, moon}@soar.snu.ac.kr

[‡] Department of Computer Science & Engineering, Kwangwoon University

447-1, Wolgye-dong, Nowon-gu, Seoul, 139-701, Korea

Homepage: <http://soar.snu.ac.kr/~yhdfly>

Email: yhdfly@kw.ac.kr

^{*} Department of Computer Engineering, University of Coimbra

Polo II - Pinhal de Marrocos, Coimbra, 3030-290, Portugal

Email: moraglio@dei.uc.pt

September 11, 2008

Abstract

Geometric crossover is a representation-independent definition of crossover based on the distance of the search space interpreted as a metric space. It generalizes the traditional crossover for binary strings and other important recombination operators for the most frequently used representations. Using a distance tailored to the problem at hand, the abstract definition of crossover can be used to design new problem specific crossovers that embed problem knowledge in the search. This paper is motivated by the fact that genotype-phenotype mapping can be theoretically interpreted using the concept of *quotient space* in mathematics. In this paper, we study a metric transformation, the quotient metric space, that gives rise to the notion of *quotient geometric crossover*. This turns out to be a very versatile notion. We give many example applications of the quotient geometric crossover.

Keywords: Geometric crossover, metric transformation, quotient metric space, quotient geometric crossover.

1 Introduction

Geometric crossover and geometric mutation are representation-independent search operators that generalize many pre-existing search operators for the major representations used in evolutionary algorithms, such as binary strings [12], real vectors [23], permutations [15], permutations with repetitions [11], syntactic trees [13], and sequences [17]. They are defined in geometric terms using the notions of line segment and ball. These notions and the corresponding genetic operators are well-defined once a notion of distance in the search space is defined. Defining search operators as functions of the search space is opposite to the standard way [6] in which the search

space is seen as a function of the search operators employed. This viewpoint greatly simplifies the relationship between search operators and fitness landscape and has allowed us to give simple *rules-of-thumb* to build crossover operators that are likely to perform well.

Theoretical results of metric spaces can naturally lead to interesting results for geometric crossover. In particular, in previous work [16] we have shown that the notion of *metric transformation* has great potential for geometric crossover. A metric transformation is an operator that constructs new metric spaces from pre-existing metric spaces: it takes one or more metric spaces as input and outputs a new metric space. The notion of metric transformation becomes extremely interesting when considered together with distances firmly rooted in the syntactic structure of the underlying solution representation (e.g., edit distance). In these cases it gives rise to a simple and *natural interpretation in terms of syntactic transformations*.

In previous work [16] we have extended the geometric framework introducing the notion of product crossover associated with the Cartesian product of metric spaces. This is a very important tool that allows one to build new geometric crossovers customized to problems with mixed representations by combining pre-existing geometric crossovers in a straightforward way. Using the product geometric crossover, we have also shown that traditional crossovers for symbolic vectors and blend crossovers for integer and real vectors are geometric crossover.

In this paper we extend the geometric framework introducing the important notion of *quotient geometric crossover*. The metric transformation associated with it is the *quotient metric space*. Quotient space can be regarded as a mathematical definition of phenotype space in the evolutionary computation theory. The quotient geometric space has the effect of reducing the search space actually searched by geometric crossover, and it introduces problem knowledges in the search by using a distance better tailored to the specific solution interpretation. Quotient geometric crossover is directly applied to the genotype space, but it has the same effect as the crossover performed on phenotype space.

The paper is organized as follows. In Section 2, we present the geometric framework including the notion of geometricity-preserving transformation. In Section 3, we introduce the notion of quotient geometric crossover. In Section 4, we study several useful applications related to quotient geometric crossover. In Section 4.1 and 4.2, we show how groupings [11] and graphs can be recast and understood more simply in terms of quotient geometric crossover. Here, quotient geometric crossover is used to filter out inherent redundancy in the solution representation. In Section 4.3, we show how homologous crossover for variable-length sequences [17] can be understood as a quotient geometric crossover. In Section 4.4, we discuss the usage of the quotient geometric crossover for the traveling salesman problem. In Section 4.5, we consider functional representation and show how the concept of quotient geometric crossover is connected to the search of the functions. Genetic programming, finite states machines, and neural networks are shown as examples. We explain that quotient geometric crossover can be used to understand how crossover and neutral code interact in Section 4.6. In Section 5, we give conclusions.

2 Geometric Framework

2.1 Geometric Preliminaries

In the following we give necessary preliminary geometric definitions and extend those introduced in [12, 13]. The following definitions are taken from [3].

The terms *distance* and *metric* denote any real-valued function that conforms to the axioms of identity, symmetry, and triangular inequality. In a metric space (S, d) a *line segment* (or closed interval) is the set of the form $[x; y]_d = \{z \in S \mid d(x, z) + d(z, y) = d(x, y)\}$ where $x, y \in S$ are called extremes of the segment. Metric segment generalizes the familiar notions of segment in the Euclidean space to any metric space through distance redefinition. Notice that a metric segment does not coincide to a shortest path connecting its extremes (*geodesic*) as in an Euclidean space. In general, there may be more than one geodesic connecting two extremes; the metric segment is the union of all geodesics.

We assign a structure to the solution set S by endowing it with a notion of distance d . $M = (S, d)$ is therefore a solution *space* and (M, f) is the corresponding fitness landscape, where f is the fitness function over S .

2.2 Definition of Geometric Crossover

The following definitions are *representation-independent* therefore applicable to any representation.

Definition 1 (Image set). *The image set $Im[OP]$ of a genetic operator OP is the set of all possible offspring produced by OP .*

Definition 2 (Geometric crossover). *A binary operator GX is a geometric crossover under the metric d if all offspring are in the segment between its parents x and y , i.e.,*

$$Im[GX(x, y)] \subseteq [x; y]_d.$$

A number of general properties for geometric crossover and geometric mutation have been derived in [12]. Traditional crossover is geometric under Hamming distance. Among crossovers for permutations, PMX, a well-known crossover for permutations, is geometric under swap distance. Also, we found that cycle crossover, another traditional crossover for permutations, is geometric under swap distance and under Hamming distance.

2.3 Formal Evolutionary Algorithm and Problem Knowledge

Geometric operators are defined as functions of the distance associated with the search space. However, the search space does not come with the problem itself. The problem consists only of a fitness function to optimize, that defines what a solution is and how to evaluate it, but it does not give any structure on the solution set. The act of putting a structure over the solution set is part of the search algorithm design and it is a designer's choice.

A fitness landscape is the fitness function plus a structure over the solution space. So, for each problem, there is one fitness function but as many fitness landscapes as the number of

possible different structures over the solution set. In principle, the designer could choose the structure to assign to the solution set completely independently from the problem at hand. However, because the search operators are defined over such a structure, doing so would make them decoupled from the problem at hand, hence turning the search into something very close to random search.

In order to avoid this one can exploit problem knowledge in the search. This can be achieved by carefully designing the connectivity structure of the fitness landscape. For example, one can study the objective function of the problem and select a neighborhood structure that couples the distance between solutions and their fitness values. Once this is done problem knowledge can be exploited by search operators to perform better than random search, even if the search operators are problem-independent (as is the case of geometric crossover and geometric mutation). Indeed, the fitness landscape is a knowledge interface between the problem at hand and a formal, problem-independent search algorithm.

Under which conditions is a landscape well-searchable by geometric operators? As a rule of thumb, geometric mutation and geometric crossover work well on landscapes where the closer pairs of solutions are, the more correlated their fitness values are. Of course this is no surprise: the importance of landscape smoothness has been advocated in many different context and has been confirmed in uncountable empirical studies with many neighborhood search meta-heuristics [20]. We operate according to the following rule-of-thumbs:

Rule-of-thumb 1: if we have a good distance for the problem at hand, then we have a good geometric mutation and a good geometric crossover.

Rule-of-thumb 2: a good distance for the problem at hand is a distance that makes the landscape “smooth.”

2.4 Geometricity-Preserving Transformation

In previous work we have proven that a number of important pre-existing recombination operators for the most frequently used representations are geometric crossovers. We have also applied the abstract definition of geometric crossover to distances firmly rooted in a specific solution representation and designed brand-new crossovers. An appealing way to build new geometric crossovers is starting from recombination operators that are known to be geometric and deriving new geometric crossovers by *geometricity-preserving transformations/combinations* that when applied to geometric crossovers, return geometric crossovers.

The definition of geometric crossover is based on the notion of metric. Therefore, a natural starting point to seek geometricity-preserving transformations is to consider transformations of the underlying metrics that are known to return metric spaces and study how the geometric crossover associated with the transformed metric space relates with the geometric crossover associated with the original metric space.

There are a number of metric space transformations [3, 21] that are potentially of interest for geometric crossover: sub-metric space, product space, quotient metric space, gluing metric space, combinatorial transformation, non-negative combinations of metric spaces, Hausdorff transformation, and concave transformation.

Let us consider the geometric crossover X associated with the original metric space M , and the geometric crossover X' associated with the transformed metric space $M' = mt(M)$ where




Figure 1: Commutative diagram linking metric and crossover transformations.

mt is the metric transformation. The functional relationship among metric spaces and geometric crossovers can be nicely expressed through a commutative diagram (Figure 1). gx means application of the formal definition of geometric crossover and gt means *induced geometricity-preserving* crossover transformation associated with the metric transformation mt . This diagram becomes remarkably interesting when the metric transformation mt is associated with an induced geometricity-preserving crossover transformation gt that has a simple interpretation in terms of syntactic manipulation. This indeed allows one to get new geometric crossovers starting from recombination operators that are known to be geometric by simple *geometricity-preserving syntax manipulation*.

We study those metric-preserving transformations which induced geometricity-preserving transformations have a simple and natural interpretation on the solution representation.

3 Quotient Geometric Crossover

3.1 Quotient Metric Space

Let (S, d) be a metric space and \sim be an equivalence relation on S . Consider the *quotient space* S/\sim . Now we will give a metric on S/\sim induced by the original metric d on S .

Definition 3 (Induced distance measure).

For $\bar{x}, \bar{y} \in S/\sim$,

$$d_{\sim}(\bar{x}, \bar{y}) := \inf_{x \in \bar{x}, y \in \bar{y}} d(x, y).$$

Then, the following theorem holds [1].

Theorem 1. *If the equivalence relation arises from an isometry subgroup¹, d_{\sim} is a metric on S/\sim .*

This metric space $(S/\sim, d_{\sim})$ is called *quotient metric space*. Later we will directly prove that d_{\sim} becomes a metric instead of showing that its related equivalence relation \sim comes from an isometry subgroup.

In a metric space (S, d) a *quotient line segment* is the set of the form $[x; y]_{d_{\sim}} = \{z \in S \mid d_{\sim}(\bar{x}, \bar{z}) + d_{\sim}(\bar{z}, \bar{y}) = d_{\sim}(\bar{x}, \bar{y}), \bar{z} \in S/\sim\}$ where $\bar{x}, \bar{y} \in S/\sim$. Now we can define quotient geometric crossover.

¹For details, see [1].

Definition 4 (Quotient geometric crossover).

A binary operator GX_q is a quotient geometric crossover under the metric d and the equivalence relation \sim if all offspring are in the quotient line segment between its parents x and y , i.e., $GX_q(x, y) \subseteq [x; y]_{d\sim}$.

3.2 Genotype-Phenotype Mapping

The notion of quotient geometric crossover is important because it lies at the heart of the relation between geometric crossover and genotype-phenotype mapping as we illustrate in the following.

Genotype means solution representation: some structure that can be stored in a computer and manipulated. Phenotype means solution itself without any reference to how it is represented. Sometimes it is possible to have a one-to-one mapping between genotypes and phenotypes, so the distinction between genotype and phenotype becomes purely formal. However in many interesting cases phenotypes cannot be represented uniquely by genotypes. So the same phenotype is represented by more than one genotypes. In this case we say that we have a *redundant representation*. For example, to represent a graph we need to label its nodes and then we can represent it using its adjacency matrix. This representation is redundant: the same graph can be represented with more than one adjacency matrix by relabeling its nodes.

There are quite a few problems in that it is hard to represent one phenotype by just one genotype using traditional representations. Roughly speaking, redundant representation leads to severe loss of search power in genetic algorithms, in particular, with respect to traditional crossovers [2]. To alleviate the problems caused by redundant representation, a number of methods such as adaptive crossover have been proposed [4, 10, 18, 22]. Among them, a technique called *normalization*² is representative. It transforms the genotype of a parent to another genotype to be consistent with the other parent so that the genotype contexts of the parents are as similar as possible in crossover. There have been a number of successful studies using normalization. An extensive survey about normalization is appeared in [2].

While previous crossovers are usually defined on the subset of genotypes for normalization, quotient geometric crossover is formally defined on the whole set of genotypes but actually has the normalization effect.

Although many of studies about normalization did not use the concept of distance, once a distance d_G on the genotypes G is defined, we can formally redefine the normalization p'_2 of the second parent p_2 to the first p_1 as follows:

$$p'_2 := \operatorname{argmin}_{s \in w(p_2)} d_G(p_1, s),$$

where $w(s)$ is the set of all the genotypes with the same phenotype as the genotype s . The use of distance to define normalization is important because it generalizes and makes rigorous the notion of normalization for *any solution representation*.

Now we formally present the general relation between geometric crossover and genotype-phenotype mapping. The concept of normalization defined by distance is closely related to the quotient geometric crossover. Let us consider genotype-phenotype mappings $q : G \rightarrow P$ that are

²The term of *normalization* is firstly appeared in [7]. However, it is based on the adaptive crossovers proposed in [10, 18].




Figure 2: Functional relationship among genotype & phenotype metric spaces and geometric crossovers on them

not injective (redundant representation). The mapping q induces a natural equivalence relation \sim on the set of genotypes: *genotypes with the same phenotype belong to the same class*. Given a distance d_G on genotypes G , the quotient with the relation \sim produces a distance d_P on the phenotypes P : $P = G/\sim$ and $d_P(\bar{x}, \bar{y}) = \inf_{x \in \bar{x}, y \in \bar{y}} d_G(x, y)$.

By applying the formal definition of geometric crossover to the metric spaces (G, d_G) and (P, d_P) , we obtain the geometric crossovers X_G and X_P , respectively. X_G searches the space of genotypes and X_P searches the space of phenotypes. Searching the space of phenotypes has a number of advantages: (i) it is smaller than the space of genotypes, hence quicker to search (ii) the phenotypic distance is better tailored to the underlying problem, hence the corresponding geometric crossover works better (iii) the space of phenotypes has different geometric characteristics from the genotype space. This can be used to remove unwanted bias from geometric crossover.

However, the crossover X_P cannot be directly used itself because it recombines phenotypes that are objects that cannot be directly represented. The quotient geometric crossover allows us to search the space of phenotypes with the crossover X_P *indirectly* by manipulating the genotypes G . This is possible because for the commutative diagram there exists an induced geometricity-preserving transformation gt of the genotypic crossover X_G that allows us to use the genotypic representation to implement a geometric crossover in the space of phenotypes $gt(X_G)$ without making explicit use of phenotypes (see Figure 2). The type of the transformation gt depends on the type of the equivalence relation \sim used in the quotient of the underlying metric space that in turns depends on the underlying syntax of the solution representation. It may happen that the induced geometricity-preserving transformation may be difficult to implement and/or computationally intractable. In these cases, it may not be feasible using an exact equivalent of the phenotypic geometric crossover, but an approximation may be preferable and still retaining most of the advantages of the exact equivalent.

In the following section we consider a number of equivalence classes for the quotient operation and its related induced genotypic crossover transformation.

4 Applications

Quotient geometric crossover has various applications. Although some of these methods have already been used independently, we unify the methods, which look quite different, under the concept of quotient geometric crossover.

4.1 Groupings

Grouping problems [5] are commonly concerned with partitioning given item set into mutually disjoint subsets. Examples belonging to this class of problems are multiway graph partitioning, graph coloring, bin packing, and so on. Grouping representation is also used to solve the joint replenishment problem, which is a well-known problem appeared in the field of industrial engineering [19]. In this class of problems, the normalization decreased the problem difficulty and led to notable improvement in performance.

Most normalization studies for grouping problems were focused on the k -way partitioning problem. In the problem, the k -ary representation, in which k subsets are represented by the integers from 0 to $k - 1$, has been generally used. In this case, a phenotype (a k -way partition) is represented by $k!$ different genotypes. In the problem, a normalization method was used in [7]. Other studies for the k -way partitioning problem used the same technique [2, 8]. In sense that normalization pursues the minimization of genotype inconsistency among chromosomes, in previous work [9], we proposed an optimal, efficient normalization method for grouping problems and a distance measure, the *labeling-independent distance*, that eliminates this dependency completely.

Let $\mathbf{a}, \mathbf{b} \in U = \{1, 2, \dots, k\}^n$ be k -ary encodings (fixed-length vectors on a k -ary alphabet) and H be the Hamming distance in U . We define \mathbf{a} and \mathbf{b} to be in relation \sim if there exist σ and σ' in Σ_k such that $\mathbf{a}_\sigma = \mathbf{b}_{\sigma'}$ where Σ_k is the set of all permutations of length k and \mathbf{a}_σ is a permuted encoding of \mathbf{a} by a permutation σ , i.e., the i^{th} element a_i of \mathbf{a} is transformed into $\sigma(a_i)$. Then, the relation \sim is an equivalence relation (see [9]).

We define the *labeling-independent distance* LI on U/\sim as follows:

$$LI(\bar{\mathbf{a}}, \bar{\mathbf{b}}) := \min_{\sigma, \sigma' \in \Sigma_k} H(\mathbf{a}_\sigma, \mathbf{b}_{\sigma'})$$

$(U/\sim, LI)$ is a metric space, i.e., the labeling-independent distance LI is a metric on U/\sim (see [9]).

We designed a new crossover based on the labeling-independent metric in previous work [11].

Definition 5 (Labeling-independent crossover). *Normalize the second parent to the first under the Hamming distance H . Do the normal crossover using the first parent and the normalized second parent.*

In fact, this crossover is the quotient geometric crossover since its offspring are exactly on quotient line segment. We proved it in [11] though we did not represented with the notion of quotient geometric crossover. In sum, we have:

original metric space	labeled partitions under Hamming distance
quotient metric space	unlabeled partitions under labeling-independent distance
original geometric crossover	traditional crossover
quotient geometric crossover	label normalization before traditional crossover

- *Genotypes G* : labeled partitions represented as vectors of symbols
- *Phenotypes P* : unlabeled partitions
- *Equivalence relation \sim* : labeled partitions with the same partition structure
- *Distance on genotypes d_G* : Hamming distance
- *Distance on phenotypes d_P* : labeling-independent distance
- *Crossover on genotypes X_G* : traditional crossover for vectors
- *Crossover of phenotypes X_P* : label normalization before traditional crossover
- *Induced crossover transformation gt* : label normalization

The benefit of understanding normalization for grouping problems in terms of quotient geometric crossover is the possibility of understanding the benefit of normalization in terms of landscape analysis. We have done this in previous work [11].

4.2 Graphs

In this subsection, we consider any problem naturally defined over a graph in which the fitness of the solution does not depend on the labels on the nodes but only on the structural relationship, i.e., edge between nodes.

Formally, let $A \in \mathfrak{M}_n$ be the adjacency matrix of a labeled graph using labels of n nodes and let P be an $n \times n$ permutation matrix³. Then the matrix PA means the labeled graph obtained by relabeling A according to the permutation represented by P . The fitness $f : \mathfrak{M}_n \rightarrow \mathbb{R}$ satisfies that for every $A \in \mathfrak{M}_n$ and every permutation matrix P , $f(A) = f(PA)$.

Let (\mathfrak{M}_n, H) be a metric space on the labeled graphs under the Hamming distance H . Notice that this metric is labeling-dependent. In particular, $H(A, PA)$ may not be zero although A and PA represent the same structure. If A is equal to PA' for some permutation matrix P , we define A and A' to be *in relation* \sim , i.e., $A \sim A'$. Then, the relation \sim is an equivalence relation.

An *unlabeled graph* \mathfrak{g} is the equivalence class of all its labeled graphs, i.e., $\mathfrak{g}(A) = \{PA \mid P \text{ is a permutation matrix}\}$. *unlabeled-graph space* \mathfrak{M}_n / \sim is the set of all equivalence classes partitioning the set \mathfrak{M}_n .

³ Permutation matrix is a $(0, 1)$ -matrix with exactly one 1 in every row and column.

We define *induced distance measure LI* on M_n/\sim as follows: for each $\mathbf{g}, \mathbf{g}' \in \mathfrak{M}_n/\sim$,

$$LI(\mathbf{g}, \mathbf{g}') := \min_{A \in \mathbf{g}, A' \in \mathbf{g}'} H(A, A').$$

Then, $(\mathfrak{M}_n/\sim, LI)$ is a metric space, i.e., LI is a metric on \mathfrak{M}_n/\sim . It shows that the metric space (\mathfrak{M}_n, H) induces a quotient metric space $(\mathfrak{M}_n/\sim, LI)$.

Definition 6 (Labeling-independent crossover). *Do the graph matching of the second parent p_2 to the first p_1 under the Hamming distance H , i.e.,*

$$p_2' := \operatorname{argmin}_{A \in \mathbf{g}(p_2)} H(p_1, A).$$

Do the normal crossover using the first parent p_1 and the graph-matched second parent p_2' .

The following theorem shows that the labeled-graph geometric crossover for (\mathfrak{M}_n, H) induces the unlabeled-graph geometric crossover for $(\mathfrak{M}_n/\sim, LI)$.

Theorem 2. *The labeling-independent crossover is geometric under the metric LI .*

The labeling-independent crossover is defined over unlabeled graphs \mathfrak{M}_n/\sim . This space is much smaller than labeled graphs \mathfrak{M}_n . More precisely, $|\mathfrak{M}_n/\sim| = |\mathfrak{M}_n|/n!$. This means that the more the labels are, the smaller the unlabeled-graph space is compared with the labeled-graph space. Smaller space means better performance given the same amount of evaluations.

The previous theorem tells how to guide the implementation using graph matching for specific geometric crossovers. To implement the geometric crossover over unlabeled graphs, we need to use labeled graphs. The labeling results are necessary to represent and handle the solution, even if in fact it is only an auxiliary function and can be considered not being part of the problem to solve. Graph matching before crossover allows to implement the geometric crossover on the unlabeled-graph space using the corresponding geometric crossover over the auxiliary space of the labeled graph after graph matching. In sum, we have:

original metric space	labeled graphs under Hamming distance
quotient metric space	unlabeled graphs under labeling-independent distance
original geometric crossover	traditional crossover
quotient geometric crossover	graph matching before traditional crossover

- *Genotypes G* : labeled graphs with the same number of nodes represented as adjacency matrices of the same size
- *Phenotypes P* : unlabeled graphs
- *Equivalence relation \sim* : adjacency matrices with the same underlying unlabeled graph

- *Distance on genotypes* d_G : Hamming distance between adjacency matrices
- *Distance on phenotypes* d_P : labeling-independent distance between unlabeled graphs. This equals the *edge edit distance*.
- *Crossover on genotypes* X_G : traditional crossover on adjacency matrices seen as vectors
- *Crossover of phenotypes* X_P : graph matching before traditional crossover on adjacency matrices
- *Induced crossover transformation* gt : graph matching

The benefit of applying the quotient geometric crossover on graphs is the design of a crossover better tailored to graphs. The notion of graph matching before crossover arises directly from the definition of quotient geometric crossover. Graphs are very important because they are ubiquitous. In future work we will test this crossover on some applications. Graphs and groupings can be seen as particular cases of labeled structures in which the fitness of a solution depends only on the structure and not on the specific labeling. In future work we will study the class of labeled structures in combination with quotient geometric crossover.

4.3 Sequences

In this subsection we recast alignment before recombination in variable-length sequences as a consequence of quotient geometric crossover. In previous work [17] we have applied geometric crossover to variable-length sequences. The distance for variable-length sequences we used there is the *edit distance* LD ⁴: the minimum number of insertion, deletion, and replacement of single character to transform one sequence into the other. The geometric crossover associated with this distance is the *homologous geometric crossover*: two sequences are aligned optimally before recombination. Alignment here means allowing parent sequences to be *stretched* to match better with each other. Formally stretching sequences means interleaving ‘-’ anywhere and in any number in the sequences to create two stretched sequences of the same length that have minimal Hamming distance. For example, if we want to recombine **agcacaca** and **acacacta**, we need to align them optimally first: **agcacac-a** and **a-cacacta**. Notice that the Hamming distance between the aligned sequences is less than the Hamming distance between the non-aligned sequences.

After the optimal alignment, one does the normal crossover and produces a new *stretched* sequence. The offspring is obtained by removing ‘-’, so by unstretching the sequence. How does quotient geometric crossover fit in here? We can define a relation \sim on stretched sequences: *each stretched sequence belongs to the class of its unstretched version*. Then, we can easily check that the relation \sim is an equivalence relation. Let $\langle s \rangle$ be the set of all stretched sequences of sequence s . We define the induced distance measure d_\sim . Let s_1, s_2 be variable-length sequences. If H is the Hamming distance for stretched sequences,

$$d_\sim(s_1, s_2) := \min_{s'_1 \in \langle s_1 \rangle, s'_2 \in \langle s_2 \rangle} H(s'_1, s'_2).$$

⁴The notation LD comes from *Levenshtein distance* that is another name of edit distance.

Then, by the definition of edit distance, d_{\sim} is equal to LD . Hence d_{\sim} is a metric on variable-length sequences.

Theorem 3. *Homologous crossover is geometric under the edit distance [17].*

In summary, we have the following.

original metric space	stretched sequences under Hamming distance [†]
quotient metric space	sequences under edit distance
original geometric crossover	traditional crossover
quotient geometric crossover	homologous crossover

[†] If sequences have different length, their Hamming distance is applied after aligning the sequences leftmost, and the tail of the longer sequence is considered different from the missing tail of the shorter sequence.

This idea can be extended to any stretchable structure, e.g., *stretchable graphs*.

- *Genotypes G* : variable-length stretched sequences
- *Phenotypes P* : variable-length (unstretched) sequences
- *Equivalence relation \sim* : stretched sequences with the same unstretched sequence
- *Distance on genotypes d_G* : If the two stretched sequences have different length, add as many ‘-’ as necessary at the right end of the shorter sequence to make it become equal in length to the longer sequence. Their genotypic distance is then their Hamming distance.
- *Distance on phenotypes d_P* : edit distance between sequences
- *Crossover on genotypes X_G* : traditional crossover on stretched sequences. If the two stretched sequences have different length, add as many ‘-’ as necessary at the right end of the shorter sequence to make it become equal in length to the longer sequence.
- *Crossover of phenotypes X_P* : homologous crossover for sequences
- *Induced crossover transformation gt* : optimal alignment

Phenotypes are variable-length sequences that are directly representable. So in this case the quotient geometric crossover is not used to search a non-directly representable space (phenotypes) through an auxiliary directly representable space (genotypes). The benefit of applying the quotient geometric crossover on variable-length sequences is that the homologous crossover over sequences X_P is naturally understood as a transformation gt of the geometric crossover X_G over stretched sequences G rather than a crossover acting directly on sequences P . This is because the notion of optimal alignment is inherently defined on stretched sequences and not on simple sequences. In previous work [17] we have tested the homologous crossover on the protein motif discovery problem. In future work we want to study how the optimal alignment transformation affects the fitness landscape associated with geometric crossover with and without alignment.

4.4 Traveling Salesman Problem

In previous work [13] we have applied geometric crossover to traveling salesman problem (TSP). Solutions are tours of cities, or circular permutations. A good neighborhood structure for TSP is the one based on the 2-opt move. This move simply reverses the order of the cities of a contiguous subtour. This move induces a graphic distance between tours: the minimum number of reversals to transform one tour into the other. The geometric crossover associated with this distance belongs to the family of sorting crossovers: it picks offspring on the minimum sorting trajectory between parent circular permutations sorted by reversals. Tours of cities or circular permutations cannot be represented directly. They are represented with simple permutations. Gluing head and tail of the permutation obtains a circular permutation. However each circular permutation is represented by more than one simple permutation. How does quotient geometric crossover fit in here? We can define an equivalence relation on the simple permutations: *each simple permutation belongs to the class of its associated circular permutation*. So we have:

original metric space	simple permutations under reversal distance
quotient metric space	circular permutations under reversal distance
original geometric crossover	sorting by reversal crossover for simple permutations
quotient geometric crossover	sorting by reversal crossover for circular permutations

- *Genotypes G* : permutations
- *Phenotypes P* : circular permutations (tours)
- *Equivalence relation \sim* : permutations identifying the same circular permutation
- *Distance on genotypes d_G* : reversal distance between permutations
- *Distance on phenotypes d_P* : reversal distance between circular permutations
- *Crossover on genotypes X_G* : based on sorting by reversals for permutations
- *Crossover of phenotypes X_P* : based on sorting by reversals for circular permutations implemented using simple permutations: circular shift to match as much as possible the two simple permutations before sorting crossover
- *Induced crossover transformation gt* : circular shift before sorting by reversal crossover

This example of quotient geometric crossover illustrates how to obtain a geometric crossover for a transformed representation (circular permutation) starting from a geometric crossover for the original representation (simple permutation). So in this case quotient geometric crossover is used as a tool to build a new crossover for a derivative representation from a known geometric crossover for the original representation. From previous work we know that the sorting by

reversal crossover for simple permutations is an excellent crossover for TSP. In future work we want to test the sorting by reversal crossover for circular permutations. Since they are a direct representation of city tours we expect it to perform even better.

4.5 Functions

Here we consider functional representations: any representation that encodes a function. Examples of this type of representation are genetic programming (GP) trees, finite state automata, and neural networks. We can define an equivalence relation on the solution space: *all solutions representing the same function*. So we have:

original metric	original metric for the specific representation
quotient metric	<i>representation-independent metric</i> among representable functions
original geometric crossover	geometric crossover for the specific representation
quotient geometric crossover	geometric crossover in the function space

4.5.1 Genetic Programming

We can define an equivalence relation: *all symbolic expressions that represent the same function*. We can also define a less strong equivalence relation: *consider as equivalent those syntactic trees that differ in the order of the operands in nodes with commutative operations*. For example, the multiplication operation ‘*’ is commutative and two different trees represent the same function.

original metric	structural Hamming distance between rooted ordered trees [14]
quotient metric	structural Hamming distance between rooted unordered trees (only for commutative nodes)
original geometric crossover	homologous crossover for GP trees
quotient geometric crossover	homologous crossover for GP trees with reordering of commutative subtrees to have minimum structural Hamming distance

This quotient geometric crossover is based on the less strong equivalence relation. So it is not *fully* semantical. However already this quotient geometric crossover cannot be implemented efficiently because the complexity to compute the structural Hamming distance between rooted unordered trees grows exponentially with the number of nodes in the trees.

- *Genotypes G*: parse trees that is a compact (shorter than extensive form), redundant (the same function can be represented by more than one parse tree) and biased (some functions have more associated parse trees than other functions) representation of functions.

- *Phenotypes P* : computed functions. A generic function can be directly represented in an extensive form as a vector in which for every combinations of the input values there is a cell that contains the output of the function for those values. We call this vector the output vector representation of the function. Clearly this direct representation in practice is not used because it is too long.
- *Equivalence relation \sim* : parse trees that correspond to the same function or equivalently with the same output vector.
- *Distance on genotypes d_G* : structural Hamming distance between parse trees
- *Distance on phenotypes d_P* : (weighted) Hamming distance on output vectors
- *Crossover on genotypes X_G* : homologous crossover for parse trees
- *Crossover of phenotypes X_P* : traditional crossover on the output vectors of the functions
- *Induced crossover transformation gt* : expand/reduce/ change syntactic trees before crossover without changing the underlying computed functions such as they have minimal structural Hamming distance

The benefit of applying quotient geometric crossover to parse trees is to search the space of the functions represented by the parse trees rather than the space of parse trees. This is done indirectly by manipulating parse trees. Even if in principle a function can be represented directly using its output vector representation, so making not strictly necessary to recur to an auxiliary genotypic representation and to the quotient geometric crossover to search this space, such direct representation is simply too long for any practical purpose, and a concise genotypic representation is needed.

The implementation of the phenotypic geometric crossover using the transformation gt on the genotypic crossover X_G presents a problem: it is simply not possible to compute efficiently the transformation gt because one needs to compute the smallest structural Hamming distance between all possible transformations of the syntactic trees that keep invariant their underlying functions. We could relax the problem and consider a weaker equivalence relation in which two parse trees are equivalent if exchanging subtrees of nodes with commutative operations (syntactic transformation that keeps the computed function invariant) they become equal. In this case d_P becomes the distance between rooted (partially) unordered trees. The computational cost of this distance grows exponentially with the number of commutative nodes in the syntactic trees. This could be still hard to compute and so could the associated geometric crossover X_P . However there are quick approximated algorithms to compute this distance. In future work we will try this crossover.

4.5.2 Finite States Machines

Finite state machines can represent discrete functions or classifiers: given in input any sequence, they return the class of this sequence. They are represented as labeled rooted directed graphs or equivalently with a transition matrix. We can define an equivalence relation: *all the FSMs*

that represent the same classifier. We can also define a less strong equivalence relation: *all the unlabeled FSMs that represent the same classifier*. In fact, as for graph partitioning the labels are assigned completely arbitrarily.

original metric	Hamming distance on transition matrix
quotient metric	Hamming distance on normalized transition matrix
original geometric crossover	traditional crossover
quotient geometric crossover	normalization before recombination of the transition matrix

- *Genotypes G* : transition matrices
- *Phenotypes P* : classification functions
- *Equivalence relation \sim* : transition matrices that give rise to the same classifier (same output vectors defined as for the parse trees)
- *Distance on genotypes d_G* : Hamming distance between transition matrices
- *Distance on phenotypes d_P* : minimum Hamming distance between unlabeled transition matrices that equals (weighted) Hamming distance on output vectors
- *Crossover on genotypes X_G* : traditional crossover on transition matrices
- *Crossover of phenotypes X_P* : crossover of the underlying classifiers (traditional crossover on the output vectors)
- *Induced crossover transformation gt* : put both FSMs in a normal form (for example using their lexicographic order) before recombination of their transition matrices with traditional crossover. This is a quick heuristic that approximates the phenotypic crossover.

The benefit of the quotient geometric crossover is to be able to search the space of classifiers using a concise representation.

4.5.3 Neural Networks

Neural networks can be represented by real matrices of the connection weights. We can define an equivalence relation: *all the matrices that give rise to the same input-output mapping*. We can also define a less strong equivalence relation: *all the matrices that when reordered become the same*.

original metric	Manhattan distance on matrices
quotient metric	Manhattan distance between unlabeled matrices
original geometric crossover	traditional box crossover for real vectors
quotient geometric crossover	normalization before box crossover for real vectors

- *Genotypes G* : weights matrices
- *Phenotypes P* : continuous functions
- *Equivalence relation \sim* : weights matrices are equivalent when giving rise to the same function (the same output vectors defined as for the parse trees, in this case the vector is infinite-dimensional)
- *Distance on genotypes d_G* : Manhattan distance between weights matrices
- *Distance on phenotypes d_P* : weight-label-independent Manhattan distance between weights matrices equals properly weighted Manhattan distance on output vectors (distance must be a finite number)
- *Crossover on genotypes X_G* : box recombination of weights matrices
- *Crossover of phenotypes X_P* : box recombination continuous functions
- *Induced crossover transformation gt* : normalization on weight-label before box recombination of the weights matrices

The benefit of the quotient geometric crossover is to be able to search with its geometric crossover the space of continuous function indirectly using a concise representation (the weights matrices representation). The geometric crossover defined over continuous function cannot be implemented directly on the phenotype space (space of functions) because it would need to recombine infinite-dimensional vectors.

4.6 Neutrality

The role of neutrality is little understood. Notice that *neutrality* is a synonym of redundancy. As a rule of thumb one would like to filter out redundancy as in normalization for structural problem to improve performance. However neutrality may have some beneficial aspect on variable-length representation. In fact it can be used to have a self-adaptive mutation rate at a phenotypic level: imaging you have a constant number of mutations at a genotype level. If the informative part, the one used to get the phenotype, is small as compared with the non-informative one, mutation at genotype level have a small chance to affect the phenotype. So the same mutation rate at genotype level can correspond to a smaller or equivalent mutation at a phenotype level depending on the amount of neutral code in the genotype. Since the mutation itself inserts

or deletes neutral code, this combined with selection develops a self-adaptive mechanism that selects genotypes with the right amount of neutral code to be more evolvable. Neutrality is widespread in nature, so studying neutrality is important. Quotient geometric crossover can be used to understand how crossover and neutrality interact. In fact the induced geometricity-preserving transformation tells what *trick* to use to remove redundancy for crossover but still keep it there for mutation to obtain the self-adaptive mutation rate *trick*, so to take advantage of both genotype and phenotype spaces.

- *Genotypes G* : sequence with neutral code (part of the sequence that if removed would not affect the phenotype)
- *Phenotypes P* : sequence without neutral code. There is a one-to-one mapping between these sequences and the phenotypes. So this is a direct representation of the phenotypes, rather than the phenotype itself.
- *Equivalence relation \sim* : two sequences with neutral code are equivalent if when the neutral code is removed they become the same phenotypic sequence.
- *Distance on genotypes d_G* : edit distance on sequences with neutral code
- *Distance on phenotypes d_P* : edit distance on sequences without neutral code
- *Crossover on genotypes X_G* : homologous crossover for sequences
- *Crossover of phenotypes X_P* : homologous crossover for sequences
- *Induced crossover transformation gt* : identity transformation

The benefit of the quotient geometric crossover is to show how crossover and neutral code interact. We have seen that neutrality may be beneficial in terms of adaptive mutation rate. Since the induced crossover transformation is the identity transformation, this means that the same crossover that searches the genotypes space can be understood as a crossover searching the phenotype space indirectly using the genotypes. In other words, the neutral code is completely transparent to the search done by crossover and it does not affect its search or performance. So, neutral code retains the advantage of an adaptive mutation rate together with being transparent to the action of crossover.

5 Concluding Remarks

In this paper we have extended the geometric framework introducing the notion of quotient geometric crossover. This could be clearly understood using the concept of geometricity-preserving transformation. Quotient geometric crossover is a very general and versatile tool. We have given a number of interesting examples as its applications. As shown in applications, quotient geometric crossover is not only theoretically significant but also has a practical effect of making search more effective by reducing the search space or removing the inherent bias. More theoretical analysis will be appeared in the extended full paper, and more detailed applications for each case are left for future study.

References

- [1] D. Burago, Y. Burago, S. Ivanov, and Iu. D. Burago. *A Course in Metric Geometry*. American Mathematical Society, 2001.
- [2] S.-S. Choi and B.-R. Moon. Normalization in genetic algorithms. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 862–873, 2003.
- [3] M. M. Deza and M. Laurent. *Geometry of Cuts and Metrics*. Springer, 1997.
- [4] R. Dorne and J. K. Hao. A new genetic local search algorithm for graph coloring. In *Proceedings of the Fifth Conference on Parallel Problem Solving from Nature*, pages 745–754, 1998.
- [5] E. Falkenauer. *Genetic Algorithms and Grouping Problems*. John Wiley & Sons, 1998.
- [6] T. Jones. *Evolutionary Algorithms, Fitness Landscapes and Search*. PhD thesis, University of New Mexico, 1995.
- [7] S.-J. Kang and B.-R. Moon. A hybrid genetic algorithm for multiway graph partitioning. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 159–166, 2000.
- [8] J.-P. Kim and B.-R. Moon. A hybrid genetic search for multi-way graph partitioning based on direct partitioning. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 408–415, 2001.
- [9] Y.-H. Kim and B.-R. Moon. New topologies for genetic search space. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 1393–1399, 2005.
- [10] G. Laszewski. Intelligent structural operators for the k -way graph partitioning problem. In *Proceedings of the Fourth International Conference on Genetic Algorithms*, pages 45–52, 1991.
- [11] A. Moraglio, Y.-H. Kim, Y. Yoon, and B.-R. Moon. Geometric crossover for multiway graph partitioning. In *Evolutionary Computation*, volume 15, pages 445–474, 2007.
- [12] A. Moraglio and R. Poli. Topological interpretation of crossover. In *Proceedings of the Genetic and Evolutionary Computation Conference*, pages 1377–1388, 2004.
- [13] A. Moraglio and R. Poli. Geometric crossover for the permutation representation. *Technical Report CSM-429, Department of Computer Science, University of Essex*, 2005.
- [14] A. Moraglio and R. Poli. Geometric landscape of homologous crossover for syntactic trees. In *Proceedings of the IEEE Congress on Evolutionary Computation*, volume 1, pages 427–434, 2005.
- [15] A. Moraglio and R. Poli. Topological crossover for the permutation representation. In *GECCO 2005 Workshop on Theory of Representations*, 2005.

- [16] A. Moraglio and R. Poli. Product geometric crossover. In *Proceedings of the Conference on Parallel Problem Solving from Nature*, pages 1018–1027, 2006.
- [17] A. Moraglio, R. Poli, and R. Seehuus. Geometric crossover for biological sequences. In *Proceedings of European Conference on Genetic Programming*, pages 121–132, 2006.
- [18] H. Mühlenbein. Parallel genetic algorithms in combinatorial optimization. In *Computer Science and Operations Research: New Developments in Their Interfaces*, pages 441–456, 1992.
- [19] A. L. Olsen. An evolutionary algorithm to solve the joint replenishment problem using direct grouping. *Computers and Industrial Engineering*, 48(2):223–235, 2005.
- [20] P. M. Pardalos and M. G. C. Resende, editors. *Handbook of Applied Optimization*. Oxford University Press, 2002.
- [21] W. A. Sutherland. *Introduction to Metric and Topological Spaces*. Oxford University Press, 1975.
- [22] C. van Hoyweghen, B. Naudts, and D. E. Goldberg. Spin-flip symmetry and synchronization. *Evolutionary Computation*, 10:317–344, 2002.
- [23] Y. Yoon, Y.-H. Kim, A. Moraglio, and B.-R. Moon. Geometric crossovers for real-code representation. In *Proceedings of the Genetic and Evolutionary Computation Conference*, page 1539, 2007.