

Perceptual and Motor Skills

The National Football League-225 Bench Press Test and the Size-Weight Illusion

| | |
|------------------|--|
| Journal: | <i>Perceptual and Motor Skills</i> |
| Manuscript ID | PMS-16-0230.R1 |
| Manuscript Type: | Original Manuscript |
| Keywords: | muscular strength, muscular endurance, athlete, performance testing, Visual perception < Auditory perception < Perception |
| Abstract: | <p>The purpose of this study was to test reports that size and arrangement manipulations of weight plates [i.e., inducing a size-weight illusion (SWI)] would have an effect on athletic weightlifting performance. Seventy-two experienced, weight-trained collegiate American football players participated. Across three weeks, each athlete performed three different repetitions-to-fatigue bench press tests (NFL-225, SWI-225, and SWI-215). A multiple regression revealed a positive association between participants' strength relative to the test load and repetitions for NFL-225 and SWI-215, but no association with SWI-225. To explore these results, players were ranked into quartiles based on their 1RM relative to 102.27 kg (225 lb) and a 3 x 4 repeated measures ANOVA was conducted. The primary finding was a significant test condition x quartile interaction ($p = .004$). Bonferroni-corrected pairwise comparisons revealed that Quartile 4 (those with lowest strength relative to test load) completed more repetitions for SWI-225 compared to NFL-225 ($p = 0.049$). These results suggest that alternate weight plate arrangements may be beneficial for those whom the bench press load is near the lifter's 1RM. However, variations of the SWI do not appear to affect the performance of repetitions-to-fatigue bench press tests for the majority of collegiate American football players.</p> |
| | |

SCHOLARONE™
Manuscripts

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

The National Football League-225 Bench Press Test and the Size-Weight Illusion

For Peer Review

Abstract

The purpose of this study was to test reports that size and arrangement manipulations of weight plates [i.e., inducing a size-weight illusion (SWI)] would have an effect on athletic weightlifting performance. Seventy-two experienced, weight-trained collegiate American football players participated. Across three weeks, each athlete performed three different repetitions-to-fatigue bench press tests (NFL-225, SWI-225, and SWI-215). A multiple regression revealed a positive association between participants' strength relative to the test load and repetitions for NFL-225 and SWI-215, but no association with SWI-225. To explore these results, players were ranked into quartiles based on their 1RM relative to 102.27 kg (225 lb) and a 3 x 4 repeated measures ANOVA was conducted. The primary finding was a significant test condition x quartile interaction ($p = .004$). Bonferroni-corrected pairwise comparisons revealed that Quartile 4 (those with lowest strength relative to test load) completed more repetitions for SWI-225 compared to NFL-225 ($p = 0.049$). These results suggest that alternate weight plate arrangements may be beneficial for those whose bench press load is near the lifter's 1RM. However, variations of the SWI do not appear to affect the performance of repetitions-to-fatigue bench press tests for the majority of collegiate American football players.

Keywords

Muscular strength, muscular endurance, athlete, performance testing, visual perception

Introduction

The size-weight illusion (SWI) is a perceptual phenomenon that occurs when a person estimates that a large object feels lighter compared to a smaller object of equal weight. **This has been demonstrated in research utilizing objects with a range of weights, from 25g (Stevens and Rubin, 1970) up to 24 kg (Luczak & Ge, 1989).** This illusion is contrary to the expectations of most people. Due to prior experiences, most individuals will expect a larger object to be heavier than a smaller object. It is these expectations that are thought to cause the SWI, with the prevalent theory suggesting that lifters' experience of an object's heaviness reflects a contrast to their expectations, rather than the actual mass of the object (Buckingham & Goodale, 2010; Buckingham & MacDonald, 2016; Flanagan, Bittner, & Johansson, 2008).

Although the SWI is well-studied in the laboratory (Buckingham, 2014; Ellis & Lederman, 1993), it is not a well-known effect amongst the general public. However, **it is intuitive for lay-people to expect that size and weight might be related.** In weightlifting, weight plates are generally standardized in approximate size for a particular weight. In the United States, typical diameters for 20.4 kg (45 lb), 11.3 kg (25 lb), and 4.5 kg (10 lb) weight plates are 45.7 cm (18 in), 30.4 cm (12 in), and 22.8 cm (9 in) respectively. This standardization in size and weight is very familiar to an experienced weightlifter. Often, when a relatively heavy weight is being lifted, the combination of weight plates utilized is that which requires the fewest number of plates to be loaded onto the barbell. Therefore, larger plates are used when possible rather than a greater number of smaller diameter, lighter plates. However, **weight-lifters sometimes attempt to exploit their own expectations about the relationship between size and weight** to break through a lifting plateau or successfully complete a difficult set of repetitions. For instance, a typical 102.27 kg (225 lb) bench press will be set up with two 45 lb

1
2
3 weight plates loaded on each side of a standard Olympic 20.4 kg (45 lb) barbell. However, 225 lb
4
5 may be an intimidating lift for some, particularly if that amount is near a lifter's one-repetition
6
7 maximum (1RM) or when it is used in a high-repetition set. A strategy sometimes used by
8
9 weightlifters in situations such as this is to change the plate arrangement by substituting smaller
10
11 weight plates for some of the larger ones, potentially giving the barbell configuration an
12
13 appearance of being lighter. An adjustment in this example is to substitute one of the 45 lb plates
14
15 on each side of the barbell with one 25 lb plate and two 10 lb plates. The total load remains 225
16
17 lb, but it is hoped that the use of smaller plates will cause the load to be perceived by the lifter as
18
19 lighter, and therefore, be easier to lift (e.g., "Change the plates around," 2015). While this
20
21 strategy is not uncommon, the success of its implementation is unclear, as no scientific research
22
23 to date has assessed its validity.
24
25
26
27
28
29
30
31

32 **Almost all research on the SWI to date suggests that apparent size has no long-term**
33 **effect on lifting performance. Buckingham et al. (2014) demonstrated that the SWI did not**
34 **affect weightlifting performance during a repetition lifting test utilizing a 2.27 kg (5 lb)**
35 **dumbbell. However, due to the relative lightness of the weight utilized, this research may**
36 **not be translatable to a lifting task that is nearer one's maximal lifting capabilities.**
37
38

39 **Additionally, the "untrained" status of the participants utilized limits its applicability to**
40 **experienced weightlifters. Furthermore, lab-based work by Flanagan and Beltzner (2000)**
41 **indicates that when one lifts illusion-inducing objects repeatedly, the sensorimotor system**
42 **adjusts to the actual weight of the object and in turn applies the correct force, even if the lifter**
43 **believes that the object's weight is different than it actually is. In other words, after a few**
44 **repetitions, one's body responds appropriately to the lifting task, regardless of one's perception**
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 (Grandy & Westwood, 2006). Therefore, **despite the anecdotal belief by weightlifters that**
4
5 **plate configuration will improve their performance, there is no empirical evidence to**
6
7 **suggest it would.**
8
9

10
11
12 The purpose of this study was to directly test the anecdotal reports that the size and
13 arrangement of weight plates on a bar can affect weightlifting performance. To this end,
14 experienced, weight-trained collegiate American football players performed three repetitions-to-
15 fatigue bench press tests, with different weight plate arrangements. **A real-world training**
16 **environment, which included the National Football League's 225 lb repetition bench press**
17 **test (NFL-225) was utilized. This test consists of bench-pressing a weight of 225 lb for as**
18 **many repetitions as possible in one set. Many collegiate American football teams**
19 **incorporate the NFL-225 into their training at specific points in the program (Mann, Ivey,**
20 **Stoner, Mayhew, & Brechue, 2015; Mann, Ivey, Brechue, & Mayhew, 2014; Mayhew et al.,**
21 **2002).** This test is a component of the NFL Scouting Combine testing battery (Mann, Stoner, &
22 Mayhew, 2012; Mayhew et al., 2002; Robbins, 2012), which is a series of fitness tests used to
23 help determine a collegiate American football player's potential for success in the NFL.
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

40 The NFL-225 uses a standard weight [102.27 kg (225 lb)] regardless of the strength of
41 the athlete. Therefore, players who have a higher 1RM bench press are likely to perform better
42 than those with a lower 1RM, due to their strength levels relative to the test load being higher.
43 That is, the 225 lb testing weight represents a smaller percentage of their 1RM (i.e., 1RM/225).
44
45
46
47
48
49
50
51
52

53 **In the present investigation, two of the three bench press tests featured equal loads**
54 **of 225 lb, but different weight plate arrangements. The third test had the appearance of**
55
56
57
58
59
60

1
2
3 **having a 225 lb load, but the load was actually less.** Based on the work of Flanagan and
4
5 Beltzner (2000), Grandy and Westwood (2006), and Buckingham et al. (2014), **and contrary to**
6
7 **anecdotal reports,** it was hypothesized that the manipulations would not have any effect on the
8
9 total number of repetitions completed by the participants during bench press testing sessions of
10
11 equal load, regardless of their strength relative to the tests.
12
13
14

17 **Methods**

18 *Experimental Approach*

19
20 To examine how manipulations of plate size and arrangement affect weightlifting performance,
21
22 the current investigation employed a counterbalanced crossover design. Over the course of three
23
24 weeks, participants completed three different bench press repetitions-to-fatigue tests. The barbell
25
26 and weight plate arrangements for each of the three tests had the appearance of their total load
27
28 being 225 lb. Two of the arrangements did total 225 lb, although the weight plates used to
29
30 achieve the load of 225 lb were different [NFL-225 and SWI-225 (descriptions below)]. These
31
32 two arrangements allowed direct testing for a SWI effect. The third arrangement, although
33
34 having the appearance of being 225 lb, weighed only 215 lb (97.72 kg) [SWI-215 (description
35
36 below)]. This configuration allowed further exploration of the SWI. If participants' perception of
37
38 a barbell load did have an effect on performance, then the 225 lb appearance of the SWI-215
39
40 barbell configuration would limit the number of repetitions to a similar number as achieved
41
42 during the NFL- and SWI-225 tests, despite the load actually being less.
43
44
45
46
47
48
49
50
51

52 While the difference between the two 225 lb barbell configurations (NFL-225 and SWI-
53
54 225) was easily discernable to the participants, they were kept unaware that the 215 lb
55
56 configuration (SWI-215) differed in actual weight, even though it appeared identical to the NFL-
57
58
59
60

1
2
3 225 configuration. Participants also completed a bench press one-repetition maximum test
4
5 (1RM) in the week following the final bench press repetition-to-fatigue test. These values were
6
7 used to determine players' strength relative to the 225 lb bench press.
8
9

10 11 12 *Participants*

13
14 Participants were recruited from a National Collegiate Athletic Association (NCAA) Division II
15
16 American football team. This program was a part of the Intercollegiate Athletics Department at a
17
18 Midwestern regional university. The coaching staff of the team agreed to the recruitment of
19
20 participants from the team as well as allowing the bench press repetition testing sessions to be
21
22 added into the strength and conditioning program. Select details of the study were verbally
23
24 explained to team members by the principle investigator prior to the initiation of the
25
26 investigation. Volunteers signed an informed consent document. The study began with 80
27
28 participants and complete data was collected for 72 of those participants (19.9 ± 1.3 years old,
29
30 102.3 ± 19.4 kg, and 7.6 ± 1.5 years of weight training experience). The experiment occurred
31
32 over the final five weeks of the winter off-season training program during the spring academic
33
34 term.
35
36
37
38
39

40 In order to limit potentially influencing the outcome of the three tests, participants were
41
42 not informed that the purpose of the repetitions-to-fatigue tests was to examine the effect of
43
44 weight plate size and arrangement on performance. Rather, they were told that the tests' results
45
46 were going to be used to: 1) examine the effects of a strength and power training program on
47
48 muscular endurance, and to 2) test the validity of a NFL-225 1RM prediction formula. In
49
50 addition to the SWI purpose being withheld, participants were not told that one of the repetition
51
52 tests that they would undertake would be completed using a total barbell load of only 215 lb.
53
54
55 This investigation, including the incomplete disclosure and deception, was approved by the
56
57
58
59
60

1
2
3 university's Institutional Review Board. Upon conclusion of the study, participants were
4
5 debriefed by the primary investigator at a team meeting. The true purpose of the investigation
6
7 was explained to them at this point, and participants were given an opportunity to ask questions
8
9 and have them answered.
10
11

12
13
14 *The NFL-225, SWI-225, and SWI-215 bench press tests*

15
16 Three different bench press repetitions-to-fatigue tests were utilized in this study. The barbell
17
18 load for all three test conditions had the appearance of weighing 225 lb. Two of the tests had an
19
20 actual load of 225 lb, and were differentiated by weight plate size and arrangement. One test had
21
22 a load of only 215 lb, but had the appearance of weighing 225 lb (Figure 1).
23

- 24
25
26 1) **NFL-225:** A total barbell load of 225 lb, set up with a standard weight plate arrangement
27
28 for a NFL-225 test – a 45 lb Olympic barbell, with two, 45 lb plates loaded on each side.
29
30 2) **SWI-225:** A total barbell load of 225 lb, set up with an alternate arrangement of weight
31
32 plates – a 45 lb Olympic barbell, with one 45 lb plate, one 25 lb plate, and two 10 lb
33
34 plates on each side.
35
36 3) **SWI-215:** A total barbell load of 215 lb, which had the appearance of the NFL-225.
37
38

39 While this set up appeared to have two 45 lb plates on each side of the barbell, one of
40
41 those two plates had a weight of only 40 lb, but was visually indistinguishable from the
42
43 accompanying 45 lb plate.
44

- 45
46 a. The 40 lb plates were created by modifying 45 lb plates. To reduce their weight to
47
48 only 40 lb, 0.254 cm (0.10 in) was removed from the back (flat) side of 45 lb
49
50 plates, which equated to approximately 5 lb. The back sides were then repainted
51
52 to match the front, and then scuffed to give an appearance of use and age. Since
53
54 the front side of the plate was not altered, the 45 lb markings/labels remained.
55
56
57
58
59
60

1
2
3 These plates were indistinguishable from standard 45 lb plates without close
4 inspection and the 10 lb discrepancy between the SWI-215 and the two 225 lb
5 tests was small enough that participants did not notice the difference when
6 holding the loaded barbell in the lifting position.
7
8
9
10
11
12
13
14

15 (Figure 1 about here)
16
17
18
19

20 *Data Collection*

21
22 The experiment was conducted during the final five weeks of the team's **eight week** off-season
23 strength and condition program, **which had a focus on increasing the athletes' strength and**
24 **power.** At the end of Week 1 of the study, all players completed a NFL-225 test for purposes of
25 familiarization. Data collection for the bench press repetitions-to-fatigue tests were conducted
26 **upon completion of the regular** training session, on the final day of the week, across Weeks 2,
27 3, and 4. **The training session on these days largely focused on power production and were**
28 **similar across the three weeks. As with every other training session, all athletes completed**
29 **the same workouts on these days. Finally,** all players completed a 1RM bench press test
30 (McGuigan, 2016) on the second day of Week 5, after four days of complete rest (Table 1).
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

46 (Table 1 about here)
47
48
49

50 A counterbalanced crossover design was utilized. The three barbell configurations were
51 grouped into three different Testing Orders (A, B, and C), each of which was incorporated into
52 each of the three data collection sessions. **This design was employed to help control for any**
53
54
55
56
57
58
59
60

1
2
3 **testing order effect as well as any weekly workout variability which may have influenced**
4
5 **the testing sessions (Table 2).**
6
7

8 Nine weightlifting stations were utilized for data collection. This allowed for three
9
10 stations for each of the three Testing Orders each week (i.e., A x 3, B x 3, and C x 3). Each
11
12 Testing Order group was populated with approximately the same number of participants (Table
13
14 2). Players tested at the same station each week. The arrangement of the three bench press tests
15
16 among the stations was fashioned so that the three different barbell configurations were not
17
18 grouped together in proximity, but rather alternated among stations (Table 1).
19
20

21
22
23
24
25 (Table 2 about here)
26
27

28 29 *Testing procedures*

30
31 **Repetitions-to-fatigue bench press tests.** The bench press testing stations (i.e., NFL-225, SWI-
32
33 225, and SWI-215) were set up prior to the beginning of the workouts on the respective testing
34
35 days by the principal investigator. The bench press barbell arrangements at each station were
36
37 clearly visible to all members of the team throughout the workouts and were not used until the
38
39 bench press tests, which occurred after the conclusion of the workout sessions.
40
41
42

43 For each of these tests, players were encouraged to use the same hand placement on the
44
45 barbell as a 1RM bench press test, and were required to maintain a 5-point contact position
46
47 throughout (Caulfield & Berninger, 2016). For a successful repetition, the bar had to touch the
48
49 chest and return to a fully-extended arm position. There were no formal instructions for the pace
50
51 of repetitions, however, most players self-selected a “touch-and-go” cadence. **Repetitions were**
52
53 **counted by the football coaching staff and the primary investigator.** The test was complete
54
55 when the participant could no longer successfully perform a repetition. **Since these tests were**
56
57
58
59
60

1
2
3 done in a competitive, but supportive team environment, there was a high amount of verbal
4 encouragement from teammates and coaches throughout each of the testing sessions.
5
6
7
8
9

10 *One-repetition Maximum (1RM) bench press test.* A 1RM is the maximum amount of weight
11 that can be successfully lifted with correct technique for only one repetition. Participants
12 completed two warm-up sets: 1) ten repetitions utilizing approximately 40% of their
13 estimated 1RM followed by 2) five repetitions utilizing approximately 60% of their
14 estimated 1RM. Following adequate rest, players loaded the barbell with approximately
15 80-85% of their estimated 1RM and completed one repetition. For each subsequent one-
16 repetition set, weight was added until the athlete could no longer complete a repetition
17 correctly. The 1RM was determined as the last weight utilized in which the participant
18 successfully completed the lift with proper form through the entire range of motion
19 (McGuigan, 2016).
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

36 **Statistical Analysis**

37 A multiple linear regression was calculated using **IBM SPSS Statistics 24** (SPSS Inc., Chicago,
38 Illinois, USA) to examine the association between participants' strength relative to load
39 (expressed as the load ratio of the participants' 1RM divided by 225) and their repetitions for the
40 NFL-225, the SWI-225, and the SWI-215. **The regression was followed up with a mixed**
41 **design ANOVA to examine the relationships between relative strength and test condition.**
42
43
44
45
46
47
48
49 **The level of significance for all analyses was set at .05.**
50
51
52
53

54 **Results**

55
56
57
58
59
60

1
2
3 A significant regression equation was found ($F(3,68) = 92.090, p < .001$), with an R^2 of .802.

4
5 **The regression equation was $1.053 + .018 (\text{NFL-225}) - .001 (\text{SWI-225}) + .014 (\text{SWI-215})$.**

6
7
8 **The relationship between relative strength and repetitions was significant for the NFL-225**
9
10 **and SWI-215 test conditions. The relationship between relative strength and repetitions for**
11 **the SWI-225 test condition was not significant.**

12
13
14
15 To further explore these findings, **IBM SPSS Statistics 24** (SPSS Inc., Chicago, Illinois,
16
17 USA) was used to group participants into quartiles based on their strength relative to the test
18
19 (computed as their 1RM divided by 225 with Quartile 1=highest strength relative to test load,
20
21 Quartile 4=lowest strength relative to test load).

22 23 24 25 26 27 **Strength Relative to Test Load = 1RM/225**

28
29
30
31
32 A mixed-design ANOVA was then conducted to examine the relationship between
33
34 quartiles and test condition on repetitions. This revealed a significant test condition x quartile
35
36 interaction ($F(6, 136) = 3.40, p = .004, \eta^2 = .130$). Performance variables for each quartile can be
37
38 found in Table 3. The interaction between test condition and quartile is illustrated in the plot in
39
40 Figure 2.
41
42

43
44
45
46 (Table 3 about here)

47
48 (Figure 2 about here)

49
50
51
52
53 To explore the significant interaction, Bonferroni-corrected pairwise comparisons were
54
55 conducted across the test conditions within each quartile. These comparisons revealed that for
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Quartiles 1, 2, and 3 there was no significant difference between the NFL-225 and SWI-225 conditions (all p values > 0.05). However, participants in Quartile 4 (those with the lowest strength relative to test load) completed more repetitions for the SWI-225 compared to the NFL-225 (mean difference 1.176, standard error = .439, $p = 0.049$). Pairwise comparisons also indicated that participants in the second quartile completed more repetitions for the SWI-215 than they did for the NFL-225 ($p = 0.032$) or the SWI-225 ($p = 0.008$). Participants in the third quartile exhibited the same pattern, completing more repetitions for the SWI-215 than they did for the NFL-225 ($p = 0.002$) or the SWI-225 ($p < 0.001$).

Discussion

This study was designed to investigate the anecdotal notion, popular among weightlifters, that the size and arrangement of weights can affect weightlifting performance. Based on past research, it was hypothesized that the manipulations would not have any effect on the total number of repetitions completed by the participants during bench press testing sessions of equal load, regardless of their strength relative to the tests. The multiple regression results revealed that there was a significant relationship between the strength of the participant and repetitions achieved for the NFL-225 and SWI-215 test conditions but not for the SWI-225 test condition. This finding suggested a possible SWI effect for the SWI-225 test condition. To explore that possibility, the regression was followed up by the mixed-design ANOVA that revealed a significant interaction between quartiles and test condition.

For the majority of participants, weight plate configuration had no effect on their performance. Participants in the fourth quartile (those with the lowest strength relative to the

1
2
3 test load), however, completed more repetitions with the SWI-225 than with the NFL-225.
4
5 Moreover, there was no difference for the SWI-215 performance relative to the other two testing
6
7 barbell configurations for this group. This finding contrasts Buckingham et al. (2014) who
8
9 demonstrated that a SWI induced by utilizing dumbbells of equal weight but of different size,
10
11 had no effect on repetitions to fatigue in bicep curl performance. However, the present study and
12
13 the Buckingham et al. (2014) investigation do have dissimilarities that may account for this
14
15 discrepancy and do not allow them to be directly comparable. These include the use of
16
17 experienced weightlifters vs. untrained lifters and utilizing a lifting load nearer maximal relative
18
19 weight (102.27 kg) vs. a submaximal weight (2.27 kg).
20
21
22
23

24
25 In addition, the current investigation utilized three different testing configurations which
26
27 were performed across three weeks. Therefore, a counterbalanced crossover design was
28
29 employed in which three different Testing Orders were used to help control for any **testing**
30
31 **order effect** and/or workout variability that may have influenced any of the data collection
32
33 sessions. However, it should be noted that as the athletes were categorized into quartiles based
34
35 on their 1RM relative to 225 lb **in a post-hoc fashion**, the Testing Orders were not equally
36
37 distributed among some groups, particularly for the participants in Quartile 4 (Table 4). The
38
39 majority of these players were members of Testing Order B, which completed the SWI-225 in
40
41 the final data collection session. **Therefore, while the increase in repetitions that participants**
42
43 **in the fourth quartile achieved during the SWI-225 test condition may have been due to a**
44
45 **SWI effect, the increase could also have been caused a test order effect, or even a**
46
47 **combination of both.**
48
49
50
51
52
53
54
55
56
57
58
59
60

(Table 4 about here)

For Quartiles 3 and 2, there were no differences between the NFL-225 and the SWI-225, but more repetitions were performed with the SWI-215. The differences in plate sizes and arrangements between the two 225 lb configurations apparently did not affect the performance of the participants. Additionally, these participants were able to complete more repetitions with the SWI-215 configuration despite it having an identical appearance to the NFL-225. This finding supports the work of Flanagan and Beltzner (2000), and Grandy and Westwood (2006), who have both demonstrated that with repeated repetitions, the sensorimotor complex adjusts itself appropriately to the actual demands of the task, regardless of the lifter's perception of that demand. For these two quartiles, it seems likely that the sensorimotor systems and the perceptual systems were operating independently of one another. In other words, even though participants thought they were lifting 225 lb, their sensorimotor system responded appropriately to the actual weight of 215 lb, thus resulting in the increased repetition performance. Regarding the Testing Order counterbalance of these two quartiles, participants in these groups were more equally distributed between Testing Orders A and C (Table 4). Quartile 3 had more participants in Testing Order A, which included the SWI-215 in the final week, which was also the test in which this group experienced the highest number of repetitions. It is not possible to determine from this study whether the difference in repetitions between test conditions was due to a **testing order** effect or simply the lighter load of the SWI-215, but both should be considered. Quartile 2 had more members in Testing Order C, which had the NFL-225 test as the final session. However, this group did not perform the most repetitions during this test, but rather during the SWI-215, which occurred in the previous week. A **testing order** effect was likely not a factor in the overall

1
2
3 performance of this group, which lends further support to the independent operation of the
4
5 perceptual and sensory motor systems (Flanagan & Beltzner, 2000; Grandy & Westwood, 2006).
6
7
8
9

10
11 Quartile 1 (those with the highest strength relative to testing load) performed equally
12
13 among the three bench press tests. They did not complete more repetitions with the SWI-215
14
15 compared to either of the two versions of the 225 lb barbell configuration. This appears to
16
17 contradict the concept discussed above, that the sensorimotor and perceptual systems work
18
19 independently of one another (Flanagan & Beltzner, 2000; Grandy & Westwood, 2006).
20
21 According to that model, this quartile should have demonstrated similar results as Quartiles 2
22
23 and 3, in that more repetitions be completed during the SWI-215 test session. One possibility to
24
25 consider for this discrepancy is the relative load for Quartile 1. Although all quartiles
26
27 experienced a 10 lb load reduction with the SWI-215, for **those in the first** quartile it was a
28
29 smaller load reduction relative to their higher 1RMs. It is possible that this relatively smaller load
30
31 reduction was not large enough to elicit additional repetitions. If so, the repetitions for each of
32
33 the three bench press tests were not completely representative of either the sensorimotor or
34
35 perceptual systems, as demonstrated by both the Flanagan and Beltzner (2000) and Grandy and
36
37 Westwood (2006) investigations. Regarding the counterbalance, the testing order held up very
38
39 well for this quartile, with nearly equal distribution of the members across the three testing
40
41 groups (Table 4).
42
43
44
45
46
47
48
49
50

51 **Limitations and Future Research**

52
53
54
55
56
57
58
59
60

1
2
3 **The possible SWI effect observed in Quartile 4 was contrary to our hypothesis. As the first**
4 **empirical investigation of the SWI in this context, this result is interesting. However, it is**
5 **potentially confounded by a test order effect. As previously described, the testing order was**
6 **counterbalanced to control for any test order effects and also any weekly variations in the**
7 **workouts. While the groups were counterbalanced for the regression analysis, that balance**
8 **was compromised after the creation of quartiles, particularly in the fourth quartile. Future**
9 **research should consider designs in which the quartiles are created *a priori*, and are then**
10 **counterbalanced accordingly to provide more control.**

11
12
13
14
15
16
17
18
19
20
21
22 The current investigation suggests that **for most collegiate Division II American**
23 **football players**, variations of the weight plate size and arrangement do not induce a SWI effect
24 and do not appear to affect the performance of repetitions-to-fatigue bench press tests. This
25 **seems to** be particularly true for those whom the weight used during the test is low relative to
26 their 1RM bench press (e.g., Quartile 1). However, the influence of the SWI among those who
27 perform repetition tests with a weight that is nearer their 1RM bench press (e.g., Quartile 4) is
28 less clear. Further research **should attempt to clarify** any associations that may exist between
29 the SWI and this population.

30
31
32
33
34
35
36
37
38
39
40
41 **The weight plate arrangement that was utilized to investigate the SWI in the present**
42 **study (i.e., SWI-225, Figure 1) is only one possible combination. Work by Amazeen (2014)**
43 **indicates that changing the width of an object may have more of an influence on the**
44 **magnitude of the SWI a lifter experiences than does changing the height. Examining**
45 **variations in weight plate arrangements that incorporate different heights and widths**
46 **would be of interest.**

Conclusions

For most experienced weightlifters, using alternate plate sizes in an attempt to exploit the common size and weight expectation, will likely not improve performance in the bench press exercise beyond what would be experienced with a typical weight plate arrangement. However, alternate arrangements do not seem to reduce performance and may even be marginally beneficial for those whom the bench press load is near the lifter's 1RM.

Acknowledgements

The authors would like to thank the XX football team and coaching staff for their participation and dedication to this study. We would also like to express our gratitude to XX and XX for their assistance in modifying the weight plates for the SWI-215.

Declaration of Conflicting Interests

The authors declared no potential conflicts of interest with respect to research, authorship, and/or publication of this article.

Funding

The authors received no financial support for the research, authorship, and/or publication of this article.

References

Amazeen, E.L. (2014). Box shape influences the size-weight illusion during individual and team lifting. *Human Factors*, 56(3), 581-591.

1
2
3 Buckingham, G. (2014). Getting a grip on heaviness perception: A review of weight illusions
4 and their probable causes. *Experimental Brain Research*, 232(6), 1623-1629. doi:
5
6 10.1007/s00221-014-3926-9
7
8

9
10 **Buckingham, G., Byrne, C. M., Paciocco, J., van Eimeren, L., & Goodale, M. A. (2014).**
11 **Weightlifting exercise and the size-weight illusion. *Attention, Perception and***
12 ***Psychophysics*, 76(2), 452-459. doi: 10.3758/s13414-013-0597-8**
13
14

15
16
17 Buckingham, G., & Goodale, M. A. (2010). Lifting without seeing: The role of vision in
18 perceiving and acting upon the size weight illusion. *PLoS One*, 5(3).
19

20
21
22 Buckingham, G., & MacDonald, A. (2016). The weight of expectation: Implicit, rather than
23 explicit, prior expectations drive the size-weight illusion. *Quarterly Journal of*
24 *Experimental Psychology*, 69(9), 1831-1841. doi: 10.1080/17470218.2015.1100642
25
26
27

28
29 Caulfield, S.C., & Berninger, D. (2016). Exercise technique for free weight and machine training.
30 In G.G. Haff & N.T. Triplett (Eds.). *Essentials of Strength Training and Conditioning* (p.
31 353). Champaign, IL: Human Kinetics.
32
33
34

35
36 Change the plates around. (2015). Retrieved from
37
38 <http://www.facebook.com/AnytimeFitnessMorley/posts/1016642791690401:0>
39

40
41 Ellis, R. R., & Lederman, S. J. (1993). The role of haptic versus visual volume cues in the size-
42 weight illusion. *Perception and Psychophysics*, 53(3), 315-324.
43
44

45
46 Flanagan, J. R., & Beltzner, M. A. (2000). Independence of perceptual and sensorimotor
47 predictions in the size-weight illusion. *Natural Neuroscience*, 3(7), 737-741. doi:
48
49 10.1038/76701
50
51
52
53
54
55
56
57
58
59
60


- 1
2
3 Flanagan, J. R., Bittner, J. P., & Johansson, R. S. (2008). Experience can change distinct size-
4
5 weight priors engaged in lifting objects and judging their weights. *Current Biology*,
6
7 *18*(22), 1742-1747. doi: 10.1016/j.cub.2008.09.042
8
9
- 10 Grandy, M. S., & Westwood, D. A. (2006). Opposite perceptual and sensorimotor responses to a
11
12 size-weight illusion. *Journal of Neurophysiology*, *95*(6), 3887-3892. doi:
13
14 10.1152/jn.00851.2005
15
16
- 17 Luczak, H., and Ge, S. (1989). Fuzzy modelling of relations between physical weight and
18
19 perceived heaviness: the effect of size-weight illusion in industrial lifting tasks.
20
21 *Ergonomics*. *37*:2, 823-837. DOI
22
23
- 24 Mann, J. B., Ivey, P. J., Brechue, W. F., & Mayhew, J. L. (2014). Reliability and smallest
25
26 worthwhile difference of the NFL-225 test in NCAA Division I football players. *Journal*
27
28 *of Strength and Conditioning Research*, *28*(5), 1427-1432. doi:
29
30 10.1519/jsc.0000000000000411
31
32
33
- 34 Mann, J. B., Ivey, P. A., Stoner, J. D., Mayhew, J. L., & Brechue, W. F. (2015). Efficacy of the
35
36 National Football League-225 test to track changes in one repetition maximum bench
37
38 press after training in National Collegiate Athletic Association Division IA football
39
40 players. *Journal of Strength and Conditioning Research*, *29*(11), 2997-3005. doi:
41
42 10.1519/jsc.0000000000000829
43
44
45
- 46 Mann, J. B., Stoner, J. D., & Mayhew, J. L. (2012). NFL-225 test to predict 1RM bench press in
47
48 NCAA Division I football players. *Journal of Strength and Conditioning Research*,
49
50 *26*(10), 2623-2631. doi: 10.1519/JSC.0b013e31826791ef
51
52
- 53 Mayhew, J. L., Ware, J. S., Cannon, K., Corbett, S., Chapman, P. P., Bembem, M. G., . . . Slovak,
54
55 J. P. (2002). Validation of the NFL-225 test for predicting 1-RM bench press
56
57
58
59
60

1
2
3 performance in college football players. *Journal of Sports Medicine and Physical Fitness*,
4
5 42(3), 304-308.
6
7

8 McGuigan, M. (2016). Administration, scoring, and interpretation of selected tests. In G.G. Haff
9
10 & N.T. Triplett (Eds.). *Essentials of Strength Training and Conditioning* (p. 265).
11
12 Champaign, IL: Human Kinetics.
13
14

15 Robbins, Daniel W. (2012). Relationships between National Football League combine
16
17 performance measures. *Journal of Strength and Conditioning Research*, 26(1), 226-231.
18
19 doi: 10.1519/JSC.0b013e31821d5e1b
20
21

22 **Stevens, J. C., & Rubin, L. L. (1970). Psychophysical scales of apparent heaviness and the**
23
24 **size-weight illusion. *Perception & Psychophysics*, 8(4), 225–230.**
25
26 **doi:10.3758/BF03210210**
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



Bench Press Repetitions-to-Fatigue Barbell Configurations

396x102mm (300 x 300 DPI)

For Peer Review

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1: Data collection timeline

| | Week 1 | Week 2 | Week 3 | Week 4 | Week 5 |
|------------------|-----------------|---------|---------|---------|--------|
| | Familiarization | Test 1 | Test 2 | Test 3 | |
| Stations 1, 4, 7 | NFL-225 | NFL-225 | SWI-225 | SWI-215 | 1RM |
| Stations 2, 5, 8 | NFL-225 | SWI-215 | NFL-225 | SWI-225 | 1RM |
| Stations 3, 6, 9 | NFL-225 | SWI-225 | SWI-215 | NFL-225 | 1RM |

Table 2: Counterbalance of Testing Order and Repetitions-to-Fatigue tests and Barbell Configurations


| Testing Order Group | Repetitions-to-Fatigue Data Collection Sessions | | |
|---------------------|--|---------|---------|
| | Week 2 | Week 3 | Week 4 |
| A (n=23) | NFL-225 | SWI-225 | SWI-215 |
| B (n=25) | SWI-215 | NFL-225 | SWI-225 |
| C (n=24) | SWI-225 | SWI-215 | NFL-225 |
| Test | Barbell Configurations | | |
| NFL-225 | Two 45 lb plates on each side of 45 lb Olympic Barbell (225 lb total) | | |
| SWI-225 | One 45, 25, 10, and 10 lb plate on each side of a 45 lb Olympic Barbell (225 lb total) | | |
| SWI-215 | One 45 and 40 lb plate on each side of a 45 lb Olympic Barbell (215 lb total) | | |

Table 3. Quartile performance variables for the three repetition-to-failure bench press tests and 1RM bench press. All values Mean \pm SD

| | Repetitions | | | 1RM (kg) |
|-------------------|----------------|----------------------------|------------------------------|------------------|
| | NFL-225 | SWI-225 | SWI-215 | |
| Quartile 1 (n=21) | 20.7 \pm 4.2 | 20.7 \pm 4.6 | 22.1 \pm 4.9 | 180.0 \pm 15.2 |
| Quartile 2 (n=17) | 14.3 \pm 4.0 | 14.8 \pm 3.5 | 16.7 \pm 4.7 ^{†‡} | 157.3 \pm 3.8 |
| Quartile 3 (n=17) | 11.2 \pm 3.0 | 11.1 \pm 3.4 | 13.8 \pm 2.9 ^{†‡} | 144.9 \pm 2.9 |
| Quartile 4 (n=17) | 7.1 \pm 2.7 | 8.3 \pm 3.0 [†] | 7.6 \pm 2.9 | 126.8 \pm 10.4 |
| Team (n=72) | 13.7 \pm 6.2 | 14.0 \pm 6.0 | 15.4 \pm 6.6 | 153.8 \pm 22.3 |

[†]Different from NFL-225 ($p < 0.05$), [‡]Different from SWI-225 ($p < 0.05$)

Figure 2: Test Condition x Quartile plot



†Different from NFL-225 (p<0.05)

‡Different from SWI-225 (p<0.05)

Quartiles based on strength relative to test load (1RM/225)

Review

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

Table 4: Testing Order and Quartiles

| Testing Order Group | Testing Order | Q1 | Q2 | Q3 | Q4 |
|---------------------|-----------------------------|------|------|------|------|
| | Week 2 - Week 3 - Week 4 | n=21 | n=17 | n=17 | n=17 |
| A | NFL-225 - SWI-225 - SWI-215 | 8 | 5 | 8 | 2 |
| B | SWI-215 - NFL-225 - SWI-225 | 6 | 3 | 3 | 13 |
| C | SWI-225 - SWI-215 - NFL-225 | 7 | 9 | 6 | 2 |