

Social and professional influences on antimicrobial prescribing for doctors-in-training: a realist review

Chrysanthi Papoutsis^{1*}, Karen Mattick², Mark Pearson³, Nicola Brennan⁴, Simon Briscoe³ and Geoff Wong¹

¹Nuffield Department of Primary Care Health Sciences, University of Oxford, Radcliffe Observatory Quarter, Woodstock Road, Oxford OX26GG, UK; ²Centre for Research in Professional Learning, University of Exeter, St Luke's Campus, Exeter EX1 2LU, UK; ³National Institute for Health Research (NIHR) Collaboration for Leadership in Applied Health Research and Care South West Peninsula, Institute of Health Research, University of Exeter Medical School, South Cloisters, St Luke's Campus, Exeter EX1 2LU, UK; ⁴Collaboration for the Advancement of Medical Education Research & Assessment (CAMERA), Peninsula Schools of Medicine & Dentistry, Plymouth University, Drake Circus Plymouth, Devon PL4 8AA, UK

*Corresponding author. Tel: +44 1865 289300; E-mail: chrysanthi.papoutsis@phc.ox.ac.uk

Received 21 February 2017; returned 16 March 2017; revised 20 May 2017; accepted 22 May 2017

Background: Antimicrobial resistance has led to widespread implementation of interventions for appropriate prescribing. However, such interventions are often adopted without an adequate understanding of the challenges facing doctors-in-training as key prescribers.

Methods: The review followed a realist, theory-driven approach to synthesizing qualitative, quantitative and mixed-methods literature. Consistent with realist review quality standards, articles retrieved from electronic databases were systematically screened and analysed to elicit explanations of antimicrobial prescribing behaviours. These explanations were consolidated into a programme theory drawing on social science and learning theory, and shaped through input from patients and practitioners.

Results: By synthesizing data from 131 articles, the review highlights the complex social and professional dynamics underlying antimicrobial prescribing decisions of doctors-in-training. The analysis shows how doctors-in-training often operate within challenging contexts (hierarchical relationships, powerful prescribing norms, unclear roles and responsibilities, implicit expectations about knowledge levels, uncertainty about application of knowledge in practice) where they prioritize particular responses (fear of criticism and individual responsibility, managing one's reputation and position in the team, appearing competent). These complex dynamics explain how and why doctors-in-training decide to: (i) follow senior clinicians' prescribing habits; (ii) take (or not) into account prescribing aids, advice from other health professionals or patient expectations; and (iii) ask questions or challenge decisions. This increased understanding allows for targeted tailoring, design and implementation of antimicrobial prescribing interventions.

Conclusions: This review contributes to a better understanding of how antimicrobial prescribing interventions for doctors-in-training can be embedded more successfully in the hierarchical and inter-professional dynamics of different healthcare settings.

Introduction

The impact of antimicrobial resistance (AMR) is becoming increasingly clear and efforts to curtail its emergence are gaining priority at a global scale.¹⁻⁵ These efforts are driven by recognition of the projected substantial human and financial costs associated with reduced efficiency of existing antimicrobial agents. It has been estimated that by 2050 there will be 10 million deaths a year

globally due to drug resistance and the total cost of lost production will come to US\$100 trillion.⁶

A broad range of interventions has been implemented worldwide to improve antimicrobial stewardship.⁷ In the UK, such interventions include the TARGET toolkit in primary care and the 'Start Smart Then Focus' approach in secondary settings, among other initiatives.⁸⁻¹⁶ Encouraging signs of reduction in total antimicrobial consumption have already been identified in primary

and secondary care settings in England, but these improvements are insufficient to address the scale of the problem.¹⁷

In the USA, rising rates of broad-spectrum antibiotic prescribing have been recorded across age groups and overall antibiotic prescribing has risen for older patients, with a large proportion of prescriptions considered inappropriate.^{18,19} IDSA and the Society for Healthcare Epidemiology have published guidelines for the implementation of antibiotic stewardship programmes, featuring core strategies and supplementary interventions.^{20,21} In an attempt to address current rates of low implementation,²² all healthcare facilities are required to establish antibiotic stewardship programmes by 2017.²³

Despite the wealth of antimicrobial stewardship programmes, it is often difficult to know how best to target resources to maximize intended outcomes. Previous systematic reviews have compared effect sizes of different intervention strategies,^{24,25} favouring restrictions in prescribing options (e.g. compulsory order forms or expert approval) over purely educational or feedback programmes.²⁵ Yet, less attention has been paid to how intervention strategies work differently in different contexts and for different groups of prescribers. With social norms and informal influences increasingly recognized as important in antimicrobial prescribing,^{26–28} uncertainty still exists about how to implement different types of interventions and what refinements are needed for local circumstances.

There is also less understanding of how antimicrobial prescribing interventions should be tailored to address the specific needs of doctors-in-training (i.e. medical school graduates undergoing clinical training to become specialists or general practitioners). Postgraduate trainees across all stages are classed as independent prescribers and will typically prescribe medicines, including antimicrobials, on a daily basis. In the UK they are numerically the largest prescribers in the hospital setting.²⁹ In many countries, they form the foundation of the medical workforce and carry out a significant proportion of core medical work, often under little supervision. Their learning and training needs are of critical importance since they are developing skills to lead clinical teams as senior practitioners in the future. Yet, most antimicrobial prescribing interventions target both junior and senior doctors as a uniform body of health professionals, and assume they have similar needs and operate under the same circumstances.³⁰

To account for the context in which antimicrobial prescribing decisions are made and the significant challenges encountered by doctors-in-training at different levels, we followed a realist approach for evidence synthesis.

Methods

A realist review is particularly relevant to complex interventions characterized by significant levels of heterogeneity. This is because it follows an interpretive, theory-driven approach to synthesizing evidence from qualitative, quantitative and mixed-methods research. Its main strength comes from providing findings that explain how and why context can influence outcomes.

Our review on IMProving Antimicrobial prescribing for doCtors-in-Training (IMPACT) was structured around the following questions:

- (i) What are the ‘mechanisms’ by which antimicrobial prescribing behaviour change interventions are believed to result in their intended outcomes?

- (ii) What are the important ‘contexts’ which determine whether the different mechanisms produce intended outcomes?
- (iii) In what circumstances are such interventions likely to be effective?

Rather than defining effectiveness in terms of effect size as in a standard systematic review, the IMPACT review examined how the responses of doctors-in-training to the resources offered to them (*mechanisms*) were triggered in particular circumstances (*contexts*) to generate certain behaviours or *outcomes* for antimicrobial prescribing (see Part S1 for relevant definitions, available at JAC Online).

The review followed a detailed, published protocol³¹ based on Pawson’s five iterative stages: (i) locating existing theories; (ii) searching for evidence; (iii) selecting articles; (iv) extracting and organizing data; and (v) synthesizing the evidence and drawing conclusions.³² To this we have added a sixth step [(vi) writing and engaging with substantive theory], to highlight the importance of developing a narrative from realist analysis as extending beyond Context–Mechanism–Outcome Configurations (CMOCs)—see Glossary in Part S1 for definition—and to foreground the role of theoretically substantiating findings (drawing on substantive theory).

The review is registered on PROSPERO (CRD42015017802) and ran for 18 months (June 2015–November 2016). The Central University Research Ethics Committee (CUREC) at the University of Oxford granted exemption from ethical approval. This paper reports the IMPACT realist review according to the RAMESES publication standards.³³ More details are included in the full project report published on the National Institute for Health Research (NIHR) Journals Library as per standard practice for projects funded by the Health Services and Delivery Research (HS&DR) programme: <https://www.journalslibrary.nihr.ac.uk/programmes/hsdr/139724/#>.

Step (i): locating existing theories

Before any literature searching had taken place, we devised an initial programme theory as a starting point for the review, drawing on the experiential, professional and content knowledge of the research team (including a primary care practitioner and GP trainer, and academic experts in medical education, clinical training and implementation science). This initial programme theory acted as a guide for refining assumptions against the data in the literature.

To begin refining this initial programme theory and to identify the focus of the review, we carried out exploratory searching using keyword-, author- and project-based methods in MEDLINE/PubMed and Google Scholar (see Part S2 for example keywords). We also found initial literature through citation tracking and snowballing, searched for grey literature and elicited key studies from experts.³⁴ The aim was to identify a range of possible explanations about how antimicrobial prescribing interventions work for doctors-in-training at different levels, and why they may work in particular circumstances and not in others.^{35,36} Iterative programme theory building required discussions within the team to make sense of, interpret and synthesize the different components.

A diverse stakeholder group was recruited to provide content expertise for programme theory refinement. The group included patients, carers, senior consultants, doctors-in-training at different stages, pharmacists, microbiologists, academics and policy-makers ($n = 21$ in total). Consultations with stakeholders took place in four 2 h meetings (including one policy workshop) at regular intervals throughout the project, but also through telephone calls and e-mail exchange. Detailed notes were kept for all consultations with stakeholders to inform programme theory and create a clear audit trail.

Step (ii): searching for evidence

We carried out two distinct formal literature searches, which were tested, refined and conducted by an information specialist (S. B.). The search strategies were developed iteratively in MEDLINE to reach appropriate sensitivity and specificity. A combination of free-text and indexing terms were used.

The search syntax and indexing terms used in MEDLINE were then translated for use in other databases. Relevant studies identified using hand searching were used to benchmark the search strategy. We also undertook forward citation chasing (using Google Scholar) and manually searched citations contained in the reference lists of articles and reports important for the development of programme theory. Google alerts were set up and articles received from content experts were also included.

Main search

Drawing on adaptations from a related systematic review,³⁰ the main search strategy used combinations of search terms for the concepts 'doctors-in-training', 'prescribing' and 'antimicrobial' (see MEDLINE main search strategy example in Part S2). In September 2015 we searched the following databases: Embase, MEDLINE, MEDLINE-in-process, PsycINFO, Web of Science, CENTRAL, Cochrane Database of Systematic Reviews, HTA database and ASSIA. These databases were chosen as the most appropriate to search potentially relevant literature in this area, following the exploratory search in step (i). We included all studies on antimicrobial prescribing behaviour or interventions that referred to doctors-in-training (any specialty and level), regardless of study design (quantitative, qualitative and mixed methods) or setting (hospital or primary care), and including all prescribing related outcome measures. We excluded studies when they focused on drug administration only (no prescribing decision).

Additional search: hierarchies, team-working and decision-making

Following analysis of the literature from the main search and discussions with the stakeholder group, an additional search was undertaken to allow the review to focus on issues emerging as significant. This additional search focused on social and professional influences in clinical training, and more specifically related to hierarchies, team-working and decision-making. It was not intended to be exhaustive, but to purposefully draw together relevant literature from a different range of disciplines and provide an explanatory backbone for the wider contextual influences identified as important from the analysis of the literature in the main search.

The additional search strategy was developed in a similar way to the main search. We used combinations of keywords for the concepts 'hierarchy', 'decision making', 'team work' and 'junior doctor' (see MEDLINE additional search strategy example in Part S2). In January 2016 the following databases were searched: MEDLINE, MEDLINE-in-process, PsycINFO, CENTRAL, Cochrane Database of Systematic Reviews, HTA database and ASSIA. Studies were included when they discussed the role of hierarchies, teamwork and decision-making, in relation to doctors-in-training (any specialty and level), regardless of study design or setting (hospital or primary care). We had no pre-specified exclusion criteria. Included studies were not necessarily linked to prescribing as we were looking to understand the wider context in which doctors-in-training practise.

The results of both searches were exported to Endnote X7 bibliographic management software (Thomson Reuters Corporation, Toronto, Ontario) and de-duplicated using automated and manual checking. All citations were reviewed by C. P. against the inclusion criteria and a 10% random subsample was reviewed independently by G. W.

Step (iii): selecting articles

The selection process primarily focused on the extent to which articles included data that could contribute to the development and refinement of programme theory. C. P. screened all titles and abstracts in reverse chronological order (to gain a better understanding of shifts in the topics reported) and assessed whether the full text should be obtained. For those articles that met the inclusion criteria, C. P. retrieved the full texts and classified them into categories of high and low relevance, depending on their

relevance to programme theory development (e.g. current situation in the NHS and the wider UK context, or the extent to which the role of doctors-in-training was discussed). At the point of inclusion based on relevance, the trustworthiness and rigour of each study was also assessed.³⁶ Considerations of rigour and relevance were often interrelated, as papers were more likely to include data useful for programme theory refinement when they had followed their chosen methodology to the standard required. Again, a random 10% sample was reviewed by G. W. to ensure selection decisions were made consistently.

Step (iv): extracting and organizing data

Once the core dataset was established, initial manual coding was carried out chronologically (from the most recent article) for familiarization with the data. In the first rounds of analysis the content was classified in broad descriptive, conceptual categories. Analysis then continued in NVivo 10 (QSR International), focusing first on the richest sources, i.e. articles with most potential to inform the programme theory, and then applying the coding framework to the rest of the papers (deductively) and creating new codes as needed (inductively). By looking at each of the conceptual categories more closely, C. P. and G. W. applied a realist logic and analysed sections of texts as related to contexts and/or mechanisms for specific reported outcomes—this was subsequently confirmed with the rest of the team. In doing this, we followed a realist philosophy of science focusing on generative causation, to interpret and explain how different groups of doctors-in-training reasoned about and responded (by way of 'hidden' mechanisms) to contextual influences available in their environment to produce reported outcomes and to identify the specific contexts or circumstances in which these mechanisms were more likely to be 'triggered'. As the review progressed we iteratively refined the programme theory driven by interpretations of the data in articles included in the review.

The characteristics of the documents were extracted into an Excel spreadsheet (see Part S3). A sample 10% of coded papers was independently reviewed by G. W. for consistency. The aim of the analysis was to reach theoretical saturation, such that sufficient information has been captured to explain the wide range of antimicrobial prescribing experiences of doctors-in-training reported in the included articles.

Step (v): synthesizing the evidence and drawing conclusions

Excerpts coded under specific concepts in NVivo were exported into Word documents, to provide a more flexible space to examine the viability of different CMOCs, experiment with different formulations and work towards building the narrative of the synthesis. To develop a programme theory of the antimicrobial prescribing experiences of doctors-in-training we moved iteratively between the analysis of particular examples, stakeholder interpretations, refinement of programme theory, and further iterative searching for data in our existing dataset to refine particular subsections of the programme theory (for more details on the analysis and synthesis processes, see Part S4).

We continued to apply a realist logic of analysis to synthesize the data. This means that we followed a process of constantly moving from data to theory (abductive analysis defined in Part S1) to refine explanations about why certain behaviours are occurring and tried to frame these explanations at a level of abstraction that could cover a range of phenomena or patterns of behaviour in different settings. This included inferences about which mechanisms may be triggered in specific contexts, as these often remained hidden or were not articulated adequately in the literature. Relationships between contexts, mechanisms and outcomes were sought not just within the same articles, but also across sources. For example, mechanisms inferred from one article could help explain the way contexts might be seen to influence outcomes in a different article.




Figure 1. PRISMA diagram.

Step (vi): writing and engagement with substantive theory

Beyond analysis and synthesis, the writing process also helped us finalize the programme theory, as it allowed us to bring together the different CMOs and to create a narrative that synthesizes and explains the data presented in the literature. This process also enabled us to fine-tune our interpretations, to debate the meaning and relevance of different aspects of the programme theory, and to develop shared understandings of our arguments. By drawing on a range of social science and learning theories (identified in the literature reviewed or separately) we were able to substantiate the inferences made about mechanisms, contexts, outcomes and the configurations between these elements, and to enhance the plausibility and coherence of the arguments.³⁷⁻⁴⁵

Results

Search results

The process of screening and article selection resulted in 131 references. Of those, 81 references came from the main literature search and 35 references from the additional search. The remaining 15 articles resulted from citation-tracking, targeted searches and expert suggestions, on the basis of relevance to programme theory.

Of the 131 references, 78 used quantitative methods, 37 used qualitative methods, 12 were mixed methods papers, and there were also 3 position papers and 1 report. Part S3 provides more details on the characteristics of the studies included in the dataset for the review.

The PRISMA diagram (see Figure 1) illustrates the screening and selection process.

Focus of the review

Interventions for doctors-in-training were often focused on knowledge or skills alone, were not described in enough detail or were mainly evaluated using pre-/post-study designs. On their own, these articles did not provide enough information to adequately develop and refine an in-depth programme theory about how antimicrobial prescribing intervention components contributed to particular outcomes. Therefore, we chose to focus on explaining how antimicrobial prescribing works for trainees as a process more generally. In this way, we were able to overcome limitations of poor description and lack of comprehensive evaluations and develop findings that can be transferable across different settings. Through systematic coding and analysis of the included papers we were able to reach theoretical saturation on the concepts emerging as important for the development of programme theory on antimicrobial prescribing behaviours of doctors-in-training.

We attempted to build explanations of how and why trainees engage with antimicrobial prescribing differently under different circumstances. To do this, we focused on situations where antimicrobial prescribing decisions appear more challenging and where there is increased uncertainty about what course of action to take (compared with when decisions are clear-cut, e.g. when history, examination and investigations more clearly support a

diagnosis and management plan). Instead of identifying barriers and facilitators to antimicrobial prescribing, we focused on what trainees do in the presence of challenges, such as diagnostic uncertainty, inexperience and lack of knowledge, to reach antimicrobial prescribing decisions.

Programme theory and CMOCs

The following parts of the Results section provide a narrative overview of the programme theories on antimicrobial prescribing practices of doctors-in-training, based on the realist analysis and explanatory CMOCs developed from the literature reviewed. The narrative presents the programme theories organized under four categories: (i) influence of the medical hierarchy on prescribing decisions; (ii) influence of the hierarchy on balancing conflicting priorities and using sources of support; (iii) assistance seeking and challenging decisions; and (iv) changing contexts. These four categories emerged following analysis and clustering of the data from the literature.

Only selected CMOCs are presented in this section due to space constraints. Part S5 includes the full list of all 28 CMOCs along with examples of data excerpts from the literature. For a more detailed account of the review, we would direct readers to the full report from this project published on the NIHR Journals library (link provided in the Methods section).

Influence of the medical hierarchy on prescribing 'decisions'

The literature describes hierarchies as a core and pervasive aspect of professional socialization in medicine, with senior clinicians (e.g. consultants) setting the norms about what is appropriate prescribing in practice (i.e. what is and is not acceptable). In the articles reviewed, doctors-in-training are presented as largely compliant with the behaviours considered legitimate by the formal prescribing hierarchy (medical 'chain of command') at any given instance (i.e. the 'prescribing etiquette'). Analysis of the literature suggests this compliance results primarily from fear of criticism and fear of individual responsibility for patients deteriorating. Doctors-in-training are also driven by the need to sustain positive relationships and manage the impressions of others, in the context of their seniors' role in evaluating their performance and influencing career progression. As described by relevant studies, they try to fit in with the teams they are working with by adopting an identity of a competent trainee (which often means 'doing as you are told'). Findings related to the role of medical hierarchy on prescribing decisions are synthesized in CMOCs 1 and 2 (the illustrative data excerpts used to develop and refine these may be found in Part S5 and a detailed example of how we developed a CMOC is illustrated in Part S6).^{27,46–66}

CMOC 1: In a context of learning through role-modelling within hierarchical relationships (C), junior doctors passively comply with the prescribing habits and norms set by their seniors (O), due to fear of criticism (M) and fear of individual responsibility for patients deteriorating (M).

CMOC 2: In a context where career progression depends on hierarchical power relationships (C), junior doctors feel they

have to preserve their reputation and position in the hierarchy (fitting-in) (M), by actively following the example of their seniors and avoiding conflict (O).

The literature discusses particular examples of how norms are set differently in different specialties. When rotating in different environments, doctors-in-training encounter a number of different 'rules' depending on the specialties, teams or seniors they are working with. In this respect, antimicrobial prescribing becomes situated—to respond to the norms and needs of particular situations, and relational—to respond to the requirements and norms of particular relationships within hierarchical and inter-professional modes of working (CMOC 3 in Part S5).^{27,49,50,52–55,60,64,67–76}

According to the articles reviewed, perceptions of responsibility and accountability also play a role in influencing the extent to which doctors-in-training follow the norms set by the hierarchy. When trainees perceive that it is their seniors who have responsibility for patient outcomes, they tend to follow the practices indicated as legitimate by those seniors who have ultimate responsibility (CMOC 4 in Part S5).^{50,57,60,63,77,78}

Influence of the hierarchy on balancing conflicting priorities and using sources of support

Role-modelling from senior to junior levels of the hierarchy extends to how conflicting goals should be prioritized (CMOC 5 in Part S5). The way senior clinicians engage in decision-making indicates to trainees how they should prioritize between more immediate, individual short-term goals of patient recovery (e.g. from possible sepsis) and long-term, collective goals of minimizing antimicrobial resistance. In examples included in the literature, it is suggested that seniors also role-model how to find a balance between the need for antimicrobial prescribing against the risk of side effects (e.g. *Clostridium difficile* infection).^{60,61,79}

In such a context of learning through implicit or explicit role-modelling within hierarchical relationships, junior doctors follow the example of seniors, not just in their prescribing decisions, but also in what they count as legitimate sources of support for making prescribing decisions (CMOCs 6–8 in Part S5).^{27,49,53–56,60,61,66,70,74,76,80–94} Data from included studies indicates that doctors-in-training will be more inclined to follow guidelines when this is clearly signalled as appropriate behaviour by the senior clinical staff they are accountable to. The primary influence behind guideline use seems to be whether these are adopted and perceived as credible by senior colleagues (CMOC 9 in Part S5 for factors influencing guideline credibility and use).^{27,53,83,95} The way seniors negotiate patient expectations also seems to play an overriding role in how doctors-in-training decide to respond to perceived patient pressures to prescribe antibiotics (CMOC 10 in Part S5).^{53–55,61,96}

Besides the role of guidelines and patient expectations, the literature suggests that senior doctors also role-model how the opinions of other health professionals should be taken into account. By creating a legitimate role for other health professionals in the antimicrobial prescribing process, senior doctors signal to their trainees what is appropriate behaviour to follow, whose opinion counts, in what cases and to what extent (CMOCs 11–12 in Part S5).^{28,53,71,76,97,98} Some contexts are described in the literature where inter-professional (where relative

status differences are more ambiguous) supervision and contribution may play an important role. For example, newly qualified doctors may turn to the pharmacist as a source of support external to the medical hierarchy, as they will feel less fear of appearing ignorant or experiencing negative repercussions (CMOC 13 in Part S5).^{28,28,47,51,53,60,61,65,70,75,77,97,99,100}

Analysis of the data in the included studies shows that role-modelling may result in positive learning, when (for example) senior doctors follow appropriate prescribing behaviours and clearly explain the rationale of their decisions (e.g. how these correspond to the evidence base or why they diverge based on specific patient needs). According to the literature, optimal role-modelling means explicitly setting the rules about how hierarchical relationships operate in different environments and how trainees should expect to be embedded within them (CMOC 14 in Part S5).^{28,50,53,55,61,83,97,101-109} Conversely, role-modelling may result in the reinforcement of suboptimal prescribing habits and prescribing etiquette(s) if rules remain implicit or are only enforced through authority and the rationale is not clarified to facilitate learning (CMOC 15 in Part S5).^{27,28,50,53-55,64,77,84,97,109-113} Such hierarchical environments where the rationale for prescribing decisions is rarely discussed are often perceived to contribute to a culture of using doctors-in-training to provide service rather than prioritizing their learning needs (CMOC 16 in Part S5).^{15,63,110,111,113-115}

Assistance seeking and challenging decisions

In hierarchical environments, rules on how to interact with other healthcare professionals and on how to effectively apply knowledge in practice at different training levels often remain implicit (or unspoken). As a result, doctors-in-training face difficulties making 'choices' and navigating relationships with health professionals that could provide them with assistance (CMOC 17 in Part S5).^{28,63,69,71,73,77,79,83,98-100,102-104,116-122}

Detailed analysis of the literature highlights how trainees make detailed judgements about: (i) *whether* or not it would be acceptable to ask for assistance when making certain antimicrobial prescribing decisions; (ii) *what* types of topics would be acceptable to ask about; (iii) *who* they should address their questions to; and (iv) *how* they should frame and communicate their questions. Doctors-in-training make judgements on these points, depending on the condition of the patient, whether they feel a case falls within their remit or knowledge, and depending on what they think the consequences of seeking assistance from particular colleagues would be (CMOCs 18-20 in Part S5).^{28,63,69,71,73,77,79,83,98-100,102-104,116-122}

Similar dynamics seem to apply in cases where trainees consider challenging the decisions of their seniors. The literature discusses how reluctance to challenge stems from the belief that it is unlikely that the senior would change their decision, that any error would not be major enough to result in direct patient harm, and that it would be more appropriate for someone else at a different position in the hierarchy to identify and intercept the error (CMOCs 21-22 in Part S5).^{27,47,50,60,64,78,103,110,115,122-129} In contrast, where senior clinicians signal openness to receiving questions and set relevant norms of behaviour, they may increase trust in junior-senior relationships and allow doctors-in-training to feel more comfortable in raising questions (CMOCs 23-24 in Part S5).^{50,60,78,115,123,125,127,129,130}

Yet, the literature suggests that even when seniors are perceived as approachable, some doctors-in-training still refrain from asking for help and/or advice, out of fear of upsetting established relationships and due to a perception that this will negatively impact on their reputation. This shows that collective hierarchical norms are often more powerful than norms or rules set by individual senior doctors (CMOC 25 in Part S5)^{100,117} while discrepancies in perceptions of communication openness between hierarchical levels are prevalent (CMOC 26 in Part S5).^{63,123,131,132}

Changing contexts

As training progresses, doctors become more comfortable negotiating the boundaries of responsibility, knowledge expected and its application in practice at different stages. Through professional socialization in different environments they learn how to operate under different rules set by the local hierarchies. Their ability to ask questions and confidently argue alternative positions changes over time, as with increasing seniority they are expected to assume more autonomy and responsibility (CMOCs 27-28 in Part S5).^{55,57,72,76,77,100,111,115,116,129}

Figure 2 provides an overarching programme theory which consolidates the relationships between the 28 detailed explanations (i.e. CMOCs) emerging from the data, organized around the important outcomes identified.

Discussion

Summary of findings

The IMPACT review adds to a growing literature that acknowledges the importance of the wider context in which an intervention is implemented and attempts to explain how and why trainee prescribing practices differ under different circumstances. In doing this, the review does not aim to produce evidence about the relative advantages of different interventions. Given the complexity and clinical uncertainty inherent in antimicrobial prescribing, it is likely that a context-sensitive combination of top-down and bottom-up, multi-faceted solutions and ongoing support will be required to improve practice.^{133,134} Rather, we looked at how interventions can be *tailored* effectively for doctors-in-training, taking into account the way trainees negotiate antibiotic prescribing in practice.

The overarching programme theory of the IMPACT review explains how and why doctors-in-training decide in certain contexts to passively comply with or actively follow their seniors' prescribing habits, the way they take into account prescribing aids and consult other health professionals, along with how they negotiate patient expectations (the most common outcomes in the data). The programme theory also explains what drives reluctance or willingness to ask questions about antimicrobial prescribing or to challenge the decisions made by seniors, as well as how this changes as training progresses. As discussed in the literature reviewed, these outcomes result from complex interrelationships between the contexts in which doctors-in-training practice (i.e. hierarchical relationships, with powerful prescribing norms, where there is little clarity around roles and responsibilities, and knowledge expectations and how to apply knowledge in practice remain implicit) and the mechanisms triggered in these contexts (i.e. fear of criticism, fear of individual responsibility, need to manage one's own reputation and position in the team, and to appear as competent).




Figure 2. Overarching realist programme theory.

Comparison with existing literature

Despite recognition of the significant influence of social norms in trainee prescribing, there is still emphasis on purely knowledge- or skills-based interventions.^{56,59,61,66,72,80,85,87,88,135-139} This emphasis is underpinned by an assumption that, having identified misplaced beliefs and erroneous prescribing decisions, one can improve the knowledge ‘deficit’ by delivering targeted education. However, our findings show that doctors-in-training often struggle, not just because of knowledge ‘deficits’, but because they have difficulty applying their knowledge in practice. When education and feedback interventions are disjointed from how prescribing decisions are made in the workplace, they are less likely to result in meaningful and sustainable change. Therefore, there is a need to incorporate an understanding of local prescribing norms and power dynamics in the design and delivery of context-sensitive education and feedback programmes, including training on teamwork, communication, error awareness and management that addresses the influence of hierarchical teams.^{54,85,105,140,141}

Although doctor leadership has been widely discussed, promoted and encouraged in healthcare globally (and especially in the UK NHS), little attention has been paid to how ‘leading from beneath’—building leadership capabilities in the context of a hierarchical setting—could contribute to more appropriate antimicrobial prescribing decisions.^{62,142-144} It may also be relevant to consider antimicrobial prescribing competencies for senior clinicians (or for more senior trainees) including deliberately role-modelling appropriate prescribing and facilitating assistance from antimicrobial specialists, both within and across specialties and occupational groups. Our findings indicate that accepting

antimicrobial prescribing more widely as ‘a specialized act’ could significantly legitimize the input of antimicrobial specialists and foster collaborative working.^{60,136,145,146} Without senior involvement, however, it would be difficult to set an example for junior doctors.

Recommendations for policy and practice

Based on the findings of the review, we have focused our recommendations on six key areas for consideration when designing and implementing antimicrobial prescribing interventions for doctors-in-training (Figure 3). These recommendations have been developed so that they are transferable and generic enough to allow local tailoring of different types of interventions for different environments.

(i) Making AMR everyone’s ‘business’

Given the importance of hierarchical dynamics in influencing prescribing decisions, it would not be adequate to implement interventions that target one specific group of prescribers, especially when this group is considered to have a lower status in the hierarchy. A wider cultural shift is necessary across all professional groups and levels of training.

(ii) Specifying what trainees at different levels of training are responsible for

Having commonly agreed roles and responsibilities for appropriate antimicrobial prescribing (e.g. reviewing antibiotics prescribed)




Figure 3. Areas to consider when designing or implementing antimicrobial prescribing interventions that include or target doctors-in-training.

could mean doctors-in-training would be empowered to take the initiative and address how treatment may be optimized for each patient.

(iii) Clarifying knowledge, skills and capabilities needed to fulfil responsibilities

In addition to setting particular roles and responsibilities, it would also be important to ensure appropriate knowledge and skills (e.g. in the form of training or prescribing resources) are in place, and that there is scope to apply this knowledge in practice, so trainees can perform their roles effectively.

(iv) Providing clear processes for seeking advice and support

Developing explicit processes for seeking assistance, i.e. commonly accepted procedures for seeking help from particular colleagues or seniors (e.g. explicit rules on who should they call and when), would facilitate decision-making for doctors-in-training and would reduce barriers to seeking advice.

(v) Ensuring changes are endorsed and reinforced by seniors in the workplace

As senior doctors play a significant role in setting prescribing norms and influencing junior clinicians, any interventions that do not

match accepted norms may not translate to better practice. Hierarchical relationships can play a constructive role when used to role-model and reinforce appropriate prescribing behaviours.

(vi) Enabling adequate trust so clinicians will ask questions and challenge

Being explicit about appropriate knowledge levels, skills and capabilities for different stages in training—see point (iii) above—would be a necessary first step in building explicit boundaries around what questions are considered legitimate (what is it that one is expected to know and what is not). This may not be sufficient on its own, however, as there is a need to actively develop conditions in which doctors-in-training will feel safe to ask questions, feed back to their clinical teams and challenge decisions made by others.

To extend the reach of our work, as advised by our stakeholder group, we have also developed an animation video that can be used as part of medical training to trigger reflection and discussion on antimicrobial prescribing (<https://vimeo.com/190717025>).

Strengths and limitations

To conduct this review we have systematically applied rigorous methodological guidance for realist reviews as described in the RAMESES quality standards.¹⁴⁷ Use of a realist approach has allowed us to place emphasis on how contexts influence outcomes and to focus on identifying generative mechanisms,

thereby producing findings that are transferable across different types of interventions and across settings. This is reflected in the project outputs (animation and infographic) which have wider applicability.

By definition, however, evidence syntheses are reliant on the evidence that is available. We found that interventions were often not described in enough detail to be able to draw conclusions on how their different aspects had resulted in improved prescribing for doctors-in-training. In some of the CMOCs, lack of adequately detailed data in included papers means we have not been able to fully determine some of the fine-grained relationships between contexts, mechanisms and outcome. In addition, the majority of the articles were set in secondary care, rather than general practice. This remains a limitation of the study, although our interpretations of the data attempted to account for differences between settings.

Conclusions

Few interventions to change the antimicrobial prescribing practice of doctors-in-training are designed and implemented in ways that pay adequate attention to the influence of contexts and the ways these change during clinical training. There is little scope for improvement if the contexts in which antimicrobial prescribing is nested remain unacknowledged. This realist review contributes to our understanding of how antimicrobial prescribing interventions can be better embedded in the hierarchical and inter-professional dynamics of different healthcare settings. Recommendations emerging from this work can be transferable across settings to better support trainees with their antimicrobial prescribing practice. Together with our stakeholder group, we have also developed dissemination materials to enable optimal tailoring, design and implementation of antimicrobial prescribing interventions targeted at doctors-in-training. Further research could focus on how the implications identified in this review can be addressed in practice.

Acknowledgements

We would like to express our thanks to those who contributed their views and feedback during the review: Cressida Auckland, Lucy Brooke, Isobel Eaton, Rose Gallagher, Julie Harvey, Philip Howard, Fran Husson, Alice Miller, Russell O'Brien, Hazel Parker, Rakesh Patel, Laura Piddock, John (Otto) Poole, Robert Porter, John Reynolds, Mohamed Sadak, Shirley Stevens, Lynn Tatnell, Mary Tully, Carwyn Watkins and Len Worsfold. Thanks are also due to the members of the steering group: Rob Anderson, Peter Riou and Rod Sheaff. We would also like to acknowledge the three anonymous referees for their constructive comments that helped strengthen the paper.

Funding

This work was supported by the National Institute for Health Research (NIHR) Health Services and Delivery Research (HS&DR) Programme (13/97/24), and by the NIHR Collaboration for Leadership in Applied Health Research and Care South West Peninsula.

Transparency declarations

G. W. is a member of the Health Technology Assessment Primary Care Panel. All other authors: none to declare.

Author contributions

N. B., K. M., M. P. and G. W. developed the research project. S. B. developed and conducted the search strategies. M. P. facilitated patient and public involvement for the review. N. B., K. M., M. P. and G. W. shaped the formal search strategies, provided content and theoretical literature, methodological expertise, and contributed to the development and refinement of programme theory. C. P. contributed to the formal search strategies, carried out screening and article selection processes, applied a realist logic of analysis to the data, identified theoretical ideas for the programme theory, facilitated the stakeholder meetings, drafted the project report and co-authored this paper. G. W. was the principal investigator, applied a realist logic of analysis to the data, carried out consistency checks and co-authored this paper. All authors read, reviewed and approved the final manuscript.

Disclaimer

The views and opinions expressed herein are those of the authors and do not necessarily reflect those of the HS&DR Programme, the NIHR, the NHS or the Department of Health.

Supplementary data

Supplementary data (Parts S1–S6) are available at JAC Online.

References

- 1 United Nations. *Draft Political Declaration of the High-Level Meeting of the General Assembly on Antimicrobial Resistance*. 2016. http://www.un.org/pgal/71/wp-content/uploads/sites/40/2016/09/DGACM_GAEAD_ESCAB-AMR-Draft-Political-Declaration-1616108E.pdf.
- 2 Department of Health. *Annual Report of the Chief Medical Officer: Infections and the Rise of Antimicrobial Resistance* 2011. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/138331/CMO_Annual_Report_Volume_2_2011.pdf.
- 3 Department of Health. *UK Five Year Antimicrobial Resistance Strategy 2013 to 2018*. 2013. <https://www.gov.uk/government/publications/uk-5-year-anti-microbial-resistance-strategy-2013-to-2018>.
- 4 Department of Health. *UK and China Start Global Fund to Tackle Drug Resistant Infections (Press Release)*. 2015. <https://www.gov.uk/government/news/uk-and-china-start-global-fund-to-tackle-drug-resistant-infections>.
- 5 UK Mission to the United Nations Geneva. *Statement by UK Public Health Minister on the First Day of the 68th Session of the World Health Assembly, Geneva (Press Release)*. 2015. <https://www.gov.uk/government/world-location-news/statement-by-uk-public-health-minister-on-the-first-day-of-the-68th-session-of-the-world-health-assembly-geneva-18-may-2015>.
- 6 HM Government. *Tackling Drug-Resistant Infections Globally: Final Report and Recommendations*. 2016. https://amr-review.org/sites/default/files/160525_Final%20paper_with%20cover.pdf.
- 7 Howard P, Pulcini C, Levy Hara G *et al*. An international cross-sectional survey of antimicrobial stewardship programmes in hospitals. *J Antimicrob Chemother* 2014; **70**: 1245–55.
- 8 Ashiru-Oredope D, Budd EL, Bhattacharya A *et al*. Implementation of antimicrobial stewardship interventions recommended by national toolkits in primary and secondary healthcare sectors in England: TARGET and Start Smart Then Focus. *J Antimicrob Chemother* 2016; **71**: 1408–14.
- 9 Ashiru-Oredope D, Sharland M, Charani E *et al*. Improving the quality of antibiotic prescribing in the NHS by developing a new Antimicrobial

- Stewardship Programme: Start Smart—Then Focus. *J Antimicrob Chemother* 2012; **67** Suppl 1: i51–63.
- 10** Royal College of General Practitioners. *TARGET Antibiotics Toolkit* 2014. <http://www.rcgp.org.uk/targetantibiotics/>.
- 11** Nathwani D, Christie P. The Scottish approach to enhancing antimicrobial stewardship. *J Antimicrob Chemother* 2007; **60** Suppl 1: i69–71.
- 12** Department of Health. *Hospital Pharmacy Initiative for Promoting Prudent Use of Antibiotics in Hospitals*. Department of Health, 2003. http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_4013409.pdf.
- 13** Medical Schools Council. *Outcomes of the Medical Schools Council Safe Prescribing Working Group* 2007. <http://www.medschools.ac.uk/publications/pages/safe-prescribing-working-group-outcomes.aspx>.
- 14** Bhattacharya A, Hopkins S, Sallis A *et al*. A process evaluation of the UK-wide Antibiotic Guardian campaign: developing engagement on antimicrobial resistance. *J Public Health (Oxf)* 2016; doi:10.1093/pubmed/fdw059.
- 15** Friedman SM, Sowerby RJ, Guo R *et al*. Perceptions of emergency medicine residents and fellows regarding competence, adverse events and reporting to supervisors: a national survey. *CJEM* 2010; **12**: 491–9.
- 16** Hallsworth M, Chadborn T, Sallis A *et al*. Provision of social norm feedback to high prescribers of antibiotics in general practice: a pragmatic national randomised controlled trial. *Lancet* 2016; **387**: 1743–52.
- 17** PHE. *English Surveillance Programme for Antimicrobial Utilisation and Resistance (ESPAUR) Report*. 2016. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/575626/ESPAUR_Report_2016.pdf.
- 18** Lee GC, Reveles KR, Attridge RT *et al*. Outpatient antibiotic prescribing in the United States: 2000 to 2010. *BMC Med* 2014; **12**: 96.
- 19** Fleming-Dutra KE, Hersh AL, Shapiro DJ *et al*. Prevalence of inappropriate antibiotic prescriptions among US ambulatory care visits, 2010–2011. *JAMA* 2016; **315**: 1864–73.
- 20** Dellit TH, Owens RC, McGowan JE *et al*. Infectious Diseases Society of America and the Society for Healthcare Epidemiology of America guidelines for developing an institutional program to enhance antimicrobial stewardship. *Clin Infect Dis* 2007; **44**: 159–77.
- 21** Barlam TF, Cosgrove SE, Abbo LM *et al*. Implementing an antibiotic stewardship program: guidelines by the Infectious Diseases Society of America and the Society for Healthcare Epidemiology of America. *Clin Infect Dis* 2016; **62**: e51–77.
- 22** Pollack LA, van Santen KL, Weiner LM *et al*. Antibiotic stewardship programs in U.S. acute care hospitals: findings from the 2014 National Healthcare Safety Network Annual Hospital Survey. *Clin Infect Dis* 2016; **63**: 443–9.
- 23** Goff DA, Kullar R, Goldstein EJC *et al*. A global call from five countries to collaborate in antibiotic stewardship: united we succeed, divided we might fail. *Lancet Infect Dis* 2017; **17**: e56–63.
- 24** Arnold SR, Straus SE. Interventions to improve antibiotic prescribing practices in ambulatory care. *Cochrane Database Syst Rev* 2005; issue 4: CD003539.
- 25** Davey P, Brown E, Charani E *et al*. Interventions to improve antibiotic prescribing practices for hospital inpatients. *Cochrane Database Syst Rev* 2013; issue 4: CD003543.
- 26** Charani E, Birgand G. Managing behaviours: social, cultural, and psychological aspects of antibiotic prescribing and use. Chapter 3. In: Laundry M, Gilchrist M, Whitney L. eds. *Antimicrobial Stewardship*. Oxford: Oxford University Press, 2016.
- 27** Charani E, Castro-Sanchez E, Sevdalis N *et al*. Understanding the determinants of antimicrobial prescribing within hospitals: the role of “prescribing etiquette”. *Clin Infect Dis* 2013; **57**: 188–96.
- 28** Mattick K, Kelly N, Rees C. A window into the lives of junior doctors: narrative interviews exploring antimicrobial prescribing experiences. *J Antimicrob Chemother* 2014; **69**: 2274–83.
- 29** Tully MP, Ashcroft DM, Dornan T *et al*. The causes of and factors associated with prescribing errors in hospital inpatients. *Drug Saf* 2009; **32**: 819–36.
- 30** Brennan N, Mattick K. A systematic review of educational interventions to change behaviour of prescribers in hospital settings, with a particular emphasis on new prescribers. *Br J Clin Pharmacol* 2013; **75**: 359–72.
- 31** Wong G, Brennan N, Mattick K *et al*. Interventions to improve antimicrobial prescribing of doctors in training: the IMPACT (IMProving Antimicrobial presCribing of doctors in Training) realist review. *BMJ Open* 2015; **5**: e009059.
- 32** Pawson R, Greenhalgh T, Harvey G *et al*. Realist synthesis: an introduction. *ESRC Research Methods Programme*. London: ESRC Working Paper Series, 2004.
- 33** Wong G, Greenhalgh T, Westhorp G *et al*. RAMESES publication standards: realist syntheses. *BMC Med* 2013; **11**: 21.
- 34** Greenhalgh T, Peacock R. Effectiveness and efficiency of search methods in systematic reviews of complex evidence: audit of primary sources. *BMJ* 2005; **331**: 1064–5.
- 35** Pawson R, Owen L, Wong G. The Today Programme’s contribution to evidence-based policy. *Evaluation* 2010; **16**: 211–3.
- 36** Pawson R. *Evidence-Based Policy: A Realist Perspective*. London: Sage, 2006.
- 37** Aveling EL, Parker M, Dixon-Woods M. What is the role of individual accountability in patient safety? A multi-site ethnographic study. *Social Health Illn* 2016; **38**: 216–32.
- 38** Broom A, Broom J, Kirby E. Cultures of resistance? A Bourdieusian analysis of doctors’ antibiotic prescribing. *Soc Sci Med* 2014; **110**: 81–8.
- 39** Goffman E. *The Presentation of Self in Everyday Life*. Harmondsworth: Penguin, 1978.
- 40** Lave J, Wenger E. *Situated Learning: Legitimate Peripheral Participation*. Cambridge: Cambridge University Press, 1991.
- 41** Merton R. On sociological theories of the middle-range. In: R. Merton, ed. *On Theoretical Sociology: Five Essays, Old and New*. New York: Free Press, 1967; 39–72.
- 42** Toulmin SE. *The Uses of Argument*. New York: Cambridge University Press, 2003.
- 43** Wenger E. *Communities of Practice: Learning, Meaning, and Identity*. New York: Cambridge University Press, 1998.
- 44** Graham ID, Logan J, Harrison MB *et al*. Lost in knowledge translation: time for a map? *J Contin Educ Health Prof* 2006; **26**: 13–24.
- 45** Pawson R. Middle range theory and programme theory evaluation: from provenance to practice. In: J Vaessen, F Leeuw, eds. *Mind the Gap: Perspectives on Policy Evaluation and the Social Sciences*. New Brunswick, London: Transaction Publishers, 2010; 171–202.
- 46** Ajemigbitse A, Omole M, Ezike N *et al*. Assessment of the knowledge and attitudes of intern doctors to medication prescribing errors in a Nigeria tertiary hospital. *J Basic Clin Pharma* 2014; **5**: 7–14.
- 47** Ajemigbitse AA, Omole MK, Osi-Ogbu OF *et al*. A qualitative study of causes of prescribing errors among junior medical doctors in a Nigeria inpatient setting. *Ann Afr Med* 2013; **12**: 223–31.
- 48** Akici A, Kalaca S, Goren MZ *et al*. Comparison of rational pharmacotherapy decision-making competence of general practitioners with intern doctors. *Eur J Clin Pharmacol* 2004; **60**: 75–82.
- 49** Ali MH, Kalima P, Maxwell SR. Failure to implement hospital antimicrobial prescribing guidelines: a comparison of two UK academic centres. *J Antimicrob Chemother* 2006; **57**: 959–62.
- 50** Bould MD, Sutherland S, Sydor DT *et al*. Residents’ reluctance to challenge negative hierarchy in the operating room: a qualitative study. *Can J Anesth* 2015; **62**: 576–86.
- 51** Chaves NJ, Cheng AC, Runnegar N *et al*. Analysis of knowledge and attitude surveys to identify barriers and enablers of appropriate antimicrobial prescribing in three Australian tertiary hospitals. *Intern Med J* 2014; **44**: 568–74.

- 52 Conte H, Scheja M, Hjelmqvist H *et al.* Exploring teams of learners becoming “WE” in the Intensive Care Unit—a focused ethnographic study. *BMC Med Educ* 2015; **15**: 131.
- 53 Cortoos PJ, De Witte K, Peetermans WE *et al.* Opposing expectations and suboptimal use of a local antibiotic hospital guideline: a qualitative study. *J Antimicrob Chemother* 2008; **62**: 189–95.
- 54 Dallas A, van Driel M, van de Mortel T *et al.* Antibiotic prescribing for the future: exploring the attitudes of trainees in general practice. *Br J Gen Pract* 2014; **64**: e561–7.
- 55 De Souza V, MacFarlane A, Murphy AW *et al.* A qualitative study of factors influencing antimicrobial prescribing by non-consultant hospital doctors. *J Antimicrob Chemother* 2006; **58**: 840–3.
- 56 Fakih MG, Berschback J, Juzych NS *et al.* Compliance of resident and staff physicians with IDSA guidelines for the diagnosis and treatment of streptococcal pharyngitis. *Infect Dis Clin Pract* 2006; **14**: 84–8.
- 57 Gordon LJ, Rees CE, Ker JS *et al.* Dimensions, discourses and differences: trainees conceptualising health care leadership and followership. *Med Educ* 2015; **49**: 1248–62.
- 58 Lee TC, Frenette C, Jayaraman D *et al.* Antibiotic self-stewardship: trainee-led structured antibiotic time-outs to improve antimicrobial use. *Ann Intern Med* 2014; **161**: S53–8.
- 59 Liabsuetrakul T, Chongsuvivatwong V, Lumbiganon P *et al.* Obstetricians’ attitudes, subjective norms, perceived controls, and intentions on antibiotic prophylaxis in caesarean section. *Soc Sci Med* 2003; **57**: 1665–74.
- 60 Livorsi D, Comer A, Matthias MS *et al.* Factors influencing antibiotic-prescribing decisions among inpatient physicians: a qualitative investigation. *Infect Control Hosp Epidemiol* 2015; **36**: 1065–72.
- 61 May L, Gudger G, Armstrong P *et al.* Multisite exploration of clinical decision making for antibiotic use by emergency medicine providers using quantitative and qualitative methods. *Infect Control Hosp Epidemiol* 2014; **35**: 1114–25.
- 62 Sculli GL, Fore AM, Sine DM *et al.* Effective followership: a standardized algorithm to resolve clinical conflicts and improve teamwork. *J Healthc Risk Manag* 2015; **35**: 21–30.
- 63 Tallentire VR, Smith SE, Skinner J *et al.* Understanding the behaviour of newly qualified doctors in acute care contexts. *Med Educ* 2011; **45**: 995–1005.
- 64 Walton MM. Hierarchies: the Berlin Wall of patient safety. *Qual Saf Health Care* 2006; **15**: 229–30.
- 65 Welch SA, Novy M, Preisz P *et al.* Promoting rational prescribing by emergency department junior medical officers. *Aust J Hosp Pharm* 2000; **30**: 262–7.
- 66 Ziglam HM, Morales D, Webb K *et al.* Knowledge about sepsis among training-grade doctors. *J Antimicrob Chemother* 2006; **57**: 963–5.
- 67 Hoff TJ. How work context shapes physician approach to safety and error. *Qual Manag Health Care* 2008; **17**: 140–53.
- 68 Hoff TJ, Pohl H, Bartfield J. Teaching but not learning: how medical residency programs handle errors. *J Organiz Behav* 2006; **27**: 869–96.
- 69 Illing J, Morrow G, Kergon C *et al.* *How Prepared Are Medical Graduates to Begin Practice: A Comparison of Three Diverse UK Medical Schools*. Report to the General Medical Council Education Committee, 2008.
- 70 Kilminster S, Zukas M, Quinton N *et al.* Preparedness is not enough: understanding transitions as critically intensive learning periods. *Med Educ* 2011; **45**: 1006–15.
- 71 McLellan L, Dornan T, Newton P *et al.* Pharmacist-led feedback workshops increase appropriate prescribing of antimicrobials. *J Antimicrob Chemother* 2016; **71**: 1415–25.
- 72 Navarro-San Francisco C, Del Toro MD, Cobo J *et al.* Knowledge and perceptions of junior and senior Spanish resident doctors about antibiotic use and resistance: results of a multicenter survey. *Enferm Infecc Microbiol Clin* 2013; **31**: 199–204.
- 73 Stewart J. To call or not to call: a judgement of risk by pre-registration house officers. *Med Educ* 2008; **42**: 938–44.
- 74 Tell D, Engstrom S, Molstad S. Adherence to guidelines on antibiotic treatment for respiratory tract infections in various categories of physicians: a retrospective cross-sectional study of data from electronic patient records. *BMJ Open* 2015; **5**: e008096.
- 75 Tobiaqi M, McLay J, Ross S. Foundation year 1 doctors and clinical pharmacology and therapeutics teaching. A retrospective view in light of experience. *Br J Clin Pharmacol* 2007; **64**: 363–72.
- 76 Zaidi ST, Thursky KA. Using formative evaluation to improve uptake of a web-based tool to support antimicrobial stewardship. *J Clin Pharm Ther* 2013; **38**: 490–7.
- 77 Bearman M, Lawson M, Jones A. Participation and progression: new medical graduates entering professional practice. *Adv Health Sci Educ Theory Pract* 2011; **16**: 627–42.
- 78 Friedman Z, Hayter MA, Everett TC *et al.* Power and conflict: the effect of a superior’s interpersonal behaviour on trainees’ ability to challenge authority during a simulated airway emergency. *Anaesthesia* 2015; **70**: 1119–29.
- 79 Almatar MA, Peterson GM, Thompson A *et al.* Factors influencing ceftriaxone use in community-acquired pneumonia: emergency doctors’ perspectives. *Emerg Med Australas* 2014; **26**: 591–5.
- 80 Abbo L, Sinkowitz-Cochran R, Smith L *et al.* Faculty and resident physicians’ attitudes, perceptions, and knowledge about antimicrobial use and resistance. *Infect Control Hosp Epidemiol* 2011; **32**: 714–8.
- 81 Almatar MA, Peterson GM, Thompson A *et al.* Community-acquired pneumonia: why aren’t national antibiotic guidelines followed? *Int J Clin Pract* 2015; **69**: 259–66.
- 82 Ambroggio L, Thomson J, Murtagh Kurowski E *et al.* Quality improvement methods increase appropriate antibiotic prescribing for childhood pneumonia. *Pediatrics* 2013; **131**: e1623–31.
- 83 Barlow G, Nathwani D, Myers E *et al.* Identifying barriers to the rapid administration of appropriate antibiotics in community-acquired pneumonia. *J Antimicrob Chemother* 2008; **61**: 442–51.
- 84 Chow A, Lye DCB, Arah OA. Psychosocial determinants of physicians’ acceptance of recommendations by antibiotic computerised decision support systems: a mixed methods study. *Int J Antimicrob Agents* 2015; **45**: 295–304.
- 85 Dallas A, Magin P, Morgan S *et al.* Antibiotic prescribing for respiratory infections: a cross-sectional analysis of the ReCenT study exploring the habits of early-career doctors in primary care. *Fam Pract* 2015; **32**: 49–55.
- 86 Doyon S, Perreault M, Marquis C *et al.* Quantitative evaluation of a clinical intervention aimed at changing prescriber behaviour in response to new guidelines. *J Eval Clin Pract* 2009; **15**: 1111–7.
- 87 Fakih MG, Hilu RC, Savoy-Moore RT *et al.* Do resident physicians use antibiotics appropriately in treating upper respiratory infections? A survey of 11 programs. *Clin Infect Dis* 2003; **37**: 853–6.
- 88 Gaur AH, Hare ME, Shorr RI. Provider and practice characteristics associated with antibiotic use in children with presumed viral respiratory tract infections. *Pediatrics* 2005; **115**: 635–41.
- 89 Limbert C, Lamb R. Doctors’ use of clinical guidelines: two applications of the theory of planned behaviour. *Psychol Health Med* 2002; **7**: 301–10.
- 90 Menendez R, Torres A, Zalacain R *et al.* Guidelines for the treatment of community-acquired pneumonia: predictors of adherence and outcome. *Am J Respir Crit Care Med* 2005; **172**: 757–62.
- 91 Mincey BA, Parkulo MA. Antibiotic prescribing practices in a teaching clinic: comparison of resident and staff physicians. *South Med J* 2001; **94**: 365–9.
- 92 Newham R, Thomson AH, Semple Y *et al.* Barriers to the safe and effective use of intravenous gentamicin and vancomycin in Scottish hospitals, and strategies for quality improvement. *Eur J Hosp Pharm Sci Pract* 2015; **22**: 32–7.
- 93 Vivekananda-Schmidt P, Vernon B. FY1 doctors’ ethicolegal challenges in their first year of clinical practice: an interview study. *J Med Ethics* 2014; **40**: 277–81.

- 94 Zallman L, Ma J, Xiao L *et al.* Quality of US primary care delivered by resident and staff physicians. *J Gen Intern Med* 2010; **25**: 1193–7.
- 95 Asseray N, Mallaret MR, Sousbie M *et al.* Antibiotherapy in hospital: evaluation of prescription habits within a hospital network. *Med Mal Infect* 2002; **32**: 468–76.
- 96 Undeland DK, Kowalski TJ, Berth WL *et al.* Appropriately prescribing antibiotics for patients with pharyngitis: a physician-based approach vs a nurse-only triage and treatment algorithm. *Mayo Clin Proc* 2010; **85**: 1011–5.
- 97 Gordon LJ, Rees CE, Ker JS *et al.* Leadership and followership in the healthcare workplace: exploring medical trainees' experiences through narrative inquiry. *BMJ Open* 2015; **5**: e008898.
- 98 Hong SY, Epstein LH, Lawrence K *et al.* Evaluation of programmatic changes to an antimicrobial stewardship program with house officer feedback. *J Eval Clin Pract* 2013; **19**: 388–92.
- 99 Dobrzanski S, Hammond I, Khan G *et al.* The nature of hospital prescribing errors. *Br J Clin Pharmacol* 2002; **7**: 187–93.
- 100 Tamuz M, Giardina TD, Thomas EJ *et al.* Rethinking resident supervision to improve safety: from hierarchical to interprofessional models. *J Hosp Med* 2011; **6**: 445–52.
- 101 Hamui-Sutton A, Vives-Varela T, Gutierrez-Barreto S *et al.* A typology of uncertainty derived from an analysis of critical incidents in medical residents: a mixed methods study. *BMC Med Educ* 2015; **15**: 198.
- 102 Jaensch SL, Baysari MT, Day RO *et al.* Junior doctors' prescribing work after-hours and the impact of computerized decision support. *Int J Med Inform* 2013; **82**: 980–6.
- 103 Kroll L, Singleton A, Collier J *et al.* Learning not to take it seriously: junior doctors' accounts of error. *Med Educ* 2008; **42**: 982–90.
- 104 Lewis PJ, Ashcroft DM, Dorman T *et al.* Exploring the causes of junior doctors' prescribing mistakes: a qualitative study. *Br J Clin Pharmacol* 2014; **78**: 310–9.
- 105 Simpson JH, Lynch R, Grant J *et al.* Reducing medication errors in the neonatal intensive care unit. *Arch Dis Child Fetal Neonatal Ed* 2004; **89**: F480–2.
- 106 Steinke DT, Bain DJ, MacDonald TM *et al.* Practice factors that influence antibiotic prescribing in general practice in Tayside. *J Antimicrob Chemother* 2000; **46**: 509–12.
- 107 Teunissen PW, Stapel DA, van der Vleuten C *et al.* Who wants feedback? An investigation of the variables influencing residents' feedback-seeking behavior in relation to night shifts. *Acad Med* 2009; **84**: 910–7.
- 108 Ummenhofer W, Amsler F, Sutter PM *et al.* Team performance in the emergency room: assessment of inter-disciplinary attitudes. *Resuscitation* 2001; **49**: 39–46.
- 109 Wiener-Ogilvie S, Bennison J, Smith V. General practice training environment and its impact on preparedness. *Educ Prim Care* 2014; **25**: 8–17.
- 110 Bongiovanni T, Yeo H, Sosa JA *et al.* Attrition from surgical residency training: perspectives from those who left. *Am J Surg* 2015; **210**: 648–54.
- 111 Fiordelli M, Schulz PJ, Caiata Zufferey M. Dissonant role perception and paradoxical adjustments: an exploratory study on Medical Residents' collaboration with Senior Doctors and Head Nurses. *Adv Health Sci Educ* 2014; **19**: 311–27.
- 112 Jubraj B, Marvin V, Poots AJ *et al.* A pilot survey of junior doctors' attitudes and awareness around medication review: time to change our educational approach? *Eur J Hosp Pharm Sci Pract* 2015; **22**: 243–8.
- 113 Maisonneuve JJ, Lambert TW, Goldacre MJ. Doctors' views about training and future careers expressed one year after graduation by UK-trained doctors: questionnaire surveys undertaken in 2009 and 2010. *BMC Med Educ* 2014; **14**: 270.
- 114 Collins J. *Foundation for Excellence: an Evaluation of the Foundation Programme*. 2010. www.agcas.org.uk/assets/download?file=2053&parent=793.
- 115 Hilliard R, Harrison C, Madden S. Ethical conflicts and moral distress experienced by paediatric residents during their training. *Paediatr Child Health* 2007; **12**: 29–35.
- 116 Brennan N, Corrigan O, Allard J *et al.* The transition from medical student to junior doctor: today's experiences of Tomorrow's Doctors. *Med Educ* 2010; **44**: 449–58.
- 117 Farnan JM, Johnson JK, Meltzer DO *et al.* Resident uncertainty in clinical decision making and impact on patient care: a qualitative study. *Qual Saf Health Care* 2008; **17**: 122–6.
- 118 Garcia C, Llamocca LP, Garcia K *et al.* Knowledge, attitudes and practice survey about antimicrobial resistance and prescribing among physicians in a hospital setting in Lima, Peru. *BMC Clin Pharmacol* 2011; **11**: 18.
- 119 Kennedy TJT, Regehr G, Baker GR *et al.* Preserving professional credibility: grounded theory study of medical trainees' requests for clinical support. *BMJ* 2009; **338**: b128.
- 120 Kennedy TJT, Regehr G, Baker GR *et al.* 'It's a cultural expectation. . .' The pressure on medical trainees to work independently in clinical practice. *Med Educ* 2009; **43**: 645–53.
- 121 Sellman JS, Decarolis D, Schullo-Feulner A *et al.* Information resources used in antimicrobial prescribing. *J Am Med Inform Assoc* 2004; **11**: 281–4.
- 122 Sutcliffe KM, Lewton E, Rosenthal MM. Communication failures: an insidious contributor to medical mishaps. *Acad Med* 2004; **79**: 186–94.
- 123 Belyansky I, Martin TR, Prabhu AS *et al.* Poor resident-attending intra-operative communication may compromise patient safety. *J Surg Res* 2011; **171**: 386–94.
- 124 Coats RD, Burd RS. Intraoperative communication of residents with faculty: perception versus reality. *J Surg Res* 2002; **104**: 40–5.
- 125 Coffey M, Thomson K, Tallett S *et al.* Pediatric residents' decision-making around disclosing and reporting adverse events: the importance of social context. *Acad Med* 2010; **85**: 1619–25.
- 126 Doyle P, VanDenKerkhof EG, Edge DS *et al.* Self-reported patient safety competence among Canadian medical students and postgraduate trainees: a cross-sectional survey. *BMJ Qual Saf* 2015; **24**: 135–41.
- 127 Kobayashi H, Pian-Smith M, Sato M *et al.* A cross-cultural survey of residents' perceived barriers in questioning/challenging authority. *Qual Saf Health Care* 2006; **15**: 277–83.
- 128 Pian-Smith MC, Simon R, Minehart RD *et al.* Teaching residents the two-challenge rule: a simulation-based approach to improve education and patient safety. *Simul Healthc* 2009; **4**: 84–91.
- 129 Sydor DT, Bould MD, Naik VN *et al.* Challenging authority during a life-threatening crisis: the effect of operating theatre hierarchy. *Br J Anaesth* 2013; **110**: 463–71.
- 130 van Schaik S, Plant J, O'Brien B. Challenges of interprofessional team training: a qualitative analysis of residents' perceptions. *Educ Health (Abingdon)* 2015; **28**: 52–7.
- 131 Bethune R, Canter R, Abrams P. What do surgical trainees think about patient safety culture, and is this different from their consultants? *Clin Risk* 2012; **18**: 52–7.
- 132 Reader TW, Flin R, Mearns K *et al.* Interdisciplinary communication in the intensive care unit. *Br J Anaesth* 2007; **98**: 347–52.
- 133 Hall KK, Philbrick J, Nadkarni M. Evaluation and treatment of acute bronchitis at an academic teaching clinic. *Am J Med Sci* 2003; **325**: 7–9.
- 134 Pacheco GS, Viscusi C, Hays DP *et al.* The effects of resident level of training on the rate of pediatric prescription errors in an academic emergency department. *J Emerg Med* 2012; **43**: e343–8.
- 135 Baker E, Pryce Roberts A, Wilde K *et al.* Development of a core drug list towards improving prescribing education and reducing errors in the UK. *Br J Clin Pharmacol* 2011; **71**: 190–8.
- 136 Feucht CL, Rice LB. An interventional program to improve antibiotic use. *Ann Pharmacother* 2003; **37**: 646–51.
- 137 Guerra CM, Pereira CA, Neves Neto AR *et al.* Physicians' perceptions, beliefs, attitudes, and knowledge concerning antimicrobial resistance in a Brazilian teaching hospital. *Infect Control Hosp Epidemiol* 2007; **28**: 1411–4.

- 138** Nambiar S, Schwartz RH, Sheridan MJ. Antibiotic use for upper respiratory tract infections: how well do pediatric residents do? *Arch Pediatr Adolesc Med* 2002; **156**: 621–4.
- 139** Patel R, Green W, Martinez MM *et al*. A study of Foundation Year doctors' prescribing in patients with kidney disease at a UK renal unit: a comparison with other prescribers regarding the frequency and type of errors. *Eur J Hosp Pharm Sci Pract* 2015; **22**: 291–7.
- 140** Dearden E, Mellanby E, Cameron H *et al*. Which non-technical skills do junior doctors require to prescribe safely? A systematic review. *Br J Clin Pharmacol* 2015; **80**: 1303–14.
- 141** Rawson TM, Charani E, Moore LSP *et al*. Mapping the decision pathways of acute infection management in secondary care among UK medical physicians: a qualitative study. *BMC Med* 2016; **14**: 208.
- 142** Dryden M, Johnson AP, Ashiru-Oredope D *et al*. Using antibiotics responsibly: right drug, right time, right dose, right duration. *J Antimicrob Chemother* 2011; **66**: 2441–3.
- 143** General Medical Council. *Leadership and Management for All Doctors*. GMC, 2012. http://www.gmc-uk.org/Leadership_and_management_for_all_doctors__English_1015.pdf_48903400.pdf.
- 144** Wilkie V. Leadership and management for all doctors. *Br J Gen Pract* 2012; **62**: 230–1.
- 145** McCarthy RM, Hilmer SN. Teaching Junior Medical Officers safe and effective prescribing. *Intern Med J* 2013; **43**: 1250–3.
- 146** Thorpe JM, Smith SR, Trygstad TK. Trends in emergency department antibiotic prescribing for acute respiratory tract infections. *Ann Pharmacother* 2004; **38**: 928–35.
- 147** Wong G, Greenhalgh T, Westhrop G *et al*. Development of methodological guidance, publication standards and training materials for realist and meta-narrative reviews: the RAMESES (Realist And Meta-narrative Evidence Syntheses: Evolving Standards) project. *Health Serv Deliv Res* 2014; **2**.